

Spiders (Araneae) of the Lower Morava Biosphere Reserve and closely adjacent localities (Czech Republic)

VÍTEŽSLAV BRYJA¹, JAROSLAV SVATOŇ², JOSEF CHYTIL³, ZDENĚK MAJKUS⁴,
VLASTIMIL RŮŽIČKA⁵, PAVEL KASAL⁶, JAN DOLANSKÝ⁷, JAN BUCHAR⁸, IVETA
CHVÁTALOVÁ⁹, MILAN ŘEZÁČ⁸, LENKA KUBCOVÁ⁸, JAN ERHART¹⁰ & IVANA
FENCLOVÁ¹¹

¹Corresponding author: Pokorova 16, 621 00 Brno, Czech Republic; e-mail: bryja@vinkler.cz

²Kernova 8, 036 01 Martin - Košúty 2, Slovakia

³Administration of the Pálava Protected Landscape Area, Náměstí 32, 692 01 Mikulov, Czech Republic

⁴Faculty of Science, University of Ostrava, Dvořákova 7, 701 03, Ostrava 1, Czech Republic

⁵Institute of Entomology, Academy of Sciences, Branišovská 31, 370 05 České Budějovice, Czech Republic

⁶Slezská 125, 130 00 Praha 3, Czech Republic

⁷East Bohemian Museum, Zámek 2, 530 02 Pardubice, Czech Republic

⁸Faculty of Science, Charles University, Viničná 7, 128 44 Praha 2, Czech Republic

⁹Lidická 5a, 787 01 Šumperk, Czech Republic

¹⁰Institute of Parasitology, Academy of Sciences, Branišovská 31, 370 05 České Budějovice, Czech Republic

¹¹West Bohemian Museum, Františkánská 13, 301 12 Plzeň, Czech Republic

BRYJA V., SVATOŇ J., CHYTIL J., MAJKUS Z., RŮŽIČKA V., KASAL P., DOLANSKÝ J., BUCHAR J., CHVÁTALOVÁ I., ŘEZÁČ M., KUBCOVÁ L., ERHART J. & FENCLOVÁ I. 2005: Spiders (Araneae) of the Lower Morava Biosphere Reserve and closely adjacent localities (Czech Republic). *Acta Musei Moraviae, Scientiae biologicae* (Brno) 90: 13–184. – In the study presented we attempt to summarize all available information (published sources, unpublished data from BSc., MSc. and PhD. theses, internal projects and private collections, new data obtained by the team of authors between 1994 and 2004) about the spiders of the Lower Morava Biosphere Reserve (Czech Republic) and some closely adjacent localities (Pouzdranská step - Kolby, Dunajovické kopce, Očovské louky). Altogether 61,902 specimens belonging to 574 species were collected in the area studied over the past 50 years. Thirteen spider species are reported here for the first time from the territory of the Czech Republic: *Dysdera crocata*, *Enoplognatha* sp., *Microctenonyx subitaneus*, *Zygiella thorelli*, *Aculepeira armida*, *Pardosa fulvipes*, *Dictyna vicina*, *Amaurobius erberi*, *Cheiracanthium mildei*, *Zelotes gracilis*, *Philodromus histrio*, *Zora armillata* and *Zora parallela*. In total the occurrence of 28 spider species is restricted in the Czech Republic only to the territory of Lower Morava Biosphere Reserve and its close vicinity. The number of species obtained represents almost 70% of all species known from the Czech Republic and highlights the unique richness of species of fauna in this region.

Key words. spiders, Araneae, faunistics, Czech Republic, Lower Morava Biosphere Reserve

Dedication

The authors would like to dedicate this paper to L. J. Dobroruka, an eminent specialist in jumping spiders, who passed away while this paper was being written.

Introduction

The southernmost part of Moravia is a unique complex of habitats and ecosystems in the Czech Republic. The lower parts of the Dyje and Morava rivers have given rise to the formation of a complex of floodplain forests, dead arms and flooded meadows. Many thermophilous species reach the northern border of their occurrence here, via direct connection to the Hungarian lowlands. Diverse geological conditions at the higher elevations lead to the formation of xerothermic steppes on sandy and loess soils, as well as on limestone rocks. In addition to these natural habitats, a plethora of artificial, semi-natural habitat types have formed and remain well preserved, among the most important of them being many fishponds with rich littoral vegetation and extensive reedy swamps, as well as parks with a wide range of trees, some of them very old. The majority of the landscape under study has been under human influence for more than 25,000 years. In particular, the changes in the Lednice-Valtice area have been categorised as “wise use” in current terminology. It is hardly surprising that this area was declared a World Heritage Site by UNESCO in 1999, in the “cultural landscape” category. The forests in this region are made up of floodplain forests, thermophilous, mainly oak forests (often with *Quercus robur*), and more sporadically by pine forests on sandy soils, as well as by colder scree and ravine forest on north-facing slopes.

In view of these facts, it is surprising that the arachnofauna of the region has never been studied in detail. The history of spider investigations in this area up to 1994 and all data available up to that time are provided MAJKUS & SVATOŇ (1995). The majority of data come from occasional individual collections, made mainly by Prof. F. Miller and published by A. Kůrka throughout the revision of the Miller collection (KŮRKA 1994, 1996, 1997a, 2000, 2001, 2003, 2004). Further information is available in studies published by F. Miller and R. Obrtel on the epigeic arachnofauna of reed-swamps surrounding the Nesyt fishpond (MILLER & OBRTEL 1975a) and on the arachnofauna of the Kančí obora floodplain forest near Lednice (MILLER & OBRTEL 1975b) and an unpublished MSc. thesis by V. Bukva concentrating on the spiders of limestone rock steppes (BUKVA 1969).

More intensive research into the spiders in the Lower Morava BR was organized by the the administration of the Pálava Protected Landscape Area (PLA) and started in 1993 (part of the material from 1993 is published in MAJKUS & SVATOŇ 1995) and came to fruition in 2003. In successive steps, a large body of material was obtained by pitfall trapping in the following localities: Slanisko u Nesytu (1993, 2003), Děvín (1993, 1995), Milovický les (1994), Křivé jezero (1993, 1997–2001), Ranšpurk (1993, 1995–2001, FOJTOVÁ 2003), Mušlov sandpit (2003), Kinberk (2003, 2004) and Boří les (2003). Pitfall traps were also used for a study by M. Hluchý in the Svatý Kopeček grass steppe and surrounding vineyards (as yet not evaluated), and in the first half of 2004 in the Pouzdřanská step - Kolby NNR and Dunajovické kopce NNM. The information obtained by pitfall trapping was notably completed by the results of five arachnological excursions organized by the Arachnological Section of the Czech Entomological Society (AS CSE) in cooperation with the Pálava PLA in the following periods: 27.5.–2.6.2002, 21.–25.5.2003, 1.–3.8.2003, 16.–19.10.2003 and 2.–4.4.2004, as well as by individual

collecting by J. Chytil, J. Svatoň, V. Bryja and S. Vinkler during 2003 and 2004. The material from tree traps obtained by J. Schlaghamerský, determined and evaluated by L. Kubcová, has already been published (KUBCOVÁ & SCHLAGHAMERSKÝ 2002). In total 23 members and close collaborators of AS CSE contributed in 2003 and 2004 to the material presented here.

In this study we attempt to summarize all available information (published data, unpublished data from BSc., MSc. and PhD. theses, internal projects and private collections, and new data obtained by the author team between 1994 and 2004) on spiders of the Lower Morava BR and closely adjacent localities.

Material and methods

Abbreviations

BR		Biosphere Reserve
CR		Czech Republic
NR		Nature Reserve
NM		Nature Monument
NNR		National Nature Reserve
NNM		National Nature Monument
NP		National Park
PLA		Protected Landscape Area
Y.		year

Localities

A short characterization of the localities in which spiders were collected is given. A map of the area studied, with the borders and codes of individual fields indicated according to the PRUNER & MÍKA 1996 faunistic grid mapping system is provided in Fig. 1. The position of the region within the Czech Republic is further specified in Fig. 2 and the position of the Czech Republic in Europe is shown in Fig. 3. In further text the whole area studied (the Lower Morava BR and a few adjacent localities) is referred to as the “Pálava region”. The numbers of the localities correspond to the numbers in the schematic map (Fig. 1). Please note that one number may mark more localities in close proximity. The names of localities given in bold are considered “terminus technicus” and they appear in the exactly same way in the Results section. The list of localities in bold-type is comprehensive.

- 1. Pouzdřanská step-Kolby** (NNR). Bunchgrass steppe on loess soils (**Pouzdřanská step**) and thermophilous downy oak (*Quercus pubescens*) forest (**Kolby**) that partially extends beyond the borders of NNR (**Kolby outside NNR**)
- 2. Ivaň**. Village. 4 km NE of Ivaň, and another village **Vranovice** (not shown in Fig. 1).
- 3. Pasohlávky**. Village on the bank of VDNM I.
- 4. Dunajovické kopce** (NNM). Grassy steppe, vineyards.
- 5. Dolní Dunajovice**. Village, surrounded mainly by extensive vineyards.
- 6. Dunajovický potok**. Entry of small brook into VDNM I (reed-swamps, old willows).




Fig. 1. Map of the area studied. A list of individual localities is provided and their position in the area is indicated by numbers, which are identical to the numbering of localities in the text. The borders and four-digit codes of individual fields of the faunistic grid mapping system (PRUNER & MÍKA 1996) as well as the borders of the Lower Morava Biosphere Reserve are also drawn in. For detailed characterization of the localities studied, see text.

7. VDNM II (NR) – abbreviation for **Vodní dílo Nové mlýny**. Artificial shallow water reservoir at the confluence of the Dyje and Svratka rivers. 1080 ha, ca 50 ha of islets (**VDNM II - Písky** – islets in southern part, **VDNM II - Šmardův ostrov** – artificial islet below the confluence of the Dyje and Svratka rivers in northern part). Artificial swamp in northern part of VDNM II (**Betlém**). Older data originate from currently inundated places around the former village of **Mušov** and




Fig. 2. Position of the area studied in the Czech Republic. The position of Pálava region is indicated by dots in the faunistic grid map of the Czech Republic ((PRUNER & MIKA 1996).

from floodplain forests and marshes around the **confluence of Svatka and Jihlava** rivers.

- 8. Dolní Věstonice.** Village, surrounded mainly by extensive vineyards, limestone hills and loess soils. Quaternary loess profile with other different (inter)glacial soils (**Dolní Věstonice - Kalendář věků**), trench in loess soils in vineyards (**Dolní Věstonice - trench**).
- 9. Pansee.** Previously extensive wetland (dead arm) in the Dyje alluvium, large reeds and areas with macrophyte vegetation, floodplain forest; nowadays flooded by VDNM III.
- 10. Šakvice.** Village on the bank of VDNM III.
- 11. VDNM III.** Artificial water reservoir, 1680 ha, ca 5 m depth. In southern banks close to Pavlov with reed swamps (**VDNM III – reed-swamp**). Older data are from currently flooded complex of swamps and water basins close to Strachotín (**Mariánská jezera**).
- 12. Děvín-Kotel-Soutěska** (NNR). Rocky and grass steppe, limestone cliffs, thermophilous oak forests (**Děvín**), thermophilous oak and hornbeam forests, grass steppe, black pine stands and limestone quarry (**Kotel**), limestone cliffs up to 80 m high locally forming colder valleys (**Soutěska**). In northern part sub-alpine refuge, screes and ravine forest (**Děvín - north**). Older material located only in **Pavlovské vrchy** hills most probably comes from this NNR.
- 13. Perná.** Village in the foothills of Tabulová NNR.
- 14. Klentnice.** Small village in the foothills of Tabulová NNR.
- 15. Tabulová** (NNR). Limestone hill and cliffs, old lime quarry, rocky steppe.
- 16. Bavory.** Village below Tabulová hill, surrounded by vineyards and orchards.
- 17. Kočičí skála** (NM). Isolated limestone outcrop among fields.
- 18. Tuřold** (NR). Limestone hill with many karst phenomena including cave system (over 1,000 m long and 60 m deep, **Tuřold - cave**) and with pine stands on the top.



Fig. 3. Schematic map of Europe with the Czech Republic highlighted in black.

19. Mikulov. Town with ca. 8,000 inhabitants and old castle at the foot of Svatý Kopeček hill. Surrounded by vineyards.

20. Svatý Kopeček (NR). Limestone hill covered by rocky steppe and thermophilous oak forest. Intensive research was also carried out in a vineyard under biological monitoring on S-slope of Svatý Kopeček hill (**Svatý Kopeček - vineyards**).

21. Šibeničnick (NR). Small limestone hill, the southernmost outcrop of the Pálava limestones. Nearby small, shallow fishpond

with extensive reeds (**Šibeník**).

22. Kameníky. Grass steppe with *Pruno-Rubion* thickets.

23. Skalky. Bunchgrass and rocky steppe, karst sink-holes, some with open sand.

24. Slanisko u Nesytu (NNR). Salt marsh with the halophytic vegetation, often partly flooded in early spring.

25. Sedlec. Village. In close vicinity to the village at the edge of NNR Slanisko lies a small field station (**Sedlec - Váhovna**).

26. Nový rybník. Shallow fishpond with smaller reeds, alder swamp woods.

27. Mušlov. Small village on hillside, sand gravel. In the immediate vicinity of Mušlov spiders were obtained from pitfall traps used along road for migrating frogs (thermophilous oak forest, **Mušlov - frog traps**), from small abandoned sandpit (**Mušlov - sandpit**) and from grass steppe (**Liščí vrch**, NR).

28. Mušlovské rybníky. Shallow fishponds with small reed- and reedmace swamps, 4 ha.

29. Kinberk. Grass steppe with *Pruno-Rubion* thickets and old sandpit (significant geological profile). Small water basin with reeds (**Kinberk - pool**).

30. Milovický les. Game reserve with fallow deer and mouflon, mainly steppe oak woods of *Quercetum pubescentis-roboris*, occasionally grading into forest steppe, lesser volume of Pannonic oak-hornbeam forests *Fraxino pannonicae-Carpinetum*.

31. Milovice. Village surrounded by vineyards. In close vicinity trench in loess soils in vineyards (**Milovice-trench**) and **Milovická stráň** (NR) – small grassy steppe and thermophilous oak woods *Pruno mahaleb-Quercetum pubescentis*. Towards Pavlov brook alluvium with old willows and poplars (**Klentnický potok**).

32. **Křivé jezero** (NNR). Floodplain forest with regular spring floods, extensive meadows, solitary oaks, pools and dead arms.
33. **Bulhary**. Village in the Dyje alluvium.
34. **Herdy**. Diverse alluvium of the Dyje river: floodplain forest stands, meadows, pools with reeds.
35. **Květné jezero** (NM). Floodplain pool, with old oaks, poplars and willows on banks, floodplain meadows.
36. **Podivín**. Village at the edge of the Dyje alluvium. Large sample of spiders collected by F. Miller in oak floodplain forest between Lednice and Podivín (**Lednice-Podivín, oak forest**)
37. **Lednický park** (part in NNR). Mature chateau park with many old trees (oaks, lime, elm, ash) and many exotic trees; includes fishpond (part of Lednické rybníky NNR) and artificial castle ruin, surrounded by floodplain forest with old dead arm of the Dyje river (**Janohrad**)
38. **Pastvisko** (NNM). Well-preserved wetland (natural eutrophic lake; 30 ha) with shallow water, reedbed and large *Carex* beds (*Magnocaricion elatae*).
39. **Horní les**. Floodplain forest (frequent spring floods) with extensive meadows, pools and dead arms.
40. **Lednice**. Village surrounded by park landscape.
41. **Nejdek**. Small village at the edge of floodplain forest.
42. **Lednické rybníky** (NNR). Shallow eutrophic fishponds with rich littoral vegetation (**Nesyt**, **Hlohovecký rybník**, **Prostřední rybník**, **Mlýnský rybník**), surrounded by fields and parks.
43. **Hlohovec**. Village on the bank of Hlohovecký rybník fishpond.
44. **Nesyt** (part of NNR Lednické rybníky). Biggest shallow fishpond (325 ha, 40 ha of reeds). In immediate vicinity another, smaller fishpond **Výtopa**.
45. **Valtice**. Small town, surrounded mainly by vineyards and fields.
46. **Randezvous** (NNM). NNM within Boří les. Huge old oaks, many of them dead. Small, shallow fishpond with reeds (**Randezvous - fishpond**).
47. **Boří les - sand, oak**. Atypical parts of Boří les forest: clearings with open sand faces and young stands of pine (**Boří les - sand**), small shallow pool (25×5m) with occasional reeds (**Boří les - pool**) and relics of old *Quercus robur* stands (**Boří les - oaks**).
48. **Boří les**. Mainly pine forest on sandy soils, smaller part with *Quercus cerris* and *Q. robur*.
49. **Kančí obora**. Floodplain forest (frequent spring floods) with extensive meadows, pools and dead arms.
50. **Břeclav**. Industrial town, 25 000 inhabitants and its eastern suburb (**Poštorná**).
51. **Pohansko**. Extensive floodplain meadows with huge solitary oaks, floodplain forest, chateau.
52. **Košárské louky**. Extensive floodplain meadows, with inundated sand pits and large *Carex* beds. Regularly flooded.
53. **Cahnov** (NNR). Primeval floodplain forest with old stands of *Quercus robur*,

Fraxinus angustifolia, *Ulmus laevis*, *Tilia cordata*. Cahnov is part of a larger area known as **Soutok**, which is a game reserve above the confluence of the Dyje and Morava rivers with floodplain forests (oak, elm, ash, poplar and willow), extensive floodplain meadows, many pools, dead arms (**Soutok - Sekulská Morava**) and channels. In some places with small gravel and sand elevations remaining from old river terraces and deposits (**Soutok - hrúd Polínka**).

54. **Ranšpurk** (NNR). Primeval floodplain forest with huge trees (*Quercus robur*, *Fraxinus angustifolia*, *Ulmus laevis*, *Populus alba*, *Tilia cordata*). Small pools.
55. **Lanžhot**. Small town in alluvium of the Dyje and Morava rivers surrounded by wet meadows and floodplain forests (**Lanžhot - Trny**, **Lanžhot - Trnůvky**, **Lanžhot - Bačovská**) and dead arms of Morava river (**Lanžhot - dead arms**).
56. **Stibůrkovská jezera** (NR). Several pools with rich littoral vegetation in the alluvium of the Morava river, floodplain forest (**Týnecký les**).
57. **Moravská Nová Ves**. Village. Spiders were collected in an old abandoned vineyard on S-slopes.
58. **Mikulčice**. Village on sandy soil with important archeological locality and open air museum (open sand faces, **Mikulčice - museum**). Not far from here small pine forests (**Mikulčice - pines**) and meadows with old solitary willows (**Mikulčice - willows**).
59. **Očovské louky** (NR). Large wet meadows in the alluvium of Morava river in the vicinity of Hodonín, small pools and reeds. Not shown on the map.

Results

The results of our investigation are presented as an annotated list of species. Nomenclature and arrangement of families, genera and species follow the nomenclature used in Catalogue of Spiders of the Czech Republic (BUCHAR & RŮŽIČKA 2002). Where taxons are not included in this catalogue we follow the nomenclature provided by the most recent version of The World Spider Catalogue (PLATNICK 2004). For basic orientation about relative abundance in the CR we provide for each species, in square brackets, the number of grid squares (PRUNER & MÍKA 1996, see also Fig. 2), in which the taxon has been found in the CR according to Catalogue of Spiders of the Czech Republic (BUCHAR & RŮŽIČKA 2002).

The data are sorted systematically according to families and alphabetically ordered taxons (first order), grid square numbers (second order) and localities (third order). For each record we provide the following information: Date (or a period if data derived from pitfall trapping), number of males, females and juveniles (juv.), name of collector (leg.), determinator (det.) and the reference (if the record was published or we acquired it from another study). When three or more records come from one locality and from the same collector and determinator we pool the data and present them as one record of total specimens over a defined time period.

The names of the most active collectors and determinators are abbreviated into two-letter abbreviations: Vítězslav Bryja (VB, collected 921 and determined 4455 records),

František Miller (FM, 1192+1498), Josef Chytil (JCH, 2471+14), Jaroslav Svatoň (JS, 364+1581), Vladimír Bukva (VBu, 1077+1003), Hana Fojtová (HF, in cooperation with J. Chytil 1339+0), Vlastimil Růžička (VR, 241+290), Pavel Kasal (PK, 185+185), Zdeněk Majkus (ZM, 122+230), Lenka Kubcová (LK, 35+293), Jan Dolanský (JD, 138+142), Jiří Schlaghamerský (JSch, 252+0), Milan Hluchý (MHL, 216+0), Slavomil Vinkler (SV, 207+0), Jaroslav Křístek (JK, 205+0), Iva Valíčková (IV, 86+86), Michael Holec (MH, 83+80), Iveta Chvátalová (ICH, 67+67) and Jan Buchar (JB, 56+74). If not stated otherwise, the voucher material is available in the collection of the determinator. In cases in which occurrence of the spider species in the territory of the Czech Republic is reported for the first time we have applied the rule of double-check and the record had to be confirmed independently by other determinator (mentioned as redet.). Determinator and redeterminator, and not the whole author team, are in these cases fully responsible for the accuracy of the determination.

For each species we briefly characterize the habitat preferences and abundance within the studied area (Pálava region). In this part we do not repeatedly mention appropriate references if they are already presented in the Results section. Note that the approximate verbal evaluation of abundance (very rare, rare, scarce, common, very common) refers only to the Pálava region and can be, for some species, in contrast with their abundance (or even habitat preferences) in the Czech Republic as a whole. Whenever necessary we provide a short explanation or some notes on important taxonomical problems concerning the species.

All records presented here (with some more details regarding the habitat, collection and other notes) are stored in a Microsoft Access database and can be provided on application to the first author.

Annotated list of species

Family Atypidae

Atypus affinis Eichwald, 1830 [28]

7165: Děvín 9.10.1965–30.10.1965, 1♂, leg. et det. VBu (BUKVA 1969, ŘEZÁČ & KUBCOVÁ 2002), 22.1.1966–23.2.1966, 1♂, leg. et det. VBu (BUKVA 1969, ŘEZÁČ & KUBCOVÁ 2002).

Remarks. Very rare; two males obtained by pitfall trapping in a grassy part of the Děvín limestone rock steppe. Not confirmed recently.

Atypus muralis Bertkau, 1890 [11]

7165: Svatý Kopeček 31.5.1965–9.8.1965, 9♂, leg. et det. VBu (BUKVA 1969, ŘEZÁČ & KUBCOVÁ 2002), 22.5.2001–14.9.2001, 16♂, leg. MHL, det. VB, 2.4.2004, 1 juv., leg. et det. JD.
7266: Hlohovec Y. 1975, leg. et det. JB (ŘEZÁČ & KUBCOVÁ 2002).

Remarks. Rare. Collected by pitfall trapping in Svatý Kopeček rock steppe; recently a few colonies of this “underground” spider have been repeatedly found and *A. muralis*

does not seem to be rare in this locality. The second locality within Pálava region is NM Stará hora near Hlohovec.

***Atypus piceus* (Sulzer, 1776) [20]**

7165: Děvín 6.7.2001, 1♂, leg. JCH, det. VB (ŘEŽÁČ & KUBCOVÁ 2002).

7166: Milovická stráň 3.4.2004, 1♀, leg. J. Erhart, det. VB; Milovický les 13.5.1996, 1♂, leg. JCH, det. VB (ŘEŽÁČ & KUBCOVÁ 2002), 13.5.1996, 1♂, leg. JCH, det. ZM.

Remarks. Rare; in the Pálava region, *A. piceus* seems to inhabit open oak woods and their margins.

Family Scytodidae

***Scytodes thoracica* (Latreille, 1802) [4]**

7065: VDNM II - Šmardův ostrov Y. 1996, 1 ex., leg. et det. IV (VALÍČKOVÁ 1998).

7165: Mikulov 20.12.2002–21.4.2004, 6♂+15♀+24 juv., leg. JCH, det. VB; Turold 23.5.2003, 1♀, leg. et det. ICH.

7166: Bulhary 30.3.2004, 1♀, leg. K. Korberová, det. VB.

7266: Rendezvous 23.5.2003, 1♀, leg. et det. ICH; Valtice 1.6.2003, 1♀, leg. JCH, det. VB.

7267: Břeclav 20.5.1969, 1♀, leg. VBu, det. JB.

Remarks. *S. thoracica* is a common synanthropic species in Mikulov, which expands beyond buildings in suitable microhabitats.

Family Pholcidae

***Pholcus opilionoides* (Schränk, 1781) [73]**

7165: Děvín 14.5.1966–8.8.1966, 3♂+1 juv., leg. et det. VBu (BUKVA 1969), 13.5.1993–8.6.1993, 1♂, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 4.5.2003, 1 juv., leg. JCH, det. VB, 11.5.2003, 1 juv., leg. JCH, det. VB, 24.5.2003, 1♂, leg. et det. ZM; Dunajovické kopce 9.5.2004, 1 juv., leg. SV, det. VB; Kotel 9.11.2003, 1 juv., leg. JCH, det. VB; Mikulov 14.4.2003, 2 juv., leg. JCH, det. VB; Svatý Kopeček 16.10.2003, 1 juv., leg. et det. VB, 2.4.2004, 1♂+1♀, leg. et det. VB; Tabulová 22.12.2003, 1♀, leg. JCH, det. VB; VDNM II 1.4.2004, 1 juv., leg. JCH, det. VB.

7166: Kinberk 1.8.2003, 2♀+1 juv., leg. et det. VB, 3.9.2003, 3 juv., leg. JCH, det. VB, 4.4.2004, 1♂+2♀, leg. et det. VB, 4.4.2004, 2 juv., leg. SV, det. VB; Lednický park 30.4.2003, 1♀, leg. et det. VB; Milovice - trench 13.6.2003, 1♀, leg. JCH, det. VB, 20.6.2003, 1♀, leg. JCH, det. VB; Nejdek 4.7.2003, 1♀, leg. JCH, det. VB, 4.7.2003, 2♀, leg. JCH, det. VB.

7168: Mikulčice - willows 29.5.2002, 1 juv., leg. J. Erhart, det. VB.

7265: Šibeník 2.5.2004, 1♀, leg. JCH, det. VB.

7266: Mušlov - sand pit 21.5.2003, 1♂, leg. et det. VB; Mušlovské rybníky 25.4.2003, 2 juv., leg. JCH, det. VB; Sedlec - Váhovna 16.7.2003, 3♀, leg. JCH, det. VB; Skalky 30.4.2003, 2 juv., leg. et det. VB, 22.5.2003, 1 juv., leg. et det. VB, 16.10.2003, 2♀, leg. P. Vaňhara, det. VB, 16.10.2003, 1♀, leg. et det. VB, 3.4.2004, 2 juv., leg. P. Vaňhara, det. VB; Valtice 18.10.2003, 2 juv., leg. et det. ICH.

7267: Boří les - sand 18.10.2003, 1 juv., leg. et det. VB; Pohansko 25.5.2003, 1♂+1♀, leg. et det. VB.

Remarks. Common, webs among stones in steppes, in sun-exposed scree slopes, on outer walls of houses.

***Pholcus phalangioides* (Fuesslin, 1775) [13]**

7165: Klentnice 10.1.2003, 1♂+1♀, leg. I. Martinek, det. VB; Mikulov 20.12.2002–26.12.2003, 11♂+28♀+46 juv., leg. JCH, det. VB; Perná 16.1.2003, 2♀, leg. JCH, det. VB.

7166: Bulhary 30.12.2002, 1♀, leg. JCH, det. VB, 20.3.2003–30.3.2003, 1 juv., leg. JCH, det. VB, 1.9.2003, 1 juv., leg. K. Korberová, det. VB, 10.12.2003, 3 juv., leg. JCH, det. VB, 16.1.2004, 6 juv., leg. JCH, det. VB; Lednický park 15.1.2004, 1♀, leg. JCH, det. VB.

7266: Sedlec 21.12.2002, 1♀+1 juv., leg. J. Pivoda, det. VB; Valtice 24.11.2003, 1♂, leg. JCH, det. VB.

Remarks. Synanthropic species, found commonly in houses.

Family Segestriidae

***Segestria bavarica* C. L. Koch, 1843 [8]**

7165: Kočičí skála 17.10.2003, 4 juv., leg. et det. VB; Mikulov 14.4.2003–11.5.2004, 1♂+2♀+1 juv., leg. JCH, det. VB; Soutěska 8.5.2003, 7♂+1♀+5 juv., leg. JCH, det. VB; Svatý Kopeček 29.5.2003, 1♂+2 juv., leg. JCH, det. VB; Tabulová 4.4.1998–29.5.1998, 1♂, leg. VR & P. Antuš, det. VR.

7166: Lednice 31.5., 1♀, leg. et det. FM (KÚRKA 1994).

Remarks. Rare, in the clefts of limestone rocks. In Mikulov tends to be synanthropic and can be also found on buildings.

***Segestria senoculata* (Linné, 1758) [125]**

7165: Děvín 12.6.1966–9.7.1966, 1♂, leg. et det. VBu (BUKVA 1969); Děvín - north 26.10.1992–14.5.1994, 1 juv., leg. et det. VR, 7.5.1996–25.5.1996, 1♀, leg. JCH, det. JS, 23.5.2003, 1♂, leg. et det. VR, 23.5.2003, 1♀, leg. et det. PK, 23.5.2003, 2♀+3 juv., leg. et det. VB, 9.4.2004, 1 juv., leg. JCH, det. VB; Soutěska 30.5.2003, 2♂+1♀, leg. JCH, det. VB.

Remarks. Rare, under tree bark and among stones in forests in Děvín and Soutěska.

Family Dysderidae

***Dysdera* cf. *erythrina* (Walckenaer, 1802) [47]**

7166: Milovický les 7.6.1994, 1♂+1♀, leg. JCH, det. JS, 7.6.1994–21.6.1994, 2♂+1♀, leg. JCH, det. JS, 13.9.1994, 5♀, leg. JCH, det. JS.

7266: Slanisko u Nesytu 1.10.1993–15.10.1993, 3♀, leg. JCH, det. JS.

Remarks. All redetermined specimens of this species reported from Pálava region represented in fact *D. hungarica* or *D. cf. lantosquensis*. We were unable to redetermine a few specimens from Milovický les. For details, see *D. cf. lantosquensis*.

***Dysdera cf. lantosquensis* [0]**

7065: Kolby (outside NNR) 16.5.2004–12.6.2004, 1♂+1♀, leg. SV, det. VB; Pouzdřanská step-Kolby 25.10.1967, 1♀, leg. et det. FM, redet. M. Řezáč (KŮRKA 1994, sub. *D. erythrina*).

7165: Děvín 26.10.1992–14.5.1994, 1♂, leg. VR, det. M. Řezáč, 2.8.2003, 1♀+1 juv., leg. et det. VB, redet. M. Řezáč; Pavlovské vrchy 15.6.1956, 1♀, leg. et det. FM, redet. M. Řezáč (KŮRKA 1994, sub. *D. erythrina*).

Remarks. Rare. In screes in the foothills of Děvín and in Pouzdřanská step-Kolby NNR (recently in Kolby). Taxonomic study shows that species *D. cf. erythrina* are in fact composed of four closely related species. Two of them also occur in the Czech Republic: in Bohemia, usually *D. cf. erythrina* and in Moravia *D. cf. lantosquensis*. Although their nomenclature is not yet fully resolved because type material is missing and original descriptions are without figures, we employ nomenclature after the prepared revision of the Central European species of the genus *Dysdera* (ŘEZÁČ & PEKÁR, in prep.).

***Dysdera crocata* C. L. Koch, 1838 [0]**

7165: Mikulov 6.10.2002, 1♀, leg. JCH, det. M. Řezáč.

Remarks. Very rare, synanthropic species. One female was found in the building of the Administration of the Pálava Biosphere Reserve in Mikulov. *D. crocata* is also known in the CR from Prague (ŘEZÁČ & PEKÁR, in prep.) but here the species is reported for the first time. NEW SPECIES FOR THE CZECH REPUBLIC.

***Dysdera hungarica* Kulczyński, 1897 [2]**

7065: Kolby 16.5.2004–12.6.2004, 1♀, leg. SV, det. VB; Kolby (outside NNR) 16.5.2004–12.6.2004, 5♀, leg. SV, det. VB; Pouzdřanská step-Kolby 30.7.1968, 1♀, leg. et det. FM, redet. M. Řezáč (KŮRKA 1994, sub. *D. erythrina*), 25.5.1969, 2♀, leg. et det. FM, redet. M. Řezáč (KŮRKA 1994, sub. *D. erythrina*), 20.11., 1♀, leg. et det. FM, redet. M. Řezáč (KŮRKA 1994, sub. *D. erythrina*).

7165: Dunajovické kopce 16.5.2004–28.5.2004, 1♀, leg. SV, det. VB; Kočíč skála 6.6.1996–11.6.1996, 1♀, leg. J. Matuška, det. VR (ŘEZÁČ & BRYJA 2002); Svatý Kopeček 14.9.2001–22.10.2001, 1♀, leg. MHI, det. M. Řezáč.

7166: Kinberk 30.9.2003–28.11.2003, 1♀, leg. JCH, det. M. Řezáč, 20.3.2004–20.5.2004, 1♀, leg. JCH, det. VB; Milovický les 14.5.2003, 1♀, leg. JCH, det. M. Řezáč.

Remarks. Rare, only parthenogenic clones of this species occur in the territory of the CR. The determination of females of the genus *Dysdera* is complicated, so *D. hungarica* has been overlooked for a long time (ŘEZÁČ & BRYJA 2002). This species was collected in Pouzdřanská step by F. Miller, together with *D. lantosquensis*. Prof. Miller distinguished these two species (according to figures in his estate), however he (probably temporarily) marked them *D. erythrina* (KŮRKA 1994). Because of karyological differences among parthenogenic populations from the CR and sexual populations from Eastern Slovakia is not sure at this stage whether parthenogenic clones from Pálava region belong to *D. hungarica* (ŘEZÁČ & KRÁL in prep.).

***Dysdera ninnii* Canestrini, 1868 [7]**

7065: Pouzdřanská step-Kolby, 1♀, leg. et det. FM, redet. M. Řezáč (KÚRKA 1994).

Remarks. Very rare, only in the F. Miller collection from Pouzdřanská step-Kolby NNR. Not confirmed recently.

***Harpactea hombergi* (Scopoli, 1763) [62]**

7165: Děvín - north 26.10.1992–14.5.1994, 2♂+2♀, leg. et det. VR, 23.5.2003, 1 juv., leg. et det. VB, 1.6.2003, 1♂, leg. JCH, det. VB; Děvín-Kotel-Soutěska 5.5.1973, 1♀, leg. et det. VR; Svatý Kopeček 20.4.2001–22.5.2001, 1♂, leg. MHL, det. VB.

7166: Křivé jezero 7.5.2003, 1♀, leg. JCH, det. VB.

Remarks. Scarce, under tree bark and on rocks in forest on northern part of Děvín hill and under bark of old willows in Křivé jezero NNR.

***Harpactea lepida* (C. L. Koch, 1838) [154]**

7165: Děvín 7.5.1996, 2 juv., leg. JCH, det. JS, 7.5.1996–29.5.1996, 1 juv., leg. JCH, det. JS, 16.8.1996–20.9.1996, 2 juv., leg. JCH, det. JS; Děvín - north 26.10.1992–14.5.1994, 2 juv., leg. et det. VR; Svatý Kopeček 14.5.2004, 5 juv., leg. et det. JS.

7166: Lednice-Podivín, doubrava 15.8.1958, 2♀, leg. et det. FM (MILLER 1959), 15.3.1959, 3♂+4♀+7 juv., leg. et det. FM (MILLER 1959); Milovický les 13.9.1994–29.10.1994, 3 juv., leg. JCH, det. JS.

Remarks. Rare, in forests.

***Harpactea rubicunda* (C. L. Koch, 1838) [97]**

7065: Pouzdřanská step 25.5.2004, 1♀, leg. SV, det. VB, 16.5.2004–12.6.2004, 1♂, leg. SV, det. VB; Pouzdřanská step-Kolby 5.5.1929–20.4.1975, 11♂+16♀, leg. et det. FM (KÚRKA 1994).

7165: Děvín 4.9.1936, 1♀, leg. et det. FM (KÚRKA 1994), 1.5.1965–8.8.1966, 14♂+5♀+1 juv., leg. et det. VBU (BUKVA 1969), 30.3.1995–16.8.1996, 9♂+8♀+4 juv., leg. JCH, det. JS & VB, 3.12.2003, 1♀, leg. JCH, det. VB; Děvín - north 26.10.1992–14.5.1994, 2♂, leg. et det. VR, 7.5.1996–25.5.1996, 1♂, leg. JCH, det. JS; Děvín-Kotel-Soutěska 5.5.1973, 1♀, leg. et det. VR; Dunajovické kopce 2.4.2004, 1♀, leg. et det. JD, 2.4.2004, 1♀, leg. J. Erhart, det. VB; Klentnický potok 22.4.2004, 1♂+1♀, leg. JCH, det. VB; Kočičí skála 17.10.2003, 1♀, leg. A. Konečný, det. VB, 17.10.2003, 2 juv., leg. VB, det. M. Řezáč; Kotel 20.10.2002, 1♂, leg. et det. VB; Mikulov 15.5.2003, 1♂, leg. JCH, det. VB; Pavlovské vrchy 19.6.1932, 1♀, leg. et det. FM (KÚRKA 1994), 5.5.1935, 1♂+4♀, leg. et det. FM (KÚRKA 1994), 10.7.1955, 4♀, leg. et det. FM (KÚRKA 1994), 1.9.1956, 1♂+5♀, leg. et det. FM (KÚRKA 1994); Soutěska 8.5.2003, 2♂, leg. JCH, det. VB, 30.5.2003, 1♂, leg. JCH, det. VB, 17.6.2003, 1♀, leg. JCH, det. VB; Svatý Kopeček 22.8.1936, 1♀, leg. et det. FM (KÚRKA 1994), 20.4.2001–14.9.2001, 2♂+2♀+2 juv., leg. MHL, det. VB, 21.5.2003, 1♀, leg. et det. VB, 16.10.2003, 1♂, leg. et det. JD, 2.4.2004, 1♂+1♀, leg. M. Jarab, det. JS, 2.4.2004, 1♀, leg. et det. JS, 2.4.2004, 1♀, leg. et det. JD, 14.5.2004–17.5.2004, 1♂+1♀, leg. et det. JS; Svatý Kopeček - vineyards 20.4.2001–22.5.2001, 5♂, leg. MHL, det. VB, 28.6.2001–16.8.2001, 1♀, leg. MHL, det. VB; Tabulová 17.10.2003, 1♀, leg. J. Erhart, det. VR, 17.10.2003, 1♂+1♀, leg. et det. JD; Tuřold 1.5.2003, 9♂, leg. JCH, det. VB, 24.5.2003, 1♂+1♀, leg. et det. VB.

7166: Kinberk 18.10.2003, 2♂, leg. et det. VB, 30.9.2003–28.11.2003, 2♂+1♀, leg. JCH, det. VB, 20.3.2004–20.5.2004, 4♂+3♀, leg. JCH, det. VB, 19.5.2004–23.6.2004, 3♂+1♀, leg. JCH, det. VB; Lednický park 23.5.2003, 1♀, leg. et det. VR; Milovická stráň 3.4.2004, 1♀, leg. et det. PK; Milovický les

7.6.1994–21.6.1994, 3♂, leg. JCH, det. JS, 13.9.1994, 4 juv., leg. JCH, det. JS, 3.4.2004, 1♀, leg. et det. VB, 3.4.2004, 1 juv., leg. et det. VB, 3.4.2004, 1♂, leg. et det. JD, 3.4.2004, 1♀, leg. P. Vaňhara, det. VB, 3.4.2004, 1♀, leg. E. Svatoňová, det. JS; Mušlov - frog traps 14.4.2003, 3♀, leg. JCH, det. VB, 19.4.2004, 1♂+2♀, leg. JCH, det. VB.

7266: Boří les - oaks 20.8.2003, 1♀, leg. JCH, det. VB, 18.10.2003, 2♀, leg. JCH, det. M. Řezáč; Liščí vrch 4.4.2004, 1♂+2♀, leg. et det. VB; Mušlov - sand pit 24.4.2003, 1♀, leg. JCH, det. VB, 19.10.2003, 1♀, leg. et det. VB, 19.10.2003, 1♂, leg. et det. JD; Rendezvous 13.6.2004–23.6.2004, 1♂, leg. JCH, det. VB; Skalky 5.5.2003–26.5.2003, 2♀, leg. JCH, det. VB, 1.6.2003, leg. JCH, det. VB, 16.10.2003, 1♂, leg. P. Vaňhara, det. VB, 16.10.2003, 1♀, leg. J. Erhart, det. VR, 3.4.2004, 1♀, leg. et det. PK, 15.5.2004, 1♀, leg. et det. JS.

7267: Břeclav 19.8.2002, 1♀, leg. et det. JD; Pohansko 23.5.2003, 1♂, leg. et det. VR.

Remarks. Very common, in various habitats.

Family Mimetidae

Ero aphana (Walckenaer, 1802) [23]

7065: Pouzdřanská step-Kolby 12.6.1938, 2♂+1♀, leg. et det. FM (KŮRKA 2000), 10.6., 2♀, leg. et det. FM (KŮRKA 2000), 10.7., 1♀, leg. et det. FM (KŮRKA 2000), 10.10., 1 juv., leg. et det. FM (KŮRKA 2000), 16.11., 2 juv., leg. et det. FM (KŮRKA 2000).

7165: Dolní Věstonice - trench 3.6.2003, 1♀, leg. JCH, det. VB; Dunajovický potok 2.4.2004, 1 juv., leg. et det. VB; Mikulov 16.5.2004, 1 juv., leg. JCH, det. VB; Pavlovské vrchy 25.5., 1♀, leg. et det. FM (KŮRKA 2000).

7166: Horní les 19.4.2004, 1 juv., leg. JCH, det. VB; Lednický park 23.5.2003, 1♂, leg. et det. VB, 23.5.2003, 1♂, leg. et det. ICH; Milovický les 3.4.2004, 1 juv., leg. et det. VB.

7266: Nesyt Y. 1969, 1 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975a); Nový rybník 23.5.2003, 1♀, leg. et det. ICH.

7267: Boří les 17.5.2004, 4 juv., leg. et det. JS.

Remarks. Scarce, in open habitats.

Ero cambridgei Kulczyński, 1911 [13]

7065: Pouzdřanská step-Kolby 16.11., 1♂, leg. et det. FM (KŮRKA 2000).

7165: Dunajovický potok 2.4.2004, 1♀, leg. J. Erhart, det. VB.

7166: Pastvisko 24.5.2003, 1♀, leg. et det. VB.

7266: Nesyt, 1♂, leg. FM, det. A. Kůrka (KŮRKA 2000).

Remarks. Rare, in detritus of swamps and marshes.

Ero furcata (Villers, 1789) [109]

7065: Kolby 12.6.2004, 1♂, leg. SV, det. VB; Pouzdřanská step-Kolby 20.10.?–13.10.1970, 18♂+13♀, leg. et det. FM (KŮRKA 2000); VDNM II - Šmardův ostrov Y. 1996, 2 ex., leg. et det. IV (VALÍČKOVÁ 1998).

7165: Děvín 9.8.1965–23.8.1965, 1 juv., leg. et det. VBu (BUKVA 1969), 12.3.1966–2.4.1966, 1♂, leg. et det. VBu (BUKVA 1969), 14.5.1966–28.5.1966, 1 juv., leg. et det. VBu (BUKVA 1969); Dunajovický potok 21.3.2004, 1♀, leg. JCH, det. VB; Turolď 1.5.2003, 1♂, leg. JCH, det. VB.

7166: Horní les 31.5.1997, 1♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002), 2.9.1997, 1 juv., leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002); Kinberk 30.9.2003–28.11.2003, 1♀, leg. JCH, det. VB, 20.3.2004–20.5.2004, 1♀, leg. JCH, det. VB; Lednice?, 1♀, leg. et det. FM (KŮRKA 2000); Lednice-Podivín, doubrava 20.5.1958, 1♀, leg. et det. FM (MILLER 1959), 30.6.1958, 1♀, leg. et det. FM (MILLER 1959),

Spiders of the Lower Morava

15.8.1958, 1♀, leg. et det. FM (MILLER 1959); Milovický les 3.4.2004, 1♀, leg. et det. VB.
7266: Slanisko u Nesytu 22.5.2003, 1♀, leg. et det. JS.
7267: Boří les - sand 20.8.2003–28.9.2003, 1♀, leg. JCH, det. VB; Břeclav 19.8.2002, 1♀, leg. et det. JD.
7367: Raňšpurk 19.4.1995–30.8.2000, 1♂+4♀ 1 juv., leg. JCH & HF, det. VB & JS (FOJTOVÁ 2003).

Remarks. Common, eurytopic species found both in rock steppes and in lowland forests.

Ero tuberculata (De Geer, 1778) [9]

7166: Lednický park 2.8.2003, 1 juv., leg. et det. VB.
7266: Hlohovec 23.8.2002, 1♂, leg. et det. JD.

Remarks. Very rare, on vegetation at the forest edge in Hlohovec (close to sandpit) and in Lednice Chateau park.

Family Eresidae

Eresus cf. *cinnaberinus* (Olivier, 1789) [31]

7065: Pouzdřanská step-Kolby 15.9.1930, 4♂, leg. et det. FM (KÚRKA 1994), 20.9.1966–10.10.?, 15♂+4♀, leg. et det. FM, redet. M. Řezáč (KÚRKA 1994), Y. 1997, 1 juv., leg. P. Karlik, det. M. Řezáč (ŘEZÁČ & KUBCOVÁ 2002), 23.4.2000, 1 juv., leg. J. Erhart, det. VR.
7165: Děvín 9.8.1965–9.10.1965, 7♂, leg. et det. VBu (BUKVA 1969), 1.7.1993–13.10.1993, 2♂+2♀+1 juv., leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 18.7.1995, 1♂+1♀+1 juv., leg. JCH, det. JS, 16.10.1995, 1♂, leg. JCH, det. JS, 21.6.1996–10.7.1996, 1 juv., leg. JCH, det. JS, 16.8.1996–20.9.1996, 1♂, leg. JCH, det. JS; Klentnice Y. 1894, leg. et det. A. Nosek (NOSEK 1895); Kočičí skála 17.10.2003, 1 juv., leg. VB, det. M. Řezáč; Kotel 20.10.2002, 1♂, leg. et det. VB; Svatý Kopeček 28.6.2001–16.8.2001, 1♂, leg. MHI, det. VB, 16.8.2001–14.9.2001, 5♂, leg. MHI, det. VB, 14.9.2001–22.10.2001, 5♂, leg. MHI, det. VB, 2.4.2004, 1♀, leg. et det. JD; Tabulová 24.9.1993, 5♂, leg. et det. ZM, 1.6.1997–10.7.1997, 1 juv., leg. VR & P. Antuš, det. VR, 17.10.2003, 1♀, leg. J. Erhart, det. VR.
7166: Milovická stráň 3.4.2004, 1♀, leg. J. Erhart, det. VB.
7266: Skalky 16.10.2003, 1♀, leg. J. Erhart, det. M. Řezáč.

Remarks. Quite common, on steppes. In the territory of southern Moravia (incl. Pálava region) two taxons of the genus *Eresus* occur (here named *E. cf. cinnaberinus* and *Eresus* sp.). They differ in the structure of the copulatory organs, coloration and phenology. Their taxonomic status and nomenclature are not definitively resolved. For this reason, a revision of Central European species of the genus *Eresus* is in preparation. (ŘEZÁČ & JOHANNESSEN, in prep.).

Eresus sp. C. L. Koch, 1846 [0]

7165: Děvín 13.5.1993–8.6.1993, 12♂+5 juv., leg. JCH, det. JS, redet. M. Řezáč (MAJKUS & SVATOŇ 1995, sub. *E. cinnaberinus*), 14.5.1994–21.6.1996, 45♂+2♀, leg. JCH, det. JS & ZM, redet. M. Řezáč, 26.5.1998, leg. et det. M. Řezáč (ŘEZÁČ & KUBCOVÁ 2002, sub. *E. cinnaberinus*).

Remarks. Rare, known only from Děvín limestone rock steppe. For taxonomic note see *E. cf. cinnaberinus*.

Family Uloboridae

Hyptiotes paradoxus (C. L. Koch, 1834) [42]

7166: Horní les Y. 1971, 3 ex., leg. JK, det. FM (KŘÍSTEK 1980); Lednice 15.5.1972, 1♀, leg. et det. FM (KŮRKA 1994); Lednický park 2.8.2003, 1♂+1 juv., leg. et det. VB.

Remarks. Rare, in canopy of trees in Horní les lowland forest and in coniferous trees of the Lednický castle park .

Uloborus walckenaerius Latreille, 1806 [2]

7166: Lednický park 25.5.1983, 1♂, leg. et det. K. Absolon.
7267: Boří les - sand 24.5.2003, 1 juv., leg. M. Jarab, det. JS, 24.5.2003, 1♀, leg. et det. PK, 24.5.2003, 1♀, leg. et det. VB, 24.5.2003, 1♂, leg. et det. ICH.

Remarks. Rare, collected by K. Absolon in Lednický park. Recently *U. walckenaerius* was found to be quite abundant on branches of small pines in sandy part of Boří les.

Family Nesticidae

Nesticus cellulanus (Clerck, 1757) [73]

7165: Mikulov 9.3.2003, 1 juv., leg. JCH, det. VB; Perná 16.1.2003, 1♂+4♀+6 juv., leg. JCH, det. VB.
7166: Lednický park 30.4.2003, 2 juv., leg. et det. VB; Nejdek 4.7.2003, 2♂+1♀, leg. JCH, det. VB.
7266: Valtice 18.10.2003, 1♂+2 juv., leg. J. Erhart, det. VR, 18.10.2003, 1♂, leg. et det. ICH, 4.11.2003, 1♀, leg. JCH, det. VB, 24.11.2003, 1♀+1 juv., leg. JCH, det. VB.

Remarks. Common, in cellars and wine cellars.

Family Theridiidae

Achaearanea lunata (Clerck, 1757) [88]

7165: Děvín 23.5.2003, 2♀, leg. et det. ICH; Děvín - north 23.5.2003, 1♀, leg. et det. VR, 23.5.2003, 2♀, leg. et det. VB, 23.5.2003, 1♂+1♀, leg. et det. JB; Dolní Věstonice - trench 3.6.2003, 1♂+4♀, leg. JCH, det. VB; Soutěska 30.5.2003, 5♂+11♀+3 juv., leg. JCH, det. VB; Svatý Kopeček 21.5.2003, 2 juv., leg. et det. VB, 29.5.2003, 1♂+6♀, leg. JCH, det. VB, 14.5.2004, 1 juv., leg. et det. JS; Tuřold 24.5.2003, 1 juv., leg. et det. VB; VDNM II - Písky 30.4.2003, 1 juv., leg. JCH, det. VB.
7166: Horní les Y. 1971, 28 ex., leg. JK, det. FM (KŘÍSTEK 1980); Kinberk 18.6.2003, 1♀, leg. JCH, det. VB; Křivé jezero 2.5.2003–5.6.2003, 1♂+7♀+1 juv., leg. JCH, det. VB; Květné jezero 6.5.2003, 1 juv., leg. JCH, det. VB; Lednický park 22.5.1999, 1♂+1♀+1 juv., leg. et det. LK, 23.5.2003, 2♀, leg. et det. VR, 23.5.2003, 3♀+2 juv., leg. et det. VB, 23.5.2003, 2♂+2♀, leg. et det. JS, 23.5.2003, 1♂+1♀, leg. et det. ICH; Nejdek 4.7.2003, 1♀, leg. JCH, det. VB, 4.7.2003, 1♀+2 juv., leg. JCH, det. VB.
7266: Mušlovské rybníky 25.4.2003, 4 juv., leg. JCH, det. VB; Rendezvous 24.5.2003, 1♂, leg. et det. VR.
7267: Boří les 13.5.2003, 1 juv., leg. JCH, det. VB, 27.5.2003, 1♀, leg. JCH, det. VB; Lanžhot 5.6.1996, 2♀, leg. et det. VR; Lanžhot - dead arms 28.5.2002, 1♀, leg. et det. VB; Lanžhot - Trnůvky 1.6.2002, 1♂, leg. et det. JS.
7268: Stibůrkovská jezera 29.5.2002, 1♀, leg. et det. VB.

7367: Cahnov 6.6.2003, 1♀, leg. JCH, det. VB; Raňšpurk 5.6.1996, 1♂, leg. et det. VR; Soutok - hrúd Polínka 6.6.2003, 1♂+4♀, leg. JCH, det. VB.

Remarks. Common, in a wide range of habitats on rocks and tree trunks.

Achaearanea riparia (Blackwall, 1834) [56]

7165: Pavlovské vrchy 15.7.1955, 1♂, leg. et det. FM (KŮRKA 2003), 1.6., 1♀, leg. et det. FM (KŮRKA 2003), 1♂+1♀, leg. et det. FM (KŮRKA 2003).

7166: Lednice 25.6.1959, 1♂, leg. et det. E. Žďárková.

Remarks. Very rare, found only in Lednice and Pavlovské vrchy between 1955 and 1959, not confirmed recently.

Achaearanea simulans (Thorell, 1875) [33]

7165: Děvín - north 23.5.2003, 1♀, leg. et det. PK.

7166: Horní les Y. 1971, 205 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 118 ex., leg. JK, det. FM (KŘÍSTEK 1980, KŮRKA 2003), 2.7.1996–27.7.1997, 2♂+3♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002).

7367: Soutok 4.7.1996, 6♂, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002), 30.6.1997, 1♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002).

Remarks. Scarce, on trees and bushes in forest habitats.

Achaearanea tepidariorum (C. L. Koch, 1841) [16]

7165: Mikulov 3.1.2003–21.4.2004, 6♂+6♀+25 juv., leg. JCH, det. VB, 17.5.2004, 1♀, leg. et det. JS; Perná 16.1.2003, 1♀, leg. JCH, det. VB.

7166: Bulhary 1.6.2003, 1 juv., leg. JCH, det. VB; Kinberk 3.9.2003, 1♀, leg. JCH, det. VB; Lednice 25.6.1959, 1♂+1♀+1 juv., leg. et det. E. Žďárková; Lednický park 30.4.2003, 1♂+5♀+13 juv., leg. et det. VB, 15.1.2004, 3♀, leg. JCH, det. VB; Nejdek 4.7.2003, 1♀, leg. JCH, det. VB, 4.7.2003, 1♂+5♀, leg. JCH, det. VB.

7266: Sedlec - Váhovna 16.7.2003, 2♀, leg. JCH, det. VB, 22.8.2003, 1♀, leg. JCH, det. VB; Skalky 15.5.2004, 1♂, leg. et det. JS.

7267: Pohansko 25.5.2003, 1♂, leg. et det. VB.

Remarks. Synanthropic species, found in houses, cellars and wine cellars, exceptionally in natural habitats outside houses (Kinberk).

Anelosimus aulicus (C. L. Koch, 1838) [1]

7166: Lednický park 5.6.1959, 1♀, leg. et det. JB.

Remarks. One female was collected on yew hedgerow in Lednický castle park by J. Buchar in 1959. This is the only known occurrence in the CR, unfortunately not confirmed by our recent research.

***Anelosimus vittatus* (C. L. Koch, 1836) [28]**

7165: Dolní Věstonice - trench 3.6.2003, 1♀, leg. JCH, det. VB; Pavlovské vrchy, 1♂, leg. et det. FM (KÚRKA 2003).

7166: Horní les Y. 1971, 32 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 23 ex., leg. JK, det. FM (KŘÍSTEK 1980, KÚRKA 2003), 27.7.1997, 1♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002); Křivé jezero 10.5.2003, 1♂, leg. JCH, det. VB, 27.5.2004, 1♀, leg. JCH, det. VB; Lednice Y. 1957, 1 juv., leg. et det. FM (KÚRKA 2003); Lednický park 23.5.2003, 1♂+1♀, leg. et det. VB, 23.5.2003, 1♂, leg. et det. ICH; Milovická stráň 16.5.2004, 1♂, leg. et det. JS.

7266: Hlohovec 22.5.2004, 1♀, leg. JCH, det. VB.

Remarks. Rare, on trees and bushes in forests, parks and forest edges.

***Crustulina guttata* (Wider, 1834) [73]**

7165: Kočičí skála 17.10.2003, 1 juv., leg. et det. I. Fenclová.

7266: Slanisko u Nesytu 17.6.1993–1.7.1993, 1♂, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995).

Remarks. Rare, on two very different habitats – limestone rock and salt marsh.

***Dipoena coracina* (C. L. Koch, 1837) [7]**

7266: Skalky 30.4.2003, 2♂, leg. et det. VB, 3.4.2004, 1♀, leg. et det. JD.

7267: Boří les - sand 28.6.2003–21.7.2003, 2♂+2♀, leg. JCH, det. VB.

Remarks. Rare, in Pálava region its occurrence seems to be associated with sandy soil – found in sandy part of Skalky and collected by pitfall trapping in open sand of Boří les.

***Dipoena erythropus* (Simon, 1881) [3]**

7065: Pouzdřanská step-Kolby 20.6.1967, 1♀, leg. et det. FM (MILLER 1967, KÚRKA 2003).

Remarks. Very rare, collected by F. Miller in Pouzdřanská step-Kolby, not confirmed recently.

***Dipoena melanogaster* (C. L. Koch, 1837) [39]**

7065: Pouzdřanská step-Kolby 12.6.1967, 1♂, leg. et det. FM (MILLER 1967, KÚRKA 2003).

7165: Děvín 23.5.2003, 1♀, leg. et det. PK, 2.8.2003, 1 juv., leg. et det. VB; Děvín - north 23.5.2003, 1♂, leg. et det. VB; Soutěska 30.5.2003, 2♂+5♀, leg. JCH, det. VB; Svatý Kopeček 11.6.1999, 1♀, leg. P. Kment & M. Horsák, det. VB, 21.5.2003, 2♂+1♀+2 juv., leg. et det. VB, 29.5.2003, 2♀, leg. JCH, det. VB, 17.5.2004, 1♂, leg. et det. JS; Tuřold 24.5.2003, 1♂, leg. et det. VB, 3.11.2003, 1 juv., leg. JCH, det. VB.

7166: Milovická stráň 16.6.2004, 1 juv., leg. et det. JS; Nejdek 4.7.2003, 1♀, leg. JCH, det. VB.

7266: Boří les - oaks 24.5.2003, 1♀, leg. et det. PK; Rendezvous 2.6.2002, 1♀, leg. et det. PK, 24.5.2003, 4♂+1♀, leg. et det. PK; Skalky 22.5.2003, 1♀, leg. et det. VR, 22.5.2003, 1♀, leg. et det. JB.

7267: Boří les 24.5.2003, 1♂+1♀, leg. et det. PK, 17.5.2004, 1 juv., leg. et det. JS.

7367: Soutok 26.8.1997, 1♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002).

Remarks. Common, on bushes and trees in various habitats.

***Dipoena nigroreticulata* (Simon, 1879) [3]**

7166: Lednice 18.6.1956, 1♂, leg. et det. FM (KÚRKA 2003); Lednický park 20.6.1958, 1♂+1♀, leg. et det. FM (MILLER 1967), 22.5.1999, 1♀, leg. et det. LK, 23.5.2003, 1 juv., leg. et det. VR.
7266: Ranzvous 24.5.2003, 1♂, leg. et det. VR.

Remarks. Rare, typically found in detritus around the bases of trunks of old oaks in parks.

***Dipoena prona* (Menge, 1868) [5]**

7065: Pouzdřanská step-Kolby, 1966, 4♂+3♀, leg. et det. FM (MILLER 1966, MILLER 1967, KÚRKA 2003), 15.4.1974, leg. et det. FM.
7165: Pavlovské vrchy Y. 1967, 1♀, leg. et det. FM (MILLER 1967, KÚRKA 2003).
7166: Milovice - trench 20.6.2003, 1♀, leg. JCH, det. VB.

Remarks. Rare, in open xerothermic habitats.

***Dipoena torva* (Thorell, 1875) [4]**

7166: Horní les 31.5.1997, 2♂, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002), 29.6.1997, 1♂, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002), 19.4.2004, 1 juv., leg. JCH, det. VB; Lednický park 23.5.2003, 1♀, leg. et det. VB; Milovický les 2.5.2003, 1♂, leg. JCH, det. VB.

Remarks. Rare, on bark of old trees.

***Enoplognatha caricis* (Fickert, 1876) [5]**

7166: Nejdek 17.7.1996, 2♀, leg. et det. VR; Pastvisko 30.5.1997, 1♀, leg. et det. MH.

Remarks. Rare, in littoral stands of fishponds consisting of dense tussocks of sedge, found in two localities near Lednice (RŮŽIČKA & HOLEC 1998).

***Enoplognatha latimana* Hippa et Oksala, 1982 [26]**

7165: Děvín 2.8.2003, 1♀, leg. et det. VB; Soutěska 3.8.1995, 1♂+2♀, leg. et det. VB; Svatý Kopeček - vineyards 27.7.2001, 1♀, leg. P. Lauterer, det. VB.

Remarks. Rare, on herb vegetation, this species could be misidentified in older material of *E. ovata*.

***Enoplognatha ovata* (Clerck, 1757) [186]**

7065: Kolby 12.6.2004, 7♂+19 juv., leg. SV, det. VB; Pouzdřanská step-Kolby 26.6.1959, 1♀, leg. et det. E. Žďárková.
7165: Děvín 14.7.1965, 1♀, leg. VBu, det. VB; Pavlovské vrchy 24.6.1959, 1♂, leg. et det. E. Žďárková, 1♂+1♀, leg. et det. FM (KÚRKA 2003); Soutěska 17.6.2003, 1♀, leg. JCH, det. VB; VDNM II 22.6.1982, 2♂, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996).

7166: Horní les Y. 1971, 21 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 16 ex., leg. JK, det. FM (KŘÍSTEK 1980), 2.7.1996–27.7.1997, 22♂+26♀+13 juv., leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002); Lednice 25.6.1959, 4♀, leg. et det. E. Žďárková; Nejdek 17.7.1996, 1♂, leg. et det. VR.
7266: Hlohovecký rybník Y. 1996, 6 ex., leg. T. Grim, det. VB (GRIM 1997); Mušlov - sand pit 1.8.2003, 1♀, leg. et det. JD.
7267: Kančí obora Y. 1969, 1 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975b).
7367: Ranšpurk 14.10.1993–24.5.1994, 1 juv., leg. JCH, det. JS (MAJKUS & SVATOŇ 1995).

Remarks. Common, on shrubs and trees in a wide range of habitats.

Enoplognatha sp. [0]

7266: Hlohovecký rybník 3.6.2003, 1♂+1♀, leg. JCH, det. VB; Prostřední rybník 3.8.2003, 2♀, leg. et det. VB, 3.8.2003, 3♀, leg. et det. PK; Výtopa 9.7.2003, 1♀, leg. JCH, det. VB.
7268: Stibůrkovská jezera 29.5.2002, 1♂, leg. et det. VB.

Remarks. Rare, in reedmace pond littorals of some fishponds within Pálava area. *Enoplognatha* sp. was collected in both sexes by J. Chytil, V. Bryja and P. Kasal and is not identical with any species of this genus so far known from Europe, North Africa and Near East (BOSMANS & VAN KEER 1999). Structure of both male and female copulatory organs resembles *E. mariae* Bosmans et van Keer, 1999 described from Greece but is not identical. Males of *Enoplognatha* sp. have a highly characteristic and unique pattern of teeth on chelicerae that suggests that we have found a species that is not yet described. A closer taxonomical evaluation and potential description of this *Enoplognatha* species is in preparation and it will be published elsewhere.

Enoplognatha thoracica (Hahn, 1833) [73]

7065: Pouzdřanská step-Kolby 15.4.1961, 1♀, leg. et det. FM (KÚRKA 2003),?, 6♂+4♀, leg. et det. FM (KÚRKA 2003).
7165: Děvín 24.6.1970, 1♀, leg. VBu, det. VB, 13.5.1993–26.5.1993, 2♂, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 20.6.1995–29.5.1996, 6♂+1♀, leg. JCH, det. JS, 11.5.2003, 1♀, leg. JCH, det. VB, 23.5.2003, 1♀, leg. et det. VB; Kočičí skála 6.6.1996–11.6.1996, 1♂, leg. J. Matuška, det. VB (ŘEZÁČ & BRYJA 2002); Pavlovské vrchy 15.7.1955, 1♀, leg. et det. FM (KÚRKA 2003),?, 2♂+6♀, leg. et det. FM (KÚRKA 2003); Svatý Kopeček - vineyards 22.5.2001–28.6.2001, 2♂, leg. MHI, det. VB.
7166: Horní les Y. 1971, 7 ex., leg. JK, det. FM (KŘÍSTEK 1980); Kinberk 1.8.2003, 1♀, leg. et det. VB, 4.4.2004, 1♂, leg. et det. JD, 19.5.2004–23.6.2004, 1♂+1♀, leg. JCH, det. VB.
7168: Mikulčice - museum 29.5.2002, 1♀, leg. et det. VB.
7266: Skalky 30.4.2003, 1♀, leg. et det. VB, 1.6.2003, 1♀, leg. JCH, det. VB.
7267: Boří les - sand 24.5.2003, 1♀, leg. et det. VB, 27.5.2003–28.6.2003, 1♀, leg. JCH, det. VB, 27.5.2003–28.6.2003, 1♀, leg. JCH, det. VB; Pohansko 25.5.2003, 1♀, leg. et det. VB.
7367: Ranšpurk 28.5.1993–10.6.1993, 1♀, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 14.10.1993–24.5.1994, 1♂, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995).

Remarks. Common, at ground level of dry habitats (limestone steppes, sand) but also in floodplain forests.

***Episinus angulatus* (Blackwall, 1836) [42]**

7165: Dunajovický potok 21.3.2004, 4 juv., leg. JCH, det. VB, 2.4.2004, 1 juv., leg. et det. VB.
 7166: Horní les Y. 1971, 2 ex., leg. JK, det. FM (KŘÍSTEK 1980); Lednice 15.5., 1 juv., leg. et det. FM (KŮRKA 2003); Lednice-Podivín, doubrava 15.8.1958, 1♀, leg. et det. FM (MILLER 1959); Pastvisko 18.10.2003, 1 juv., leg. et det. VB.
 7168: Očovské louky 31.5.2002, 1♀, leg. et det. VB.
 7266: Nesyt 15.4.2003, 1 juv., leg. JCH, det. VB; Rendezvous - fishpond 24.5.2003, 1♀, leg. et det. VB.
 7267: Boří les - pool 18.10.2003, 1♂, leg. et det. ICH; Boří les - sand 28.6.2003, 21.7.2003, 1♀, leg. JCH, det. VB.
 7367: Ranšpurk 5.6.1996, 1♀, leg. LK, det. VR, 4.7.1996–13.8.1996, 1♀, leg. JCH & HF, det. JS (FOJTOVÁ 2003).

Remarks. Quite common, in detritus of wet habitats.

***Episinus truncatus* Latreille, 1809 [32]**

7065: Pouzdřanská step-Kolby 5.6.1956, 1 juv., leg. et det. FM (KŮRKA 2003), 15.5.1960, 1♂, leg. et det. E. Žďárková,?, 2♂+8♀, leg. et det. FM (KŮRKA 2003).
 7165: Děvín 12.6.1966–9.7.1966, 1♀, leg. et det. VBU (BUKVA 1969); Dunajovické kopce 9.5.2004–16.5.2004, 1 juv., leg. SV, det. VB; Pavlovské vrchy 15.7.1955, 1♀, leg. et det. FM (KŮRKA 2003),?, 2♂+2♀+2 juv., leg. et det. FM (KŮRKA 2003); Svatý Kopeček 22.5.2001–28.6.2001, 1♀, leg. MHL, det. VB, 29.5.2003, 1♂, leg. JCH, det. VB; Tuřold 24.5.2003, 1♂, leg. et det. VB.
 7166: Horní les Y. 1971, 4 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 1 ex., leg. JK, det. FM (KŘÍSTEK 1980); Milovice - trench 15.6.2003, 1♂, leg. JCH, det. VB, 20.6.2003, 1♂, leg. JCH, det. VB; Milovická stráň 3.4.2004, 1 juv., leg. et det. VB.
 7267: Boří les - sand 28.6.2003–21.7.2003, 3♀, leg. JCH, det. VB; Lanžhot - dead arms 2.6.2002, 2♀, leg. et det. PK.

Remarks. Quite common, at ground level on steppes and other dry habitats.

***Euryopis flavomaculata* (C. L. Koch, 1836) [74]**

7065: Kolby 16.5.2004–12.6.2004, 3♂, leg. SV, det. VB; Kolby (outside NNR) 16.5.2004–12.6.2004, 3♂+1♀, leg. SV, det. VB; Pouzdřanská step 16.5.2004–12.6.2004, 2♂+1♀, leg. SV, det. VB; Pouzdřanská step-Kolby 13.6.1968, 1♂, leg. et det. FM (KŮRKA 2003),?, 5♂, leg. et det. FM (KŮRKA 2003), Y. 1999, leg. et det. PK.
 7165: Děvín 31.5.1965–9.7.1966, 5♂, leg. et det. VBU (BUKVA 1969); Dunajovické kopce 16.5.2004–28.5.2004, 1♂, leg. SV, det. VB; Klentnický potok 3.4.2004, 1 juv., leg. et det. ZM; Pavlovské vrchy Y. 1963, leg. et det. FM (MILLER 1963), 20.7., 1♂, leg. et det. FM (KŮRKA 2003).
 7166: Kinberk 19.5.2004–23.6.2004, 1♂, leg. JCH, det. VB; Lednice-Podivín, doubrava 20.5.1958, 1♂+2♀, leg. et det. FM (MILLER 1959), 30.6.1958, 1♀, leg. et det. FM (MILLER 1959), 30.9.1958, 2♀, leg. et det. FM (MILLER 1959); Milovická stráň 3.4.2004, 1 juv., leg. et det. ZM; Milovický les 7.6.1994, 2♂+1♀, leg. JCH, det. JS.
 7266: Kameníky 28.5.2003, 1♂, leg. JCH, det. VB; Rendezvous 13.6.2004–23.6.2004, 1♂+3♀, leg. JCH, det. VB; Skalky 22.5.2003, 1♀, leg. et det. PK.
 7267: Boří les 18.10.2003, 1 juv., leg. et det. JD.
 7367: Ranšpurk 14.10.1993–24.5.1994, 1♂, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 19.4.1995–13.7.2001, 33♂+6♀+1 juv., leg. JCH & HF, det. VB & JS (FOJTOVÁ 2003).

Remarks. Common, in detritus of wide range of habitats including steppes and lowland forests.

***Euryopsis laeta* (Westring, 1861) [5]**

7065: Pouzdřanská step-Kolby 10.4.1963, 2 juv., leg. et det. FM (MILLER 1963), 30.5.1963, 1 ♀, leg. et det. FM (MILLER 1963), 6.6.1963, 1 ♀, leg. et det. FM (KŮRKA 2003), 10.4.1967, 1 juv., leg. et det. FM (KŮRKA 2003), 8.6.1974, leg. et det. FM, 1 ♂+3 ♀, leg. et det. FM (KŮRKA 2003).

7165: Dunajovické kopce 16.5.2004–7.6.2004, 1 ♂, leg. SV, det. VB; Pavlovské vrchy 30.5.1949, 1 ♀, leg. et det. FM (KŮRKA 2003).

Remarks. Very rare, in grass steppes. *E. laeta* was found in Pouzdřanská step-Kolby NNR and in Pavlovské vrchy by F. Miller and confirmed recently in Dunajovické kopce by S. Vinkler.

***Euryopsis quinqueguttata* Thorell, 1875 [6]**

7166: Milovická stráň 16.6.2004, 1 ♀, leg. et det. JS.

7266: Skalky 3.8.2003, 2 ♀, leg. et det. PK, 3.8.2003, 1 ♂, leg. et det. VB, 3.4.2004, 2 ♂, leg. et det. VB.

7267: Boří les - sand 28.6.2003–21.7.2003, 1 ♂+1 ♀, leg. JCH, det. VB.

Remarks. Very rare, in Pálava region found only under stones with ants; in Skalky, in grass steppe Milovická stráň and in pitfall traps in open, sandy part of Boří les.

***Euryopsis saukea* Levi, 1951 [3]**

7065: Pouzdřanská step-Kolby 20.4.1963, 1 ♂, leg. et det. FM (MILLER 1963), 25.10., 1 juv., leg. et det. FM (KŮRKA 2003).

7168: Moravská Nová Ves - old vineyard 29.5.2002, 1 ♂, leg. et det. VB.

Remarks. Very rare, recently found only on low vegetation of abandoned vineyard close to Moravská Nová Ves.

***Lasaeola tristis* (Hahn, 1833) [31]**

7266: Rendezvous 2.6.2002, 1 ♀, leg. et det. PK.

7267: Boří les - sand 24.5.2003, 1 ♂, leg. et det. VB.

Remarks. Very rare, on young pines in open part of Boří les and on shrubs in Rendezvous park.

***Neottiura bimaculata* (Linné, 1767) [194]**

7065: Kolby 12.6.2004, 1 juv., leg. SV, det. VB; Pouzdřanská step 25.5.2004, 6 juv., leg. SV, det. VB; Pouzdřanská step-Kolby?, 6 ♂+1 ♀, leg. et det. FM (KŮRKA 2003).

7165: Děvín 11.5.2003, 2 juv., leg. JCH, det. VB, 9.5.2004, 1 juv., leg. JCH, det. VB; Děvín - north 23.5.2003, 1 ♀, leg. et det. PK, 23.5.2003, 1 ♀, leg. et det. VB, 9.4.2004, 1 juv., leg. JCH, det. VB; Dunajovické kopce 22.5.2003, 3 juv., leg. et det. VB, 22.5.2003, 6 juv., leg. et det. JS, 9.5.2004, 1 juv., leg. SV, det. VB, 28.5.2004, 2 juv., leg. SV, det. VB, 16.5.2004–7.6.2004, 1 ♂, leg. SV, det. VB; Kotel 20.10.2002, 3 juv., leg. et det. VB; Pavlovské vrchy 15.6.1956, 2 ♂, leg. et det. FM (KŮRKA 2003); Svatý Kopeček 13.5.2000, 1 juv., leg. P. Kment & M. Horsák, det. VB, 21.5.2003, 1 juv., leg. et det. VB, 16.10.2003, 1 juv., leg. et det. VB, 2.4.2004, 2 juv.,

leg. M. Jarab, det. JS, 14.5.2004, 2 juv., leg. et det. JS; Svatý Kopeček - vineyards 27.7.2001, 1♀, leg. P. Lauterer, det. VB; Tuřold 23.5.2003, 1♂, leg. et det. ICH.

7166: Horní les Y. 1971, 99 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 36 ex., leg. JK, det. FM (KŘÍSTEK 1980); Kinberk 4.4.2004, 3 juv., leg. M. Jarab, det. JS; Křivé jezero 3.5.1998–18.6.1998, 1♂, leg. JCH & HF, det. VB, 2.6.2003, 1♂, leg. JCH, det. VB, 27.5.2004, 1♂, leg. JCH, det. VB; Lednice 25.6.1959, 3♀, leg. et det. E. Žďárková, 1♂, leg. et det. FM (KŮRKA 2003); Lednice-Podivín, doubrava 20.5.1958, 3♂+3♀, leg. et det. FM (MILLER 1959), 15.8.1958, 2♀, leg. et det. FM (MILLER 1959); Lednický park 25.5.1983, 4♂, leg. et det. K. Absolon, 23.5.2003, 1♂, leg. et det. VB, 23.5.2003, 2♂+3 juv., leg. et det. JS, 23.5.2003, 1 juv., leg. M. Jarab, det. JS; Milovice - trench 20.6.2003, 1♀, leg. JCH, det. VB; Milovická stráň 27.5.2004, 1♂, leg. JCH, det. VB, 16.6.2004, 1 juv., leg. et det. JS; Milovický les 2.5.2003, 1 juv., leg. JCH, det. VB, 3.4.2004, 1 juv., leg. et det. JS, 3.4.2004, 1 juv., leg. M. Jarab, det. JS, 14.5.2004, 1 juv., leg. JCH, det. VB; Pastvíska 30.5.1997, 1♂, leg. et det. MH; Šakvice Y. 1894, leg. et det. A. Nosek (NOSEK 1895).

7168: Mikulčice 29.5.2002, 1♀, leg. et det. JS; Moravská Nová Ves - old vineyard 29.5.2002, 3♀, leg. et det. JS; Očovské louky 31.5.2002, 2♂, leg. et det. VB.

7266: Mušlov - sand pit 21.5.2003, 1♀, leg. et det. PK, 21.5.2003, 1 juv., leg. et det. VB; Nesyt 9.6.1988, 1♀, leg.?, det. VB; Rendezvous 24.5.2003, 1♀+2 juv., leg. et det. VB, 24.5.2003, 1♀, leg. et det. PK; Skalky 30.4.2003, 5 juv., leg. et det. VB, 22.5.2003, 1 juv., leg. M. Jarab, det. JS; Slanisko u Nesytu 22.5.2003, 1♂, leg. M. Jarab, det. JS.

7267: Boří les 24.5.2003, 1 juv., leg. M. Jarab, det. JS; Boří les - sand 24.5.2003, 1 juv., leg. et det. VB; Lanžhot - dead arms 2.6.2002, 1♀, leg. et det. JS; Lanžhot - Trnůvky 1.6.2002, 1♂+2♀, leg. et det. JS; Pohansko 23.5.2003, 1♂, leg. et det. VR, 25.5.2003, 1♂, leg. et det. VB.

7268: Stibůrkovská jezera 29.5.2002, 1♂, leg. et det. VB.

7367: Cahnov 6.6.2003, 1♀, leg. JCH, det. VB; Ranšpurk 28.5.1993–10.6.1993, 1♀, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995); Soutok - Sekulská Morava 15.5.2004, 1 juv., leg. JCH, det. VB.

Remarks. Very common, in various habitats.

Neottiura suaveolens (Simon, 1879) [12]

7065: Pouzdřanská step 12.6.2004, 1♂, leg. SV, det. VB; Pouzdřanská step-Kolby Y. 1966, leg. et det. FM (MILLER 1966), 13.6.1968, 1♀, leg. et det. FM (KŮRKA 2003), 7♂+1♀, leg. et det. FM (KŮRKA 2003).

7165: Děvín 14.5.1966, 28.5.1966, 1 juv., leg. VBu, det. FM (BUKVA 1969), 24.6.1970, 1♂, leg. VBu, det. VB, 11.5.2003, 1 juv., leg. JCH, det. VB; Dunajovické kopce 22.5.2003, 1♀, leg. et det. PK; Kotel 20.10.2002, 1 juv., leg. et det. VB; Pavlovské vrchy?, 1♂, leg. et det. FM (KŮRKA 2003); Svatý Kopeček 13.5.2000, 1♂, leg. P. Kment & M. Horsák, det. VB, 22.5.2001–28.6.2001, 1 juv., leg. MHI, det. VB; Svatý Kopeček - vineyards 22.5.2001–28.6.2001, 1♂, leg. MHI, det. VB; Tabulová 14.5.1966–28.5.1966, 1♂, leg. VBu, det. FM (BUKVA 1969).

7166: Kinberk 4.4.2004, 1 juv., leg. et det. PK.

7266: Liščí vrch 4.4.2004, 1 juv., leg. et det. VB; Skalky 30.4.2003, 2 juv., leg. et det. VB, 22.5.2003, 1 juv., leg. et det. VB, 22.5.2003, 1♂, leg. et det. VR.

Remarks. Scarce, in grass in steppes.

Paidiscura pallens (Blackwall, 1834) [44]

7166: Horní les Y. 1971, 16 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 21 ex., leg. JK, det. FM (KŘÍSTEK 1980, KŮRKA 2003).

7266: Boří les - oaks 24.5.2003, 1♀, leg. et det. VR.

7367: Soutok 16.5.2003, 1♀, leg. JCH, det. VB.

Remarks. Rare, on shrubs and trees.

***Pholcomma gibbum* (Westring, 1851) [43]**

7165: Děvín 2.4.1966–16.4.1966, 1♂, leg. et det. VBU (BUKVA 1969), 26.10.1992–14.5.1994, 3♂+1♀, leg. et det. VR; Děvín - north 26.10.1992–14.5.1994, 9♂+3♀, leg. et det. VR; Pavlovské vrchy 6.6., 1♂+3♀, leg. et det. FM (KÚRKA 2003).

Remarks. Rare, in scree forests on both northern and southern parts of Děvín.

***Robertus arundineti* (O. P.-Cambridge, 1871) [79]**

7065: VDNM II - Šmardův ostrov Y. 1998, 4 ex., leg. et det. IV (VALÍČKOVÁ 1998).

7165: Kočičí skála 17.10.2003, 1♂+1♀, leg. et det. JD; Mikulov 1.3.2003–15.4.2003, 1♀, leg. JCH, det. VB; Tabulová 4.4.1998–29.5.1998, 1♂, leg. VR & P. Antuš, det. VR.

7166: Křivé jezero 18.11.1997–8.1.1998, 2♂+2♀, leg. JCH, det. JS, 19.2.1998–10.1.2001, 5♂+5♀, leg. JCH & HF, det. VB; Lednice 5.4.1967, 1♀, leg. et det. FM (MILLER 1967, KÚRKA 2003); Lednice-Podivín, doubrava 20.5.1958, 1♂+2♀, leg. et det. FM (MILLER 1959), 15.8.1958, 1♀, leg. et det. FM (MILLER 1959); Milovický les 7.6.1994, 1♀, leg. JCH, det. JS.

7168: Mikulčice - museum 29.5.2002, 1♀, leg. et det. VB; Očovské louky 31.5.2002, 1♂+1♀, leg. et det. VB.

7266: Mušlov - sand pit 21.5.2003, 1♀, leg. et det. VB; Nesyt 22.5.2004, 4♂+3♀, leg. JCH, det. VB; Rendezvous 13.6.2004–23.6.2004, 1♂, leg. JCH, det. VB; Skalky 5.4.2003–5.5.2003, 1♂, leg. JCH, det. VB.

7267: Kančí obora Y. 1969, 1 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975b).

7367: Ranšpurk 10.6.1997, 9.7.1997, 1♂, leg. JCH & HF, det. JS (FOJTOVÁ 2003); Soutok 30.3.2004, 3♂+2♀, leg. JCH, det. VB.

Remarks. Common, in various open habitats.

***Robertus lividus* (Blackwall, 1836) [184]**

7065: Pouzdřanská step-Kolby?, 6♂+4♀, leg. et det. FM (KÚRKA 2003); VDNM II - Šmardův ostrov Y. 1996, 2 ex., leg. et det. IV (VALÍČKOVÁ 1998).

7165: Děvín 30.4.1966–14.5.1966, 1♂, leg. et det. VBU (BUKVA 1969), 12.6.1966–9.7.1966, 1♂, leg. et det. VBU (BUKVA 1969), 25.11.2003, 2♀, leg. JCH, det. VB; Pavlovské vrchy?, 2♀, leg. et det. FM (KÚRKA 2003); Svatý Kopeček 14.9.2001–22.10.2001, 1♂, leg. MHI, det. VB; Svatý Kopeček - vineyards 22.5.2001–28.6.2001, 1♂, leg. MHI, det. VB, 28.6.2001–16.8.2001, 3♂, leg. MHI, det. VB; VDNM II 20.3.2004, 1♀, leg. JCH, det. VB.

7166: Horní les Y. 1971, 5 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 1 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1991, leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995); Kinberk 19.5.2004–23.6.2004, 3♂, leg. JCH, det. VB; Křivé jezero 14.5.1993–1.6.1993, 1♂, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 18.9.1997–10.12.2001, 10♂+1♀, leg. JCH & HF, det. VB; Lednice 24.5.1957, 1♂+2♀, leg. et det. FM (KÚRKA 2003), 3.5.1958, 2♀, leg. et det. FM (KÚRKA 2003); Lednice-Podivín, doubrava 20.2.1959, 1♀, leg. et det. FM (MILLER 1959), 15.3.1959, 1♀, leg. et det. FM (MILLER 1959); Milovický les 7.6.1994, 1♂, leg. JCH, det. JS, 3.4.2004, 1♂, leg. et det. VB.

7266: Mušlov - sand pit 21.5.2003, 1♂, leg. et det. JS; Rendezvous 13.6.2004–23.6.2004, 1♂, leg. JCH, det. VB; Slanisko u Nesytu 17.6.1993–1.7.1993, 2♂, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995).

7267: Boří les - sand 28.6.2003–24.7.2003, 1♂, leg. JCH, det. VB; Kančí obora Y. 1969, 30 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975b).

7367: Ranšpurk 14.5.1993–28.5.1993, 1♂, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 14.6.1996–10.12.2001, 58♂+35♀+2 juv., leg. JCH & HF, det. VB (FOJTOVÁ 2003); Soutok Y. 1991, 39 ex., leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995), 1.10.1996, 1♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002), 26.8.1997, 1♂, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002); Soutok - Sekulská Morava 15.5.2004, 1♂, leg. JCH, det. VB.

Remarks. Very common, in various habitats, but most abundant in floodplain forests.

***Robertus neglectus* (O. P.-Cambridge, 1871) [26]**

7065: Pouzdřanská step-Kolby 10.5.1967, 1♀, leg. et det. FM (MILLER 1967), 7.6.1967, 1♂, leg. et det. FM (MILLER 1967).

Remarks. Very rare, collected only by Prof. F. Miller in Pouzdřanská step-Kolby NNR. Not confirmed recently.

***Robertus truncorum* (L. Koch, 1872) [14]**

7165: Pavlovské vrchy 3.6.1967, 2♂, leg. et det. FM (MILLER 1967).

Remarks. *R. truncorum* was reported by F. Miller from Pavlovské vrchy hills (MILLER 1967). However, *R. truncorum* is a mountain spider, Miller's voucher material is not available (KŮRKA 2003) and *R. truncorum* has not been confirmed recently. The occurrence of *R. truncorum* in Pálava region is therefore questionable.

***Rugathodes instabilis* (O. P.-Cambridge, 1871) [15]**

7166: Horní les Y. 1971, 1 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 2 ex., leg. JK, det. FM (KŘÍSTEK 1980); Lednice 27.6.1972, leg. et det. FM; Pastvisko 30.5.1997, 4♂+1♀, leg. et det. VR, 30.5.1997, 9♂+2♀, leg. et det. MH, 23.5.2003, 1♀, leg. et det. PK, 24.5.2003, 3♂, leg. et det. VB, 2.8.2003, 1♀, leg. et det. PK.
7168: Očovské louky 31.5.2002, 2♂+1♀, leg. et det. VB, 31.5.2002, 2♂, leg. et det. VB.
7266: Lednické rybníky 1.5.1996–1.5.1998, 1 ex., leg. et det. MH; Nový rybník 30.5.1997, 1♂, leg. et det. MH.
7267: Lanžhot - dead arms 28.5.2002, 3♂+4♀, leg. et det. VB, 2.6.2002, 1♀, leg. et det. JS, 2.6.2002, 2♀, leg. et det. PK.
7268: Stibůrkovská jezera 29.5.2002, 1♂+1♀, leg. et det. VB.

Remarks. Quite common, among vegetation in marshy pond margins and in pond littorals.

***Simitidion simile* (C. L. Koch, 1836) [10]**

7166: Horní les Y. 1971, 7 ex., leg. JK, det. FM (KŘÍSTEK 1980).
7267: Boří les - sand 24.5.2003, 1♂+1♀, leg. et det. VB.

Remarks. Rare, reported from Horní les floodplain forest near Lednice (KŘÍSTEK 1980). Recently found in grass and on low branches of pines in open, sandy part of Boří les.

***Steatoda albomaculata* (De Geer, 1778) [24]**

7165: Dunajovické kopce 22.5.2003, 1♀, leg. et det. VR, 22.5.2003, 1 juv., leg. et det. JS, 22.5.2003, 1♀, leg. et det. VB, 22.5.2003, 1♀, leg. M. Jarab, det. JS, 17.10.2003, 2 juv., leg. et det. VB, 17.10.2003, 1 juv., leg. J. Erhart, det. VR, 17.10.2003, 1 juv., leg. et det. JD; Svatý Kopeček - vineyards 22.5.2001–28.6.2001, 1♀, leg. MHI, det. VB, 28.6.2001–16.8.2001, 1♂, leg. MHI, det. VB.

7168: Mikulčice - museum 29.5.2002, 1♀, leg. et det. VB, 29.5.2002, 1♀, leg. et det. JS; Moravská Nová Ves - old vineyard 29.5.2002, 2♀, leg. et det. VB.

7266: Skalky 30.4.2003, 2♀+2 juv., leg. et det. VB, 22.5.2003, 1♂, leg. et det. VB, 22.5.2003, 1♀, leg. et det. PK, 22.5.2003, 1♀+1 juv., leg. M. Jarab, det. JS, 16.10.2003, 1 juv., leg. et det. VB.

7267: Boří les - sand 24.5.2003, 1♂, leg. et det. ICH.

Remarks. Rare, but locally abundant e.g. in Dunajovické kopce and in sandy part of Skalky, where *S. albomaculata* builds its webs between the ground and the tussocks of grass.

Steatoda bipunctata (Linné, 1758) [75]

7065: Pouzdřanská step-Kolby 21.4.1953, 1♀, leg. et det. FM (KŮRKA 2003).

7165: Klentnický potok 22.4.2004, 2♀+1 juv., leg. JCH, det. VB; Mikulov 20.12.2002–11.5.2004, 22♂+21♀+23 juv., leg. JCH, det. VB; Soutěska 18.5.2003–9.4.2004, 2♂+13♀+12 juv., leg. JCH, det. VB; Svatý Kopeček 29.5.2003, 4 juv., leg. JCH, det. VB.

7166: Bulhary 30.12.2002–10.12.2003, 4♂+6♀+4 juv., leg. JCH, det. VB; Horní les Y. 1971, 3 ex., leg. JK, det. FM (KRISTEK 1980), 6.11.1996, 1♂, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002), 27.7.1997, 1 juv., leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002), 19.4.2004, 1♂+6 juv., leg. JCH, det. VB; Kinberk 1.8.2003, 1 juv., leg. et det. VB, 3.9.2003, 1 juv., leg. JCH, det. VB; Křivé jezero 1.8.2003, 1 juv., leg. et det. VB, 4.11.2003, 2♀, leg. JCH, det. VB, 4.4.2004, 1♀, leg. et det. VB, 27.5.2004, 6♀+4 juv., leg. JCH, det. VB; Lednice 4.11.1967, 1♂+4♀, leg. et det. FM (KŮRKA 2003); Lednický park 30.4.2003, 1♀, leg. et det. VB, 23.5.2003, 1 juv., leg. et det. VB; Milovický les 23.4.2004, 1 juv., leg. JCH, det. VB; Nejde 4.7.2003, 7♀, leg. JCH, det. VB, 4.7.2003, 1 juv., leg. JCH, det. VB.

7168: Mikulčice 29.5.2002, 1♀, leg. et det. VB.

7266: Randezvous 13.6.2004–23.6.2004, 1♀, leg. JCH, det. VB; Sedlec - Váhovna 16.7.2003–4.10.2003, 2♂+2♀+4 juv., leg. JCH, det. VB; Valtice 25.11.2003, 1 juv., leg. JCH, det. VB.

7268: Stibůrkovská jezera 29.5.2002, 1♀, leg. et det. JS.

7367: Ranšpurk 5.6.1996, 1 juv., leg. et det. VR, 20.8.2003, 1♂+1 juv., leg. JCH & HF, det. VB (FOJTOVÁ 2003); Soutok 2.8.1996–14.11.1997, 2♂+2♀+4 juv., leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002), 20.8.2003, 1♀, leg. JCH, det. VB.

Remarks. Very common, on buildings and on tree trunks.

Steatoda castanea (Clerck, 1757) [20]

7166: Milovický les 14.5.2003, 1 juv., leg. JCH, det. VB.

7266: Sedlec - Váhovna 22.8.2003, 1♀, leg. JCH, det. VB.

Remarks. Very rare, one female was found in the Sedlec railway station building and one juvenile specimen was captured in Milovický les on a tree trunk.

Steatoda grossa (C. L. Koch, 1838) [18]

7165: Mikulov 20.12.2002–11.5.2004, 4♂+8♀+22 juv., leg. JCH, det. VB.

Remarks. Common, synanthropic species that is common in Mikulov in houses and cellars.

***Steatoda meridionalis* (Kulczyński, 1894) [1]**

7266: Valtice Y. 1910, 1♀, leg. E. Reimoser, det. B. Knoflach (KNOFLACH 1996).

Remarks. *S. meridionalis* given as from Valtice has been found in the NH museum in Vienna in the E. Reimoser collection, among *S. phalerata* material. This is the only known record of *S. meridionalis* from the Czech Republic. However, the occurrence of this species, despite the fact that it is known from sandy habitats in adjacent countries (Hungary, Slovakia) has not been confirmed recently and we thus do not consider *S. meridionalis* to be a part of arachnofauna of the Pálava region.

***Steatoda phalerata* (Panzer, 1801) [73]**

7065: Pouzdřanská step-Kolby 15.5.1968, 3♂+1♀, leg. et det. FM (KŮRKA 2003), 25.5., 1♀, leg. et det. FM (KŮRKA 2003); VDNM II - Šmardův ostrov Y. 1996, 1 ex., leg. et det. IV (VALÍČKOVÁ 1998), Y. 1998, 2 ex., leg. et det. IV (VALÍČKOVÁ 1998).

7165: Svatý Kopeček - vineyards 20.4.2001–22.5.2001, 5♂, leg. MHL, det. VB, 14.9.2001–22.10.2001, 1 juv., leg. MHL, det. VB; Tabulová 28.5.1966–12.6.1966, 2♂, leg. et det. VBU (BUKVA 1969).

7166: Šakvice Y. 1894, leg. et det. A. Nosek (NOSEK 1895).

7168: Mikulčice - museum 29.5.2002, 1♀+1 juv., leg. et det. VB.

7267: Boří les - sand 27.5.2003–28.6.2003, 1♂, leg. JCH, det. VB; Břeclav 10.5.2004, leg. JCH, det. VB.

Remarks. Scarce, on sunny exposed, often disturbed habitats. All recent material has been redetermined in order to exclude or to confirm the occurrence of *S. meridionalis*.

***Steatoda triangulosa* (Walckenaer, 1802) [2]**

7165: Klentnice 10.1.2003, 1♀, leg. I. Martinek, det. VB; Mikulov 20.12.2002–21.4.2004, 14♂+24♀+18 juv., leg. JCH, det. VB, 18.10.2003, 1♂+1♀, leg. J. Erhart, det. VR.

7166: Lednický park 30.4.2003, 3♀+4 juv., leg. et det. VB; Milovický les 23.5.2003, 1♂, leg. et det. ZM.

7266: Sedlec - Váhovna 17.7.2003, 1♀, leg. JCH, det. VB, 22.8.2003, 1 juv., leg. JCH, det. VB; Valtice 25.11.2003, 1 juv., leg. JCH, det. VB.

Remarks. Common, synanthropic species common in houses, on buildings and in cellars.

***Theridion betteni* Wiehle, 1960 [33]**

7065: Pouzdřanská step-Kolby, 2♀, leg. et det. FM (KŮRKA 2003).

7165: Děvín-Kotel-Soutěska 5.5.1974, 1♀, leg. et det. VR; Pavlovské vrchy?, 3♀, leg. et det. FM (KŮRKA 2003); Soutěska 8.5.2003, 1♂, leg. JCH, det. VB.

Remarks. Rare, webs on rocks, usually under small overhangs.

***Theridion blackwalli* O. P.-Cambridge, 1871 [6]**

7165: Mikulov 20.12.2002–29.10.2003, 2♀+8 juv., leg. JCH, det. VB.

7166: Bulhary 1.6.2003, 1♀, leg. JCH, det. VB; Horní les 29.6.1997, 1♀, leg. JSch, det. LK (KUBCOVÁ &

SCHLAGHAMERSKÝ 2002); Lednický park 23.5.2003, 1♂, leg. et det. VB.

7367: Soutok 4.7.1996, 2♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002), 30.6.1997, 2♂+3♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002), 30.3.2004, 1 juv., leg. JCH, det. VB.

Remarks. Scarce, usually on tree trunks in floodplain forests but also quite common synanthropically in and on houses (Mikulov, Bulhary). Synanthropic occurrence is not restricted to Pálava region but is quite common in Brno as well.

Theridion hemerobium Simon, 1914 [20]

7166: Horní les Y. 1972, 2 ex., leg. JK, det. FM (KŘÍSTEK 1980); Nejdeček 17.7.1996, 3♂+3♀, leg. et det. VR; Pastvisko 30.5.1997, 5♂+1♀, leg. et det. MH, 30.5.1997, 6♂+4♀, leg. et det. VR, 23.5.2003, 1♀, leg. et det. PK, 24.5.2003, 2♂+1♀, leg. et det. VB, 2.8.2003, 1♀, leg. et det. PK, 2.8.2003, 2♀, leg. et det. VB.

7266: Hlohovecký rybník 3.6.2003, 1♂+1♀, leg. JCH, det. VB; Lednické rybníky 1.5.1996–1.5.1998, 1 ex., leg. et det. MH; Nesyt 16.7.1996, 2♂+14♀, leg. et det. VR, 18.7.1996, 2♀, leg. R. Lučan, det. VR; Nový rybník 30.5.1997, 2♂+4♀, leg. et det. MH.

7267: Lanžhot - dead arms 28.5.2002, 2♂, leg. et det. VB, 2.6.2002, 4♂+5♀, leg. et det. JS, 2.6.2002, 1♀, leg. et det. PK.

7268: Stibůrkovská jezera 29.5.2002, 6♂+3♀, leg. et det. VB.

Remarks. Quite common, in pond littorals, always very close to water, often in overhanging vegetation.

Theridion impressum L. Koch, 1881 [129]

7065: Pouzdřanská step-Kolby 26.6.1959, 1♂+1♀, leg. et det. E. Žďárková.

7165: Děvín 3.8.1995, 1 juv., leg. et det. VB; Dolní Věstonice - trench 3.6.2003, 1♂, leg. JCH, det. VB; Mikulov 1.6.2003–30.6.2003, 1♂, leg. JCH, det. VB, 15.8.2003, 1♀, leg. JCH, det. VB; Pavlovské vrchy?, 5♀, leg. et det. FM (KÚRKA 2003); Svatý Kopeček - vineyards 27.7.2001, 1♂, leg. P. Lauterer, det. VB.

7166: Herdy 6.7.2003, 1♀, leg. JCH, det. VB; Kinberk 1.8.2003, 1♀, leg. et det. VB, 3.9.2003, 1♀, leg. JCH, det. VB; Lednice 25.6.1959, 1♀, leg. et det. E. Žďárková, 13.6.2003, 1♀, leg. JCH, det. VB.

Remarks. Quite common, on vegetation in various open habitats.

Theridion melanurum Hahn, 1831 [19]

7165: Mikulov 20.12.2002–17.11.2003, 3♂+4♀+7 juv., leg. JCH, det. VB; Pavlovské vrchy 15.6.1956, 1♂, leg. et det. FM (KÚRKA 2003), 1♀, leg. et det. FM (KÚRKA 2003).

Remarks. Synanthropic species, in Mikulov found commonly on the walls of houses.

Theridion mystaceum L. Koch, 1870 [34]

7165: Děvín 11.5.2003, 1♂, leg. JCH, det. VB; Děvín - north 23.5.2003, 6♀, leg. et det. VR, 23.5.2003, 1♂, leg. et det. VB; Pavlovské vrchy?, 6♂+1♀, leg. et det. FM (KÚRKA 2003).

7166: Horní les Y. 1971, 1 ex., leg. JK, det. FM (KŘÍSTEK 1980), 2.7.1996–27.7.1997, 45♂+6♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002); Křivé jezero 10.5.2003, 1♂, leg. JCH, det. VB; Lednice 25.4.1961, 2♂, leg. et det. FM (KÚRKA 2003), 27.4.1961, 3♀, leg. et det. FM (KÚRKA 2003); Lednický park 23.5.2003, 1♀, leg. et det. VR.

7367: Soutok 2.6.1997, 2♂, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002), 30.6.1997, 2♂, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002), 26.8.1997, 1♂, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002).

Remarks. Quite common, on tree trunks in forests and parks.

***Theridion nigrovariegatum* Simon, 1873 [14]**

7165: Pavlovské vrchy 1.6., 1♂, leg. et det. FM (KÚRKA 2003); Svatý Kopeček 14.5.2004, 2 juv., leg. et det. JS.

7166: Milovická stráň 16.6.2004, 1 juv., leg. et det. JS.

Remarks. Rare, in grass of steppes; one male was found in the F. Miller collection, recently confirmed by J. Svatoň from two other steppe habitats.

***Theridion pictum* (Walckenaer, 1802) [34]**

7165: Mušov 10.6.1966, 1♂, leg. et det. FM (KÚRKA 2003), 1♂+2 juv., leg. et det. FM (KÚRKA 2003).

7166: Horní les Y. 1972, 2 ex., leg. JK, det. FM (KŘÍSTEK 1980, KÚRKA 2003); Křivé jezero 10.5.2003, 1♂, leg. JCH, det. VB; Lednický park 23.5.2003, 1♂+1♀, leg. et det. PK.

7266: Nový rybník 25.5.2003, 1♀, leg. et det. VB.

7267: Břeclav 12.9.1969, 2♀, leg. VBu, det. JB, 19.8.2002, 1♂, leg. et det. JD; Lanžhot - Bačovská 31.5.2002, 1♀, leg. et det. JS; Lanžhot - dead arms 28.5.2002, 3♂+1♀, leg. et det. VB, 2.6.2002, 1♀, leg. et det. JS, 2.6.2002, 5♀, leg. et det. PK; Lanžhot - Trmůvky 1.6.2002, 2♂+1♀, leg. et det. JS.

7268: Stibůrkovská jezera 29.5.2002, 1♀, leg. et det. VB.

Remarks. Quite common, on vegetation of wet meadows and pond littorals.

***Theridion pinastri* L. Koch, 1872 [52]**

7065: Pouzdřanská step-Kolby 6.6., 1♂, leg. et det. FM (KÚRKA 2003).

7166: Horní les Y. 1971, 1 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 1 ex., leg. JK, det. FM (KŘÍSTEK 1980); Lednice 30.5., 2♀, leg. et det. FM (KÚRKA 2003).

7266: Rendezvous 24.5.2003, 1♂, leg. et det. VB.

7267: Lanžhot - Trmůvky 1.6.2002, 1♀, leg. et det. JS.

7367: Soutok 4.7.1996, 1♂, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002).

Remarks. Scarce, on branches of trees and bushes in parks and forests.

***Theridion tinctum* (Walckenaer, 1802) [102]**

7065: Vranovice 1.5.1957, 1♂, leg. et det. FM (KÚRKA 2003).

7165: Klentnický potok 22.4.2004, 2 juv., leg. JCH, det. VB; Soutěska 30.5.2003, 2♀, leg. JCH, det. VB; Svatý Kopeček 29.5.2003, 1♀, leg. JCH, det. VB, 14.5.2004, 1 juv., leg. et det. JS.

7166: Horní les Y. 1971, 42 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 6 ex., leg. JK, det. FM (KŘÍSTEK 1980, KÚRKA 2003), 2.7.1996–7.11.1997, 5♀+3 juv., leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002); Křivé jezero 7.5.2003, 1 juv., leg. JCH, det. VB, 10.5.2003, 1 juv., leg. JCH, det. VB, 3.6.2003, 1♀, leg. JCH, det. VB, 4.11.2003, 3 juv., leg. JCH, det. VB; Lednický park 23.5.2003, 2♀, leg. et det. VB.

7168: Mikulčice 29.5.2002, 1♀, leg. et det. JS.

7266: Mlýnský rybník 30.4.2004, 1♂, leg. JCH, det. VB; Rendezvous 23.5.2003, 1♀, leg. et det. ICH.
 7267: Boří les 13.5.2003, 1♂, leg. JCH, det. VB; Lanžhot 5.6.1996, 2♀, leg. et det. VR.
 7367: Soutok 3.9.1996–30.6.1997, 4♀+5 juv., leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002).

Remarks. Common, on trunks and branches of trees, most abundant in floodplain forests.

Theridion varians Hahn, 1833 [132]

7165: Děvín - north 23.5.2003, 1♀, leg. et det. PK, 23.5.2003, 2♂, leg. et det. VB; Svatý Kopeček 21.5.2003, 1♂, leg. et det. VB; VDNM II - Pisky 25.5.2004, 1♂, leg. JCH, det. VB.
 7166: Horní les Y. 1971, 351 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 249 ex., leg. JK, det. FM (KŘÍSTEK 1980), 2.7.1996, 1♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002), 31.7.1996, 1♂, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002); Lednice 25.6.1959, 1 ex., leg. et det. E. Žďárková, 1.6., 1♂+1♀, leg. et det. FM (KÚRKA 2003); Lednický park 23.5.2003, 1♀, leg. et det. PK, 23.5.2003, 1♂, leg. et det. VB.
 7168: Mikulčice 29.5.2002, 1♂, leg. et det. JS.
 7266: Hlohovecký rybník 20.6.1995, 1♀, leg. T. Grim, det. VB (GRIM 1997); Rendezvous - fishpond 24.5.2003, 1♀, leg. et det. VB; Slanisko u Nesytu 22.5.2003, 1♀, leg. et det. VB.
 7267: Břeclav 19.8.2002, 1♀, leg. et det. JD; Lanžhot - dead arms 28.5.2002, 1♀, leg. et det. VB.
 7367: Ranšpurk 5.6.1996, 1♀, leg. et det. VR; Soutok 4.7.1996–26.8.1997, 7♂+4♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002); Soutok - Sekulská Morava 15.5.2004, 1♂, leg. JCH, det. VB.

Remarks. Very common, on shrubs and trees.

Family Theridiosomatidae

Theridiosoma gemmosum (L. Koch, 1877) [11]

7166: Horní les Y. 1972, 4 ex., leg. JK, det. FM (KŘÍSTEK 1980); Nejdek 17.7.1996, 2♀, leg. et det. VR; Pastvíska 30.5.1997, 1♂+2♀, leg. et det. MH, 30.5.1997, 2♂, leg. et det. VR, 23.5.2003, 1♀, leg. et det. PK, 24.5.2003, 1♂, leg. et det. VB.
 7168: Očovské louky 31.5.2002, 1♀, leg. et det. VB.
 7266: Lednické rybníky 1.5.1996–1.5.1998, 1 ex., leg. et det. MH; Nový rybník 30.5.1997, 1 juv., leg. et det. MH.
 7267: Lanžhot - dead arms 28.5.2002, 6♂+1♀, leg. et det. VB, 2.6.2002, 1♂+2♀, leg. et det. JS, 2.6.2002, 1♂+1♀, leg. et det. PK.

Remarks. Probably scarce; makes its webs above the water surface, abundant under overhanging grass on the banks of cutoffs and dead arms.

Family Linyphiidae

Abacoproeces saltuum (L. Koch, 1872) [41]

7065: Kolby (outside NNR) 16.5.2004–12.6.2004, 3♂, leg. SV, det. VB.
 7166: Lednice-Podivín, doubrava 20.5.1958, 2♀, leg. et det. FM (MILLER 1959).
 7266: Boří les - oaks 24.5.2003, 1♂, leg. et det. VR; Rendezvous 13.6.2004–23.6.2004, 1♂, leg. JCH, det. VB.
 7267: Břeclav 19.8.2002, 1♀, leg. et det. JD.

Remarks. Scarce, among leaf litter in oak forests.

***Acartauchenius scurrilis* (O. P.-Cambridge, 1872) [22]**

7165: Děvín 25.5.1996–21.6.1996, 1♀, leg. JCH, det. JS; Tabulová 17.10.2003, 1♂+1♀, leg. et det. VB.

Remarks. Rare, found only in Tabulová and Děvín limestone steppes, probably scarce in Pálava region but collected only rarely because of its sedentary life style with ants.

***Agyneta ramosa* Jackson, 1912 [12]**

7166: Lednice-Podivín, doubrava 20.5.1958, 1♂+3♀, leg. et det. FM (MILLER 1959).

Remarks. Very rare, found by F. Miller in detritus of oak wood near Lednice in 1958, not confirmed recently.

***Allomengea vidua* (L. Koch, 1879) [33]**

7166: Křivé jezero 20.10.1997–18.11.1997, 1♂+5♀, leg. JCH, det. JS, 8.7.1998–19.10.2001, 25♂+120♀, leg. JCH & HF, det. VB; Pastvisko 20.10.2003–28.11.2003, 3♀, leg. JCH, det. VB.

7266: Lednické rybníky 13.5.1999–14.11.1999, 73 ex., leg. et det. MH; Nesyt Y. 1969, 6 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975a).

7367: Soutok Y. 1991, 5 ex., leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995).

Remarks. Rare, locally common on flooded meadows (Křivé jezero, Pastvisko); all specimens were captured using pitfall traps in autumn and winter.

***Araeoncus crassiceps* (Westring, 1861) [25]**

7166: Horní les Y. 1971, 1 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 1 ex., leg. JK, det. FM (KŘÍSTEK 1980).

7266: Nesyt Y. 1969, 5 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975a).

Remarks. Rare, in detritus of floodplain forest and reeds, not confirmed recently.

***Araeoncus humilis* (Blackwall, 1841) [90]**

7065: VDNM II - Šmardův ostrov Y. 1996, 8 ex., leg. et det. IV (VALÍČKOVÁ 1998), Y. 1998, 12 ex., leg. et det. IV (VALÍČKOVÁ 1998).

7165: Děvín 16.10.1995–14.11.1996, 20♂, leg. JCH, det. ZM & JS; Svatý Kopeček 27.6.2001, 1♂, leg. P. Lauterer, det. VB, 21.5.2003, 1♂, leg. et det. VB; Svatý Kopeček - vineyards 27.6.2001, 1♂, leg. P. Lauterer, det. VB; Tabulová 9.10.1965–2.4.1966, 4♂, leg. et det. VBU (BUKVA 1969).

7166: Horní les 7.11.1997, 1♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002); Křivé jezero 25.4.1997–12.9.2001, 113♂+12♀, leg. JCH & HF, det. VB & JS; Lednice-Podivín, doubrava 20.5.1958, 1♀, leg. et det. FM (MILLER 1959).

7266: Nesyt 5.5.1974, 2♀, leg. et det. VR; Skalky 3.4.2004, 1♂, leg. P. Vaňhara, det. VB; Slanisko u Nesytu Y. 1988, 4♀, leg. Křen, det. M. Řezáč.

7367: Soutok 2.8.1996–14.11.1997, 3♂+5♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002).

Remarks. Common in wet habitats, aeronautic males can be also easily obtained by shaking on elevated hills.

***Baryphyma pratense* (Blackwall, 1861) [3]**

7166: Křivé jezero 22.5.2000–18.6.2000, 1♀, leg. JCH & HF, det. VB, 18.6.2001–14.7.2001, 1♀, leg. JCH & HF, det. VB, 4.4.2004, 1♂, leg. et det. VB.

Remarks. Very rare, two females were obtained by pitfall trapping and one male by hand collecting in a flooded meadow.

***Bathyphantes approximatus* (O. P.-Cambridge, 1871) [97]**

7065: VDNM II - Šmardův ostrov Y. 1996, 4 ex., leg. et det. IV (VALÍČKOVÁ 1998), Y. 1997, 4 ex., leg. et det. IV (VALÍČKOVÁ 1998), Y. 1998, 15 ex., leg. et det. IV (VALÍČKOVÁ 1998).

7165: Děvín 31.5.1965–28.6.1965, 1♂, leg. et det. VBu (BUKVA 1969); VDNM II 1.4.2004, 1♀, leg. JCH, det. VB.

7166: Horní les Y. 1971, 24 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 3 ex., leg. JK, det. FM (KŘÍSTEK 1980); Kinberk - pool 18.10.2003, 1♂, leg. et det. JD; Křivé jezero 23.3.1998–14.7.2001, 8♂+3♀, leg. JCH & HF, det. VB; Pastvisko 30.5.1997, 1♀, leg. et det. MH, 30.5.1997, 3♂+1♀, leg. et det. VR, 18.10.2003, 1♀, leg. et det. JD.

7266: Lednické rybníky 13.5.1999–14.11.1999, 87 ex., leg. et det. MH; Nesyt Y. 1969, 52 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975a).

Remarks. Quite common, in wet habitats.

***Bathyphantes gracilis* (Blackwall, 1841) [125]**

7065: VDNM II - Šmardův ostrov Y. 1998, 4 ex., leg. et det. IV (VALÍČKOVÁ 1998).

7165: VDNM II 1.4.2004, 1♀, leg. JCH, det. VB.

7166: Horní les Y. 1971, 20 ex., leg. JK, det. FM (KŘÍSTEK 1980); Kinberk - pool 18.10.2003, 1♀, leg. et det. JD; Křivé jezero 18.11.1997–8.1.1998, 7♂, leg. JCH, det. JS, 19.2.1998–19.10.2001, 110♂+32♀, leg. JCH & HF, det. VB; Lednice-Podivín, doubrava 20.5.1958, 1♀, leg. et det. FM (MILLER 1959); Pastvisko 30.5.1997, 1♀, leg. et det. MH.

7266: Mušlovské rybníky 19.10.2003, 1♀, leg. et det. VB; Nesyt Y. 1969, 32 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975a), 22.5.2004, 2♀, leg. JCH, det. VB, 22.6.2006, 1♀, leg. JCH, det. VB; Slanisko u Nesytu Y. 1988, 1♂, leg. Křen, det. M. Řezáč.

7268: Stibůrkovská jezera 29.5.2002, 1♂+1♀, leg. et det. VB.

7367: Ranšpurk 12.2.1998–10.12.2001, 7♂+7♀, leg. JCH & HF, det. VB (FOJTOVÁ 2003); Soutok 14.11.1997, 1♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002).

Remarks. Common, in wet meadows and in floodplain forests.

***Bathyphantes nigrinus* (Westring, 1851) [150]**

7065: VDNM II - Šmardův ostrov Y. 1996, 19 ex., leg. et det. IV (VALÍČKOVÁ 1998), Y. 1997, 31 ex., leg. et det. IV (VALÍČKOVÁ 1998), Y. 1998, 87 ex., leg. et det. IV (VALÍČKOVÁ 1998).

7165: Klentnický potok 3.4.2004, 2♀, leg. et det. JD; Mariánská jezera 29.7.1981, 1♂, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996).

7166: Horní les Y. 1971, 385 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 308 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, leg.?, det. FM (KŘÍSTEK 1985), Y. 1991, leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995); Křivé jezero 31.8.1998–11.10.1998, 1♀, leg. JCH & HF, det. VB, 26.5.1999–23.6.1999, 1♀, leg. JCH & HF, det. VB, 5.10.2000–24.11.2000, 1♀, leg. JCH & HF, det. VB; Lednice-Podivín, doubrava 20.5.1958–15.3.1959,

2♂+10♀+3 juv., leg. et det. FM (MILLER 1959); Šakvice 19.8.1955, 1♂, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996).

7266: Mlýnský rybník 12.7.1994, 2♀, leg. T. Grim, det. VB (GRIM 1997).

7267: Kančí obora Y. 1969, 26 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975b); Lanžhot - dead arms 2.6.2002, 1♀, leg. et det. PK.

7367: Raňšpurk 14.10.1993–24.5.1994, 1♀, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 8.8.1995–19.10.2001, 66♂+57♀+7 juv., leg. JCH & HF, det. VB (FOJTOVÁ 2003); Soutok Y. 1991, 75 ex., leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995), 26.8.1997, 4♂+2♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002).

Remarks. Common, in wet meadows and floodplain forests.

Bathypantes parvulus (Westring, 1851) [102]

7065: VDNM II - Šmardův ostrov Y. 1996, 1 ex., leg. et det. IV (VALÍČKOVÁ 1998), Y. 1997, 1 ex., leg. et det. IV (VALÍČKOVÁ 1998).

7165: Dunajovické kopce 7.6.2004–6.8.2004, 10♂+2♀, leg. SV, det. VB; Tabulová 31.5.1965–28.6.1965, 1♂, leg. et det. VBu (BUKVA 1969).

7166: Křivé jezero 28.9.1993, 1♀, leg. JCH, det. JS; Lednice 13.6.2003, 1♀, leg. JCH, det. VB.

7168: Očovské louky 31.5.2002, 1♂+1♀, leg. et det. VB.

7367: Soutok 4.7.1996, 1♂, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002), 26.8.1997, 1♂+8♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002).

Remarks. Scarce, usually in flooded habitats (with the exception of probably aeronautic occurrence in Tabulová and Dunajovické kopce).

Centromerita concinna (Thorell, 1875) [13]

7165: Svatý Kopeček 30.10.1965–13.11.1965, 1♂, leg. et det. VBu (BUKVA 1969).

Remarks. Very rare, one female was obtained by pitfall trapping in Svatý Kopeček; not confirmed recently.

Centromerus arcanus (O. P.-Cambridge, 1873) [65]

7166: Lednice-Podivín, doubrava 20.5.1958, 3♀, leg. et det. FM (MILLER 1959), 20.2.1959, 3♂+4♀, leg. et det. FM (MILLER 1959), 15.3.1959, 2♀, leg. et det. FM (MILLER 1959).

Remarks. Very rare, psychrophilous species (for distribution in CR see BUCHAR & RŮŽIČKA 2002) that was rather surprisingly found by Prof. F. Miller in an oak wood between Lednice and Podivín; not confirmed recently.

Centromerus capucinus (Simon, 1884) [10]

7165: Děvín 1.5.1965–12.6.1966, 82♂+34♀+3, leg. et det. VBu (BUKVA 1969), 14.11.1996, 1♀, leg. JCH, det. JS, 14.1.1997, 6♂+4♀, leg. JCH, det. JS; Tabulová 30.10.1965–16.4.1966, 53♂+17♀, leg. et det. VBu (BUKVA 1969), 17.10.2003, 1♀, leg. et det. VB.

Remarks. Rare, restricted to limestone rock steppes (Děvín-Kotel-Soutěska and Tabulová NNRs) where adults of this species can be found from autumn to spring.

***Centromerus incilium* (L. Koch, 1881) [40]**

7165: Děvín 9.10.1965–23.2.1966, 13♂+3♀, leg. et det. VBU (BUKVA 1969); Tabulová 3.10.1997–4.4.1998, 1♂, leg. VR & P. Antuš, det. VR.

7166: Kinberk 28.11.2003–20.3.2004, 2♂, leg. JCH, det. VB.

7266: Nesyt Y. 1969, 6 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975a).

Remarks. Rare, in both very dry and very wet habitats, adults active in winter.

***Centromerus leruthi* Fage, 1933 [6]**

7267: Kančí obora Y. 1969, 2♂, leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975b).

Remarks. Very rare, two males were found in Kančí obora floodplain forest; not confirmed recently.

***Centromerus semiater* (L. Koch, 1879) [14]**

7165: Děvín 9.9.1995, 1♀, leg. et det. ZM; Děvín - north 26.10.1992–14.5.1994, 1♂, leg. et det. VR.

Remarks. Very rare, until now found only in stony debris of Děvín-Kotel-Soutěska NNR.

***Centromerus sylvaticus* (Blackwall, 1841) [162]**

7065: VDNM II - Šmardův ostrov Y. 1996, 10 ex., leg. et det. IV (VALÍČKOVÁ 1998), Y. 1997, 10 ex., leg. et det. IV (VALÍČKOVÁ 1998), Y. 1998, 43 ex., leg. et det. IV (VALÍČKOVÁ 1998).

7165: Děvín 30.10.1965–20.12.1965, 4♂+3♀, leg. et det. VBU (BUKVA 1969); Děvín - north 9.4.2004, 1♀, leg. JCH, det. VB; Kočičí skála 17.10.2003, 1♂, leg. et det. JD; Pavlovské vrchy Y. 1958, leg. et det. FM (MILLER 1958a); Svatý Kopeček 30.10.1965–13.11.1965, 3♂+2♀, leg. et det. VBU (BUKVA 1969), 13.11.1965–20.12.1965, 1♂, leg. et det. VBU (BUKVA 1969); Tabulová 3.10.1997–4.4.1998, 1♀, leg. VR & P. Antuš, det. VR, 22.12.2003, 1♀, leg. JCH, det. VB; VDNM II 19.3.2004, 1♀, leg. JCH, det. VB.

7166: Horní les Y. 1971, 2 ex., leg. JK, det. FM (KRÍSTEK 1980), Y. 1991, leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995), 6.11.1996, 1♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002), 7.11.1997, 1♂, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002); Kinberk 28.11.2003–20.3.2004, 1♂, leg. JCH, det. VB; Krivé jezero 20.10.1997–18.11.1997, 2♂+3♀, leg. JCH, det. JS, 18.11.1997–8.1.1998, 1♀, leg. JCH, det. JS, 19.2.1998–4.11.2003, 100♂+52♀, leg. JCH, det. VB; Lednice Y. 1958, leg. et det. FM (MILLER 1958a); Lednice-Podivín, doubrava 20.5.1958–15.3.1959, 1♂+4♀, leg. et det. FM (MILLER 1959); Pastvisko 20.10.2003–8.11.2003, 15♂+6♀, leg. JCH, det. VB, 20.10.2003–28.11.2003, 60♂+8♀, leg. JCH, det. VB.

7266: Boří les - oaks 18.10.2003, 1♂, leg. et det. VB; Nesyt Y. 1969, 13 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975a); Skalky 16.10.2003, 1♀, leg. et det. JD; Slanisko u Nesytu 1.10.1993, 1♀, leg. JCH, det. JS, 1.10.1993–15.10.1993, 2♀, leg. JCH, det. JS.

7267: Boří les 18.10.2003, 2♂+1♀, leg. et det. JD; Boří les - sand 28.9.2003–10.12.2003, 1♂, leg. JCH, det. VB; Kančí obora Y. 1969, 118 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975b), Y. 1969, 200 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975b).

7367: Ranšpurk 30.9.1993–10.12.2001, 1011♂+710♀, leg. JCH & HF, det. VB & JS (part in MAJKUS & SVATOŇ 1995, FOJTOVÁ 2003); Soutok Y. 1991, 43 ex., leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995).

Remarks. Very common in wide range of habitats, adults from autumn to spring.

***Ceratinella brevipes* (Westring, 1851) [40]**

7166: Horní les Y. 1972, 4 ex., leg. JK, det. FM (KŘÍSTEK 1980); Křivé jezero 25.4.1997–22.5.1997, 6♂, leg. JCH, det. JS, 3.5.1998–18.6.2001, 6♂+1♀, leg. JCH & HF, det. VB.
7266: Lednické rybníky 13.5.1999–14.11.1999, 1 ex., leg. et det. MH.

Remarks. Rare, in detritus of wet meadows and forests.

***Ceratinella brevis* (Wider, 1834) [133]**

7165: Děvín 12.3.1966–2.4.1966, 1♂, leg. et det. VBU (BUKVA 1969), 16.4.1966–30.4.1966, 1♂, leg. et det. VBU (BUKVA 1969); Děvín - north 7.5.1996–25.5.1996, 1♂+1♀, leg. JCH, det. JS; Dunajovický potok 2.4.2004, 1♂+1♀, leg. et det. VB.
7266: Skalky 5.4.2003–5.5.2003, 1♂, leg. JCH, det. VB; Slanisko u Nesytu 22.5.2003, 1♀, leg. et det. PK, 1.4.2004, 1♀, leg. et det. JS.

Remarks. Rare, in various habitats.

***Ceratinella major* Kulczyński, 1894 [15]**

7165: Děvín 2.8.2003, 1♀, leg. et det. VB; Svatý Kopeček 20.4.2001–22.5.2001, 1♂+1♀, leg. MHL, det. VB; Svatý Kopeček - vineyards 22.5.2001–28.6.2001, 2♀, leg. MHL, det. VB.
7266: Boří les - oaks 24.5.2003, 1♀, leg. et det. VB.

Remarks. Rare, in leaf litter of xerothermic oak forests and adjacent steppes and vineyards.

***Ceratinella scabrosa* (O. P.-Cambridge, 1871) [29]**

7166: Křivé jezero 28.4.1999–26.5.1999, 1♂, leg. JCH & HF, det. VB, 26.5.1999–23.6.1999, 2♂, leg. JCH & HF, det. VB; Lednice-Podivín, doubrava 20.5.1958, 1♂+2♀+3 juv., leg. et det. FM (MILLER 1959), 30.6.1958, 5♀, leg. et det. FM (MILLER 1959), 15.8.1958, 1♀, leg. et det. FM (MILLER 1959).
7367: Ranšpurk 14.10.1993–13.7.2001, 127♂+78♀, leg. JCH & HF, det. VB & JS (part in MAJKUS & SVATOŇ 1995, FOJTOVÁ 2003); Soutok - Sekulská Morava 15.5.2004, 1♂+2♀, leg. JCH, det. VB.

Remarks. Common, in detritus of floodplain forests.

***Cnephalocotes obscurus* (Blackwall, 1834) [54]**

7267: Pohansko 1.4.2004, 3♂+1♀, leg. JCH, det. VB.

Remarks. Very rare, habitat unknown. All individuals were collected during spring floods on the edge of a flooded area in Pohansko on higher vegetation, where they, together with many other spiders, fled from rising water.

***Dicymbium nigrum* (Blackwall, 1834) [117]**

7165: Dunajovický potok 21.3.2004, 1♀, leg. JCH, det. VB, 2.4.2004, 1♀, leg. et det. VB.
7166: Horní les Y. 1971, 11 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 4 ex., leg. JK, det. FM (KŘÍSTEK

1980); Křivé jezero 4.12.1999–17.1.2000, 1♂, leg. JCH & HF, det. VB; Lednice-Podivín, doubrava 20.5.1958, 1♀, leg. et det. FM (MILLER 1959); Milovický les 3.4.2004, 1♂, leg. et det. JS, 3.4.2004, 1♀, leg. et det. ZM. 7266: Mušlov - sand pit 24.4.2003, 1♀, leg. JCH, det. VB. 7267: Kančí obora Y. 1969, 15♂+28♀, leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975b). 7367: Ranšpurk 21.1.1997–28.2.1997, 1♀, leg. JCH & HF, det. JS (FOJTOVÁ 2003), 28.4.1998–18.6.2001, 22♂+8♀, leg. JCH & HF, det. VB (FOJTOVÁ 2003); Soutok Y. 1991, 5 ex., leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995).

Remarks. Quite common, in floodplain forest with the exception of a finding in the Pískovna Mušlov sandpit.

Diplocephalus cristatus (Blackwall, 1833) [108]

7165: Klentnický potok 3.4.2004, 2♀, leg. et det. JD. 7166: Křivé jezero 22.5.1997–12.6.1997, 1♀, leg. JCH, det. JS, 23.3.1998–3.5.1998, 1♀, leg. JCH & HF, det. VB, 3.5.1998–18.6.1998, 1♂, leg. JCH & HF, det. VB. 7266: Mušlov - sand pit 21.5.2003, 3♀, leg. et det. VB; Prostřední rybník 3.8.2003, 1♀, leg. et det. VB.

Remarks. Rare, in wet habitats.

Diplocephalus dentatus Tullgren, 1955 [2]

7166: Křivé jezero 3.5.1998–14.7.2001, 55♂+6♀, leg. JCH & HF, det. VB; Lednice-Podivín, doubrava 20.5.1958, 1♀, leg. et det. FM (MILLER 1959), 15.3.1959, 2♂+4♀, leg. et det. FM (MILLER 1959).

Remarks. Rare, in wet detritus of meadow and floodplain forest. An abundant population was found recently in Křivé jezero NNR. Apart from the Pálava region, this species is known in the CR from only one locality in Eastern Bohemia (BÍLEK & BÍLKOVÁ 1984).

Diplocephalus latifrons (O. P.-Cambridge, 1863) [143]

7165: Dunajovické kopce 17.10.2003, 1♀, leg. et det. VB. 7367: Ranšpurk 5.10.2000–23.11.2000, 1♀, leg. JCH & HF, det. VB (FOJTOVÁ 2003).

Remarks. Rare, in very different habitats.

Diplocephalus picinus (Blackwall, 1841) [128]

7165: Dunajovický potok 21.3.2004, 1♀, leg. JCH, det. VB. 7166: Horní les Y. 1971, 94 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, leg.?, det. FM (KŘÍSTEK 1985), Y. 1991, leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995); Křivé jezero 25.4.1997–22.5.1997, 1♂, leg. JCH, det. JS, 26.5.1999–23.6.1999, 2♂, leg. JCH & HF, det. VB; Lednice-Podivín, doubrava 20.5.1958–15.3.1959, 17♂+50♀, leg. et det. FM (MILLER 1959). 7266: Rendezvous 13.6.2004–23.6.2004, 1♂, leg. JCH, det. VB; Rendezvous - fishpond 24.5.2003, 1♀, leg. et det. VB. 7267: Kančí obora Y. 1969, 12 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975b). 7367: Ranšpurk 14.10.1993–24.5.1994, 13♂+2♀, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 5.6.1996, 1♀, leg. et det. VR, 14.6.1996–12.9.2001, 10♂+5♀, leg. JCH & HF, det. VB & JS (FOJTOVÁ 2003); Soutok Y. 1991,

90 ex., leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995), 2.6.1997–26.8.1997, 4♂+12♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002).

Remarks. Common, mainly in floodplain forests.

***Diplostyla concolor* (Wider, 1834) [195]**

7065: Kolby 16.5.2004–12.6.2004, 1♂, leg. SV, det. VB; Kolby (outside NNR) 16.5.2004–12.6.2004, 1♂+1♀, leg. SV, det. VB; VDNM II - Šmardův ostrov Y. 1996, 3 ex., leg. et det. IV (VALÍČKOVÁ 1998), Y. 1997, 2 ex., leg. et det. IV (VALÍČKOVÁ 1998), Y. 1998, 4 ex., leg. et det. IV (VALÍČKOVÁ 1998).

7165: Děvín 12.6.1966–9.7.1966, 1♀, leg. et det. VBU (BUKVA 1969), 18.7.1995–3.8.1995, 1♀, leg. JCH, det. JS, 12.6.1996, 1♂+1♀, leg. JCH, det. VB, 11.5.2003, 1♀, leg. JCH, det. VB, 3.12.2003, 1♀, leg. JCH, det. VB; Děvín - north 7.5.1996–25.5.1996, 5♂, leg. JCH, det. JS, 23.5.2003, 2♀, leg. et det. VB, 23.5.2003, 1♂, leg. et det. JB, 9.4.2004, 1♂+5♀, leg. JCH, det. VB; Dunajovické kopce 16.5.2004–28.5.2004, 1♀, leg. SV, det. VB; Dunajovický potok 21.3.2004, 1♂, leg. JCH, det. VB, 2.4.2004, 1♀, leg. et det. VB; Klentnický potok 3.4.2004, 1♂+2♀, leg. et det. VB, 3.4.2004, 2♀, leg. et det. JD, 14.4.2004, 3♂+2♀, leg. JCH, det. VB, 22.4.2004, 1♂, leg. JCH, det. VB; Kočičí skála 6.6.1996–11.6.1996, 5♂+1♀, leg. J. Matuška, det. VB (ŘEZÁČ & BRYJA 2002); Mikulov 15.4.2003–30.4.2003, 1♀, leg. JCH, det. VB; Svatý Kopeček - vineyards 22.5.2001–28.6.2001, 2♂, leg. MHL, det. VB, 28.6.2001–16.8.2001, 1♂+7♀, leg. MHL, det. VB; VDNM II 20.3.2004, 1♀, leg. JCH, det. VB.

7166: Horní les Y. 1971, 1 ex., leg. JK, det. FM (KRÍSTEK 1980), Y. 1991, leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995), 19.4.2004, 2♂+1♀, leg. JCH, det. VB; Kinberk 20.3.2004–20.5.2004, 1♂, leg. JCH, det. VB; Křivé jezero 22.5.1997–12.9.2001, 15♂+23♀, leg. JCH & HF, det. VB, 2.6.2003, 1♂+1♀, leg. JCH, det. VB; Lednice-Podivín, doubrava 20.5.1958, 2♂+1♀, leg. et det. FM (MILLER 1959), 15.8.1958, 2♂+3♀, leg. et det. FM (MILLER 1959), 30.9.1958, 1♀, leg. et det. FM (MILLER 1959), 20.2.1959, 1♀+1 juv., leg. et det. FM (MILLER 1959), 15.3.1959, 2♂+3♀, leg. et det. FM (MILLER 1959); Lednický park 23.5.2003, 1♀, leg. et det. VR; Milovický les 16.4.2004, 1♂+1♀, leg. JCH, det. VB; Mušlov - frog traps 14.4.2003, 1♂, leg. JCH, det. VB; Pastvisko 18.10.2003, 1♀, leg. et det. VB, 20.10.2003–28.11.2003, 2♂, leg. JCH, det. VB; Šakvice Y. 1894, leg. et det. A. Nosek (NOSEK 1895).

7265: Šibeník 16.3.2004, 2♀, leg. JCH, det. VB.

7266: Boří les - oaks 18.10.2003, 2♀, leg. et det. VB; Mušlov - sand pit 15.4.2003–26.5.2003, 1♀, leg. JCH, det. VB; Mušlovské rybníky 4.4.2004, 1♀, leg. et det. VB; Nesyt 22.8.2003, 2♀, leg. JCH, det. VB; Randezvous 24.5.2003, 1♀, leg. et det. VR, 13.6.2004–23.6.2004, 15♂+10♀, leg. JCH, det. VB; Slanisko u Nesytu 20.3.2003–24.4.2003, 1♂, leg. JCH, det. VB, 1.4.2004, 1♂, leg. et det. JS, 1.4.2004, 1♂+3♀+1 juv., leg. M. Jarab, det. JS.

7267: Boří les - pool 18.10.2003, 1♀, leg. et det. ICH; Boří les - sand 28.6.2003–21.7.2003, 1♀, leg. JCH, det. VB, 28.6.2003–24.7.2003, 1♀, leg. JCH, det. VB; Kančí obora Y. 1969, 250 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975b), Y. 1969, 250 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975b), Y. 1969, 66 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975b); Lanžhot - Bačovská 27.5.2003–2.6.2003, 6♂+2♀, leg. et det. JS.

7367: Ranšpurk 30.9.1993–10.12.2001, 2027♂+1821♀+66 juv., leg. JCH & HF, det. VB & JS (FOJTOVÁ 2003), 20.8.2003, 3♀, leg. JCH & HF, det. VB, 1.4.2004, 1♀, leg. JCH, det. VB; Soutok Y. 1991, 75 ex., leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995).

Remarks. Very common, in various habitats, majority of records from forests with most abundant populations in floodplain forests.

***Dismodicus bifrons* (Blackwall, 1841) [114]**

7267: Lanžhot - dead arms 28.5.2002, 2♂+4♀, leg. et det. VB, 2.6.2002, 1♀, leg. et det. PK.

7268: Stibůrkovská jezera 29.5.2002, 1♂+4♀, leg. et det. VB, 29.5.2002, 1♂, leg. et det. JS.

Remarks. Rare, in detritus of open wetlands.

***Dismodicus elevatus* (C. L. Koch, 1838) [28]**

7166: Horní les Y. 1971, 9 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 4 ex., leg. JK, det. FM (KŘÍSTEK 1980).

7267: Lanžhot - dead arms 2.6.2002, 1♀, leg. et det. JS.

Remarks. Rare, in floodplain forests.

***Donacochara speciosa* (Thorell, 1875) [25]**

7165: Dunajovický potok 2.4.2004, 1♀, leg. et det. VB; VDNM II 18.5.2004, 1♀, leg. JCH, det. VB.

7166: Horní les Y. 1972, 1 ex., leg. JK, det. FM (KŘÍSTEK 1980); Nejdek 17.7.1996, 3♀, leg. et det. VR; Pastvisko 4.8.1994, 1♀, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996), 30.5.1997, 2♂+4♀+1 juv., leg. et det. MH, 30.5.1997, 3♂+8♀, leg. et det. VR, 23.5.2003, 1♂+2♀, leg. et det. VR, 2.8.2003, 1♀+1 juv., leg. et det. VB, 18.10.2003, 1♂+1♀, leg. et det. JD, 18.10.2003, 1♀, leg. J. Erhart, det. VR, 18.10.2003, 1♂, leg. et det. VB; Šakvice 19.8.1955, 5♂, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996).

7265: Šibeník 30.3.2004, 1♀, leg. JCH, det. VB.

7266: Hlohovecký rybník 20.6.1995, 1♀, leg. T. Grim, det. VB (GRIM 1997), 3.6.2003, 1♂+4♀, leg. JCH, det. VB; Lednické rybníky 30.5.1997, 1♂+1 juv., leg. et det. MH, 13.5.1999–14.11.1999, 8 ex., leg. et det. MH; Mušlovské rybníky 19.10.2003, 2♀, leg. et det. VB, 4.4.2004, 1♀, leg. et det. JD; Nesyt 16.7.1996, 2♂+8♀, leg. et det. VR, 18.7.1996, 1♂+5♀, leg. R. Lučan, det. VR, 15.4.2003, 2♂+1♀, leg. JCH, det. VB, 1.6.2003, 1♂, leg. JCH, det. VB, 25.6.2003, 1♀, leg. JCH, det. VB, 16.7.2003, 1♂, leg. JCH, det. VB, 22.6.2006, 1♀, leg. JCH, det. VB; Nový rybník 30.5.1997, 3♂+5♀+2 juv., leg. et det. MH, 25.5.2003, 2♂+2♀, leg. JCH, det. VB, 25.5.2003, 1♀, leg. et det. VR; Prostřední rybník 3.8.2003, 2♂+1♀, leg. et det. VB, 3.8.2003, 1♀, leg. et det. PK; Slanisko u Nesytu Y. 1988, 1♂+3♀, leg. Křen, det. M. Řezáč.

7268: Stibůrkovská jezera 29.5.2002, 2♀, leg. et det. VB.

Remarks. Common, in reed and reed-mace swamps and pond littorals.

***Drapetisca socialis* (Sundevall, 1833) [88]**

7165: Tuřold 3.11.2003, 1♀, leg. JCH, det. VB.

7166: Horní les Y. 1971, 4 ex., leg. JK, det. FM (KŘÍSTEK 1980), 28.9.1996–7.11.1997, 4♂+2♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002).

7267: Kančí obora Y. 1969, 1 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975b).

Remarks. Scarce, on tree trunks.

***Entelecara acuminata* (Wider, 1834) [68]**

7166: Horní les Y. 1972, 1 ex., leg. JK, det. FM (KŘÍSTEK 1980); Lednický park 23.5.2003, 1♀, leg. M. Jarab, det. JS, 23.5.2003, 1♂, leg. et det. VR.

7266: Ráněšov 24.5.2003, 1♀, leg. et det. VB; Slanisko u Nesytu 22.5.2003, 1♀, leg. et det. VB.

7267: Lanžhot - dead arms 28.5.2002, 1♂, leg. et det. VB; Pohansko 25.5.2003, 1♂, leg. et det. VB.

7367: Ráněšov 5.6.1996, 1♀, leg. et det. VR, 28.4.2000–20.5.2000, 1♂, leg. JCH & HF, det. VB (FOJTOVÁ 2003); Soutok 4.7.1996, 1♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002), 26.8.1997, 1♂, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002).

Remarks. Common, on leaves of trees and bushes, often in lowland forests.

***Entelecara congenera* (O. P.-Cambridge, 1879) [65]**

7165: Děvín - north 23.5.2003, 1♀, leg. et det. VB.

7267: Boří les - sand 24.5.2003, 2♂+1♀, leg. et det. VB.

Remarks. Rare, in pines of Boří les and in colder habitats of northern slopes of Děvín.

***Entelecara erythropus* (Westring, 1851) [38]**

7166: Horní les Y. 1971, 29 ex., leg. JK, det. FM (KŘÍSTEK 1980), 27.7.1997, 1♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002).

7367: Soutok 4.7.1996–30.6.1997, 21♂+2♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002).

Remarks. Rare, on trees in lowland forest.

***Entelecara flavipes* (Blackwall, 1834) [10]**

7165: Děvín 24.6.1970, 3♀, leg. VBu, det. VB.

7166: Horní les Y. 1972, 1 ex., leg. JK, det. FM (KŘÍSTEK 1980); Milovice - trench 13.6.2003, 1♀, leg. JCH, det. VB.

7267: Lanžhot - dead arms 2.6.2002, 1♂+1♀, leg. et det. PK.

Remarks. Very rare, in lowland forest and but also on steppe and in loess trench within vineyards.

***Entelecara media* Kulczyński, 1887 [0]**

7168: Mikulčice - museum 29.5.2002, 1♀, leg. et det. JS.

Remarks. Very rare, one female in Mikulčice-Museum was found on open sand. Because the determination of females of the genus *Entelecara*, is very difficult, the occurrence of *E. media* must be confirmed by finding males. Given our current knowledge, we cannot consider *E. media* to be part of either the arachnofauna of the Pálava region or the Czech Republic.

***Entelecara omissa* O. P.-Cambridge, 1902 [1]**

7266: Lednické rybníky 30.5.1999, 1♂, leg. MH, det. VR (RŮŽIČKA 2000), 25.6.1999, 2♂, leg. MH, det. VR (RŮŽIČKA 2000), 13.5.1999–14.11.1999, 1 ex., leg. et det. MH.

Remarks. Very rare, found among detritus of reed swamp (RŮŽIČKA 2000); this species occurs in CR only in Lednické rybníky NNR.

***Erigone atra* Blackwall, 1833 [213]**

7065: VDNM II - Šmardův ostrov Y. 1996–1998, 47 ex., leg. et det. IV (VALÍČKOVÁ 1998).
 7165: Děvín 30.10.1965, 1♂, leg. VBu, det. VB; Mikulov 9.3.2003, 1♀, leg. JCH, det. VB, 17.4.2004, 1♀, leg. JCH, det. VB; Tabulová 23.2.1966–8.8.1966, 23♂+7♀, leg. et det. VBu (BUKVA 1969); VDNM II 27.7.1976, 1♂, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996), 17.7.1981, 1♀, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996), 17.7.1981, 1♂, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996); VDNM II - Písky 18.5.1976, 1♀, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996), 12.6.1981, 1♂, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996), 30.4.2003, 1♂, leg. JCH, det. VB.
 7166: Horní les Y. 1971, 1 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 3 ex., leg. JK, det. FM (KŘÍSTEK 1980); Kinberk - pool 18.10.2003, 1♂, leg. et det. JD; Křivé jezero 25.4.1997–15.8.2001, 301♂+15♀, leg. JCH & HF, det. VB & JS; Lednice-Podivín, doubrava 20.5.1958, 1♀, leg. et det. FM (MILLER 1959), 15.3.1959, 1♂, leg. et det. FM (MILLER 1959); Lednický park 25.5.1983, 1♀, leg. et det. K. Absolon; Pansee 21.4.1976, 1♂+1♀, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996).
 7266: Hlohovecký rybník Y. 1996, 1 ex., leg. T. Grim, det. VB (GRIM 1997); Mušlovské rybníky 4.4.2004, 1♂+1♀, leg. et det. VB; Nesyt 5.7.1974, 1♀, leg. et det. VR, 5.7.1974, 1♀, leg. et det. VR, 22.6.2006, 2♂+5♀, leg. JCH, det. VB; Slanisko u Nesytu Y. 1988, 1♂+8♀, leg. Křen, det. M. Řezáč, 22.5.2003, 1♀, leg. et det. VB.
 7367: Soutok 26.8.1997, 1♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002), 14.11.1997, 1♂, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002), 30.3.2004, 1♂, leg. JCH, det. VB.

Remarks. Very common, in a wide range of habitats.

***Erigone dentipalpis* (Wider, 1834) [156]**

7065: confluence of Svratka and Jihlava 30.5.1980, 1♂, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996); VDNM II - Šmardův ostrov Y. 1996–1998, 38 ex., leg. et det. IV (VALÍČKOVÁ 1998).
 7165: Děvín 12.6.1966–9.7.1966, 1♂, leg. et det. VBu (BUKVA 1969); Mikulov 16.5.2004, 1♂, leg. JCH, det. VB; Tabulová 12.7.1965–8.8.1966, 11♂+2♀, leg. et det. VBu (BUKVA 1969); VDNM II 1.4.2004, 1♀, leg. JCH, det. VB.
 7166: Horní les Y. 1971, 3 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 1 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1991, leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995), 6.11.1996, 1♂, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002); Křivé jezero 25.4.1997–15.8.2001, 100♂+5♀, leg. JCH & HF, det. VB; Lednice-Podivín, doubrava 20.5.1958, 1♂+5♀, leg. et det. FM (MILLER 1959).
 7168: Očovské louky 31.5.2002, 1♀, leg. et det. VB.
 7266: Lednické rybníky 1.6.1974, 1♀, leg. et det. JB; Slanisko u Nesytu Y. 1988, 2♂+2♀, leg. Křen, det. M. Řezáč, 22.5.2003, 1♀, leg. et det. VB.
 7267: Boří les - sand 7.6.2003, 1♂, leg. JCH, det. VB; Lanžhot - dead arms 2.6.2002, 1♀, leg. et det. PK; Pohansko 25.5.2003, 1♂, leg. et det. VB.
 7367: Soutok 2.8.1996, 1♂, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002).

Remarks. Very common, in a wide range of habitats.

***Erigonella hiemalis* (Blackwall, 1841) [79]**

7165: Klentnický potok 14.4.2004, 1♀, leg. JCH, det. VB.
 7166: Kinberk - pool 18.10.2003, 1♀, leg. et det. JD.
 7367: Raňšpurk 28.3.1995, 1♂, leg. JCH, det. JS (FOJTOVÁ 2003), 11.4.1997–28.4.2000, 5♂+1♀, leg. JCH & HF, det. VB (FOJTOVÁ 2003).

Remarks. Rare, found from autumn to spring in detritus of lowland forest and in the vicinity of the small pool.

***Erigonoplus jarmilae* (Miller, 1943) [15]**

7065: Pouzdřanská step-Kolby Y. 1966, leg. et det. FM (MILLER 1966).

7165: Děvín 8.6.1993, 1♂, leg. JCH, det. JS, 25.5.1996–21.6.1996, 2♂, leg. JCH, det. JS, 23.5.2003, 1♀, leg. et det. VB; Dunajovické kopce 22.5.2003, 1♀, leg. et det. VR, 22.5.2003, 1♂+1♀, leg. et det. VB.

Remarks. Rare, at ground level of rock (Děvín) and grass (Dunajovické kopce, Pouzdřanská step) steppes.

***Floronia bucculenta* (Clerck, 1757) [72]**

7166: Horní les Y. 1971, 2 ex., leg. JK, det. FM (KŘÍSTEK 1980).

7267: Břeclav 19.8.2002, 2♂+1♀, leg. et det. JD.

Remarks. Rare, webs on lower vegetation in wet forests – recently only in forest surrounding Františkův rybník fishpond near Břeclav.

***Gnathonarium dentatum* (Wider, 1834) [63]**

7065: VDNM II - Šmardův ostrov Y. 1996, 11 ex., leg. et det. IV (VALÍČKOVÁ 1998), Y. 1998, 4 ex., leg. et det. IV (VALÍČKOVÁ 1998).

7165: Dunajovický potok 21.3.2004, 1♀, leg. JCH, det. VB; VDNM II 13.6.1983, 1♂, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996).

7166: Horní les Y. 1971, 1 ex., leg. JK, det. FM (KŘÍSTEK 1980); Kinberk - pool 18.10.2003, 8♂+3♀, leg. et det. JD; Křivé jezero 12.6.1997–18.9.1997, 1♂, leg. JCH, det. JS, 19.2.1998–10.12.2001, 20♂+4♀, leg. JCH & HF, det. VB, 1.8.2003, 1♂, leg. et det. VB; Nejdek 17.7.1996, 1♀, leg. et det. VR; Pastvisko 30.5.1997, 5♂+8♀, leg. et det. MH, 30.5.1997, 4♂+3♀, leg. et det. VR, 23.5.2003, 1♀, leg. et det. PK, 24.5.2003, 1♂+2♀, leg. et det. VB, 2.8.2003, 1♂+2♀, leg. et det. VB, 18.10.2003, 5♂+1♀, leg. et det. VB, 18.10.2003, 2♂+1♀, leg. et det. JD, 18.10.2003, 1♀, leg. J. Erhart, det. VR.

7266: Lednické rybníky 13.5.1999–14.11.1999, 27 ex., leg. et det. MH; Mušlovské rybníky 19.10.2003, 2♂+3♀, leg. et det. VB, 4.4.2004, 2♀, leg. et det. VB, 4.4.2004, 1♀, leg. et det. JD; Nesyt Y. 1969, 13 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975a), 5.5.1974, 1♂, leg. et det. VR, 17.5.2003, 1♀, leg. JCH, det. VB, 22.5.2004, 1♀, leg. JCH, det. VB, 22.6.2006, 1♀, leg. JCH, det. VB; Nový rybník 30.5.1997, 1♂, leg. et det. MH; Slanisko u Nesytu Y. 1988, 1♂, leg. Křen, det. M. Řezáč.

7267: Lanžhot - dead arms 28.5.2002, 1♂, leg. et det. VB, 2.6.2002, 1♂, leg. et det. JS.

7268: Stibůrkovská jezera 29.5.2002, 2♀, leg. et det. VB.

7367: Soutok 2.6.1997, 1♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002).

Remarks. Very common, in marshes, swamps and other wet places.

***Gonatium paradoxum* (L. Koch, 1869) [30]**

7165: Tabulová 3.10.1997–4.4.1998, 1♂, leg. VR & P. Antuš, det. VR.

Remarks. Very rare, the only male was obtained by pitfall trapping on rocks of Tabulová limestone rock steppe.

***Gonatium rubellum* (Blackwall, 1841) [69]**

7065: Kolby 12.6.2004, 1♀, leg. SV, det. VB.

7166: Lednice-Podivín, doubrava 20.5.1958–15.3.1959, 1♂+3♀+1 juv., leg. et det. FM (MILLER 1959).
7267: Kančí obora Y. 1969, 5 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975b).

Remarks. Rare, in forests, recently found only in Kolby oak forest by S. Vinkler.

Gongylidiellum latebricola (O. P.-Cambridge, 1871) [81]

7166: Lednice-Podivín, doubrava 20.5.1958, 1♀, leg. et det. FM (MILLER 1959), 30.9.1958, 1♂, leg. et det. FM (MILLER 1959).

7266: Ranzvous 23.6.2004–27.7.2004, 1♀, leg. JCH, det. VB.

Remarks. Very rare, in detritus of flooded forest between Lednice and Podivín. Recently confirmed by pitfall trapping in Ranzvous oak forest.

Gongylidiellum murcidum Simon, 1884 [15]

7065: VDNM II - Šmardův ostrov Y. 1996, 1 ex., leg. et det. IV (VALÍČKOVÁ 1998).

7166: Horní les Y. 1971, 2 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 1 ex., leg. JK, det. FM (KŘÍSTEK 1980); Křivé jezero 3.5.1998–10.12.2001, 18♂, leg. JCH & HF, det. VB; Pastvisko 30.5.1997, 1♂, leg. et det. VR, 30.5.1997, 1♂, leg. et det. MH.

7168: Očovské louky 31.5.2002, 1♀, leg. et det. VB, 31.5.2002, 1♀, leg. et det. VB.

7266: Lednické rybníky 13.5.1999–14.11.1999, 5 ex., leg. et det. MH; Nesyt Y. 1969, 8 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975a); Slanisko u Nesytu Y. 1988, 1♂+1♀, leg. Křen, det. M. Řezáč (ŘEZÁČ 2001), 22.5.2003, 1♀, leg. et det. VB.

Remarks. Quite common, in detritus of wet meadows and open swamps.

Gongylidiellum vivum (O. P.-Cambridge, 1875) [69]

7065: VDNM II - Šmardův ostrov Y. 1998, 1 ex., leg. et det. IV (VALÍČKOVÁ 1998).

Remarks. Very rare, one specimen was obtained by pitfall trapping on the banks of VDNM II reservoir.

Gongylidium rufipes (Linné, 1758) [96]

7165: Dunajovický potok 2.4.2004, 3 juv., leg. et det. VB; Klentnický potok 3.4.2004, 2♀, leg. et det. JD, 3.4.2004, 1 juv., leg. et det. VB, 3.4.2004, 1 juv., leg. P. Vaňhara, det. VB, 14.4.2004, 1 juv., leg. JCH, det. VB; VDNM II - Písky 25.5.2004, 6♂+5♀, leg. JCH, det. VB.

7166: Horní les Y. 1971, 26 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 88 ex., leg. JK, det. FM (KŘÍSTEK 1980); Křivé jezero 2.6.2003, 1♂, leg. JCH, det. VB; Lednice 4.5.1974, 2♀, leg. et det. VR.

7168: Mikulčice - museum 29.5.2002, 1♂, leg. et det. VB.

7266: Mušlovské rybníky 4.4.2004, 2 juv., leg. et det. VB.

7367: Soutok Y. 1991, 44 ex., leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995), 4.7.1996, 1♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002), 26.8.1997, 2♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002); Soutok - Sekulská Morava 15.5.2004, 3♂, leg. JCH, det. VB.

Remarks. Quite common, most abundant in canopy of trees in lowland forests.

***Helophora insignis* (Blackwall, 1841) [81]**

7166: Horní les Y. 1972, 7 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1991, leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995).

7367: Ranšpurk 19.9.1995–1.11.1995, 1 juv., leg. JCH, det. JS (FOJTOVÁ 2003).

Remarks. Rare, in detritus of floodplain forests.

***Heterotrichoncus pusillus* (Miller, 1958) [2]**

7165: Pavlovské vrchy Y. 1954, 2♂+1♀, leg. et det. FM (MILLER 1958b).

Remarks. Very rare, described from Pavlovské vrchy hills and from Hádecká planinka NNR sub. *Trichoncus pusillus* by F. Miller in 1958 (MILLER 1958b). Voucher material from Pavlovské vrchy hills is not available (Kůrka *in litt.*). This species has not been confirmed recently.

***Hylyphantes nigrinus* (Simon, 1881) [1]**

7065: Pouzdřanská step-Kolby 21.7.1938, 1♀, leg. Hoffer, det. FM (MILLER 1939).

Remarks. The occurrence of this rare species in the Pálava region was recorded by Miller from forests of Pouzdřanská step-Kolby NNR (MILLER 1939). The voucher specimen from this locality (the only known locality in the CR) is not available in the F. Miller collection (Kůrka *in litt.*). The occurrence of this species was confirmed neither by further research by F. Miller nor by our current research.

***Hypomma bituberculatum* (Wider, 1834) [70]**

7165: Dunajovický potok 28.5.2004, 1♂, leg. SV, det. VB; VDNM II 18.5.2004, 1♀, leg. JCH, det. VB; VDNM II - Pisky 4.5.1982, 1♂, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996).

7166: Horní les Y. 1972, 7 ex., leg. JK, det. FM (KŘÍSTEK 1980); Křivé jezero 22.5.2000–18.6.2000, 1♀, leg. JCH & HF, det. VB, 24.4.2001–21.5.2001, 2♂, leg. JCH & HF, det. VB; Pastvisko 30.5.1997, 2♀, leg. et det. VR, 30.5.1997, 2♀, leg. et det. MH.

7266: Lednické rybníky 13.5.1999–14.11.1999, 5 ex., leg. et det. MH; Nesyt Y. 1969, 1 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975a).

7267: Lanžhot - dead arms 28.5.2002, 1♀, leg. et det. VB, 2.6.2002, 1♀, leg. et det. PK.

7268: Stibůrkovská jezera 29.5.2002, 2♀, leg. et det. VB.

7367: Soutok - Sekulská Morava 15.5.2004, 1♀, leg. JCH, det. VB.

Remarks. Quite common, among dense vegetation in swamps and in pond margins.

***Hypomma cornutum* (Blackwall, 1833) [21]**

7165: Dunajovický potok 28.5.2004, 1♀, leg. SV, det. VB.

7166: Křivé jezero 27.5.2004, 3♀, leg. JCH, det. VB; Lednice-Podivín, doubrava 20.5.1958, 1♀, leg. et det. FM (MILLER 1959), 30.6.1958, 1♀, leg. et det. FM (MILLER 1959); Lednický park 23.5.2003, 1♀, leg. et det. VB.

7267: Pohansko 25.5.2003, 2♂, leg. et det. VB.

7367: Soutok 2.8.1996–4.10.1997, 1♂+5♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002).

Remarks. Scarce, in floodplain forest and their edges, quite often in tree canopy.

***Hypsocephalus dahli* (Lessert, 1909) [4]**

7065: Pouzdřanská step-Kolby 10.4.1963–3.11.1964, 11♂+1♀, leg. et det. FM (MILLER 1966).
7165: Děvín 20.12.1965–2.4.1966, 3♂, leg. et det. VBU (BUKVA 1969), 28.11.1995–24.1.1996, 2♀, leg. JCH, det. JS, 29.5.1996, 2♀, leg. JCH, det. JS; Dunajovické kopce 24.3.2003, 1♀, leg. JCH, det. VB, 9.5.2004, 1♀, leg. SV, det. VB, 16.5.2004–7.6.2004, 1♀, leg. SV, det. VB; Kotel 20.10.2002, 1♂, leg. et det. VB; Pavlovské vrchy Y. 1963, leg. et det. FM (MILLER 1966); Svatý Kopeček 16.10.2003, 1♀, leg. et det. VB; Tabulová 20.12.1965–2.4.1966, 6♂+1♀, leg. et det. VBU (BUKVA 1969), 3.10.1997–4.4.1998, 1♂, leg. VR & P. Antuš, det. VR, 17.10.2003, 1♂, leg. et det. VB.

Remarks. Quite common, in grass and under small stones in rock steppes. Adults from autumn to spring.

***Kaestneria dorsalis* (Wider, 1834) [60]**

7166: Horní les Y. 1971, 18 ex., leg. JK, det. FM (KŘÍSTEK 1980); Lednický park 25.5.1983, 1♀, leg. et det. K. Absolon.

Remarks. Rare, in floodplain forests, not confirmed recently.

***Kaestneria pullata* (O. P.-Cambridge, 1863) [17]**

7165: Dunajovický potok 2.4.2004, 1♂, leg. J. Erhart, det. VB.
7266: Lednické rybníky 30.5.1997, 1♀, leg. et det. MH, 13.5.1999–14.11.1999, 4 ex., leg. et det. MH; Nesyt Y. 1969, 4 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975a); Slanisko u Nesytu Y. 1988, 1♀, leg. Křen, det. M. Řezáč (ŘEZÁČ 2001), 22.5.2003, 1♀, leg. M. Jarab, det. JS.

Remarks. Rare, in detritus in salt marsh and in pond margins.

***Lepthyphantes alutacius* Simon, 1884 [37]**

7065: Kolby 12.6.2004–25.8.2004, 2♂, leg. SV, det. VB.
7166: Křivé jezero 5.10.2000–24.11.2000, 1♂, leg. JCH & HF, det. VB.
7266: Rendezvous 13.6.2004–23.6.2004, 3♂, leg. JCH, det. VB; Valtice 18.10.2003, 1♂+1♀, leg. J. Erhart, det. VR, 27.2.2004, 1♀, leg. JCH, det. VB.
7267: Kančí obora Y. 1969, 16 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975b).
7367: Raňšpurk 14.10.1993–24.5.1994, 1♂, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 18.6.1998–10.7.1998, 1♂, leg. JCH & HF, det. VB (FOJTOVÁ 2003), 5.10.2000–23.11.2000, 1♀, leg. JCH & HF, det. VB (FOJTOVÁ 2003).

Remarks. Scarce, usually in wet habitats – lowland forests, wet meadow and wine cellars; this species could be earlier misidentified sub. *L. pallidus*.

***Lepthyphantes angulipalpis* (Westring, 1851) [31]**

7165: Děvín 22.1.1966–16.4.1966, 6♂, leg. et det. VBU (BUKVA 1969).

7166: Kinberk 28.11.2003–20.3.2004, 1♀, leg. JCH, det. VB.

7266: Boří les - oaks 18.10.2003, 1♀, leg. et det. VB.

Remarks. Rare, among grass and leaf litter of steppes and light forests, adults from autumn to spring.

***Lepthyphantes flavipes* (Blackwall, 1854) [148]**

7065: VDNM II - Šmardův ostrov Y. 1996, 1 ex., leg. et det. IV (VALÍČKOVÁ 1998).

7165: Děvín 26.10.1992–14.5.1994, 4♂+2♀, leg. et det. VR, 12.6.1996, 1♂, leg. JCH, det. VB, 23.5.2003, 3♀, leg. et det. ICH, 2.8.2003, 1♂+1♀, leg. et det. PK; Děvín - north 7.5.1996–25.5.1996, 1♂+1♀, leg. JCH, det. JS, 23.5.2003, 2♀, leg. et det. PK, 9.4.2004, 1♂+2♀, leg. JCH, det. VB; Kočičí skála 17.10.2003, 1♂, leg. et det. VB; Soutěska 30.5.2003, 2♀, leg. JCH, det. VB; Svatý Kopeček 16.10.2003, 1♀, leg. et det. VB, 28.4.2004, 1♀, leg. JCH, det. VB, 14.5.2004, 2♀, leg. et det. JS; Tabulová 4.4.1998–29.5.1998, 1♂, leg. VR & P. Antuš, det. VR.

7166: Bulhary 25.10.1996, 1♂, leg. P. Bezděčka, det. VR; Horní les Y. 1972, 4 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1991, leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995); Křivé jezero 23.6.1999–27.7.1999, 1♀, leg. JCH & HF, det. VB, 19.10.2001–10.12.2001, 1♀, leg. JCH & HF, det. VB; Lednice-Podivín, doubrava 30.6.1958, 1♂+1♀, leg. et det. FM (MILLER 1959), 15.8.1958, 1♀, leg. et det. FM (MILLER 1959), 15.3.1959, 1♀, leg. et det. FM (MILLER 1959); Lednický park 23.5.2003, 1♀, leg. et det. VR, 2.8.2003, 2♀, leg. et det. VB; Milovický les 13.9.1994, 2♂, leg. JCH, det. JS, 3.4.2004, 1♀, leg. et det. VB, 3.4.2004, 1♀, leg. M. Jarab, det. JS, 3.4.2004, 1♂+2♀, leg. et det. VB, 3.4.2004, 1♀, leg. P. Vaňhara, det. VB.

7266: Skalky 22.5.2003, 1♀, leg. et det. VR.

7267: Boří les - sand 28.6.2003–21.7.2003, 1♂, leg. JCH, det. VB; Břeclav 19.8.2002, 3♀, leg. et det. JD; Kančí obora Y. 1969, 148 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975b); Lanžhot - Bačovská 27.5.2003–2.6.2003, 1♀, leg. et det. JS.

7367: Cahnov 5.6.1996, 1♂, leg. et det. VR; Ranšpurk 14.10.1993–24.5.1994, 1♀, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 5.6.1996, 1♀, leg. et det. VR, 14.6.1996–19.10.2001, 13♂+22♀, leg. JCH & HF, det. VB (FOJTOVÁ 2003); Soutok 26.8.1997, 1+2♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002), 14.11.1997, 1♂, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002).

Remarks. Common, among leaf litter in forests, most abundant in lowland forests.

***Lepthyphantes geniculatus* Kulczyński, 1898 [11]**

7065: Pouzdřanská step 16.5.2004–12.6.2004, 1♀, leg. SV, det. VB; Pouzdřanská step-Kolby Y. 1976, leg. et det. FM (MILLER & ŽITŇANSKÁ 1976).

7165: Tabulová 1.5.1965–8.8.1966, 4♂+6♀, leg. et det. VBu (BUKVA 1969).

Remarks. Rare, in grass (Pouzďřanská step-Kolby) and limestone rock steppes (Tabulová).

***Lepthyphantes insignis* O. P.-Cambridge, 1913 [10]**

7065: Pouzdřanská step 16.5.2004–12.6.2004, 3♂+2♀, leg. SV, det. VB.

7165: Děvín 1.5.1965–17.5.1965, 1♂, leg. et det. VBu (BUKVA 1969), 12.6.1966–9.7.1966, 1♀, leg. et det. VBu (BUKVA 1969); Svatý Kopeček 28.6.1965–12.7.1965, 1♀, leg. et det. VBu (BUKVA 1969), 9.8.1965–23.8.1965, 1♂, leg. et det. VBu (BUKVA 1969); Svatý Kopeček - vineyards 22.5.2001–28.6.2001, 1♀, leg. MHL, det. VB; Tabulová 30.10.1965–13.11.1965, 1♂, leg. et det. VBu (BUKVA 1969), 2.4.1966–16.4.1966, 1♂, leg. et det. VBu (BUKVA 1969).

7166: Kinberk 19.5.2004–23.6.2004, 1♂, leg. JCH, det. VB; Lednice Y. 1959, leg. et det. FM (MILLER 1959).
 7266: Mušlov - sand pit 15.4.2003–26.5.2003, 1♂, leg. JCH, det. VB; Valtice 18.10.2003, 1♀, leg. J. Erhart, det. VR, 18.10.2003, 1♂+1♀, leg. et det. ICH, 24.11.2003, 4♀, leg. JCH, det. VB.
 7367: Ranšpurk 1.4.2004, 1♂, leg. JCH, det. VB.

Remarks. Scarce, in rock steppes, in sandpit and in a wine cellar.

Lepthyphantes keyserlingi (Ausserer, 1867) [25]

7065: Pouzdřanská step-Kolby 1.12.1976, 1♂, leg. et det. FM (MILLER & ŽITŇANSKÁ 1976).
 7165: Děvín 22.1.1966–14.5.1966, 2♂+4♀, leg. et det. VBu (BUKVA 1969); Svatý Kopeček 12.7.1965–27.9.1965, 4♂+5♀, leg. et det. VBu (BUKVA 1969), 22.5.2001–28.6.2001, 2♀, leg. MHL, det. VB, 29.5.2003, 1♀, leg. JCH, det. VB.
 7166: Milovická stráň 3.4.2004, 1♂+1♀, leg. et det. VB.

Remarks. Rare, in grass of steppes.

Lepthyphantes leprosus (Ohlert, 1865) [79]

7165: Děvín - north 26.10.1992–14.5.1994, 1♂+5♀, leg. et det. VR, 23.5.2003, 1♀, leg. et det. PK, 23.5.2003, 1♂, leg. et det. VB; Mikulov 15.1.2003–16.5.2004, 5♂+9♀+5 juv., leg. JCH, det. VB; Svatý Kopeček 16.10.2003, 2♀, leg. et det. VB, 2.4.2004, 2♀, leg. et det. VB; Tabulová 1.6.1997–10.7.1997, 1♀, leg. VR & P. Antuš, det. VR, 10.7.1997–3.10.1997, 1♀, leg. VR & P. Antuš, det. VR, 3.10.1997–4.4.1998, 1♂+2♀, leg. VR & P. Antuš, det. VR.
 7166: Lednický park 30.4.2003, 1♂, leg. et det. VB, 15.1.2004, 2♀, leg. JCH, det. VB.
 7266: Skalky 5.4.2003–5.5.2003, 1♂+3♀, leg. JCH, det. VB.

Remarks. Quite common, in stone debris (Děvín, Tabulová, Svatý Kopeček, Skalky), synanthropic occurrence in Mikulov and in cellars of Lednice chateau.

Lepthyphantes mengei Kulczyński, 1887 [152]

7165: Děvín 9.10.1965–30.4.1966, 1♂+4♀, leg. et det. VBu (BUKVA 1969); Dunajovické kopce 17.10.2003, 1♀, leg. et det. VB; Klentnický potok 3.4.2004, 1♀, leg. et det. VB; Kočičí skála 6.6.1996–11.6.1996, 1♂, leg. J. Matuška, det. VB (ŘEZÁČ & BRYJA 2002); Kotel 20.10.2002, 1♀, leg. et det. VB; Soutěska 17.6.2003, 1♀, leg. JCH, det. VB; Svatý Kopeček 26.7.1965–9.8.1965, 1♀, leg. et det. VBu (BUKVA 1969), 14.5.2004–17.5.2004, 1♂, leg. et det. JS; Tabulová 23.7.1966–8.8.1966, 1♂, leg. et det. VBu (BUKVA 1969).
 7166: Horní les Y. 1971, 1 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1991, leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995); Kinberk 19.5.2004–23.6.2004, 1♀, leg. JCH, det. VB; Kinberk - pool 18.10.2003, 1♀, leg. et det. JD; Krivé jezero 31.7.2000–30.8.2000, 1♀, leg. JCH & HF, det. VB; Milovický les 7.6.1994–21.6.1994, 14♀, leg. JCH, det. JS, 13.9.1994–29.10.1994, 4♂+1♀, leg. JCH, det. JS.
 7267: Kančí obora Y. 1969, 3 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975b); Lanžhot - Bačovská 27.5.2003–2.6.2003, 1♂, leg. et det. JS.
 7367: Ranšpurk 30.9.1993–14.10.1993, 1♀, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 20.12.1995–21.11.1997, 4♂+1♀, leg. JCH & HF, det. JS (FOJTOVÁ 2003); Soutok Y. 1991, 31 ex., leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995).

Remarks. Common, in various habitats.

***Lepthyphantes minutus* (Blackwall, 1833) [49]**

7165: Klentnický potok 10.8.2004, 1♀, leg. JCH, det. VB.
 7166: Horní les 31.7.1996–7.11.1997, 76♂+16♀+6 juv., leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002).
 7266: Boří les - oaks 20.8.2003, 3♀+4 juv., leg. JCH, det. VB, 18.10.2003, 1♀, leg. JCH, det. VB, 18.10.2003, 1♂+1♀, leg. et det. VB.
 7367: Ranšpurk 20.8.2003, 1♀, leg. JCH & HF, det. VB (FOJTOVÁ 2003); Soutok 1.10.1996–14.11.1997, 15♂, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002), 20.8.2003, 1♀, leg. JCH, det. VB.

Remarks. Probably common, on and under tree bark, in tree hollows in forests.

***Lepthyphantes nanus* Kulczyński, 1898 [1]**

7165: Svatý Kopeček 20.4.2001–22.5.2001, 1♀, leg. MHI, det. M. Řezáč, 22.5.2001–28.6.2001, 44♂+2♀, leg. MHI, det. VB & M. Řezáč.

Remarks. Very rare, obtained by pitfall trapping in Svatý Kopeček rock steppe. Interestingly, the number of individuals caught was high but very restricted both in time and space. Moreover, *L. nanus* was not collected either by intensive individual research of Sv. Kopeček in 2003/2004 or by pitfall trapping by V. Bukva. This suggests that *L. nanus* may live in colonies or in underground spaces and a certain degree of luck is required to encounter this species. This very small and very rare species had not been confirmed in CR since 1940, when *L. nanus* was collected in Mohelenská hadcová step NNR (MILLER 1947); Svatý Kopeček is the only recent locality for *L. nanus* in the CR.

***Lepthyphantes pallidus* (O. P.-Cambridge, 1871) [99]**

7065: VDNM II - Šmardův ostrov Y. 1996, 1 ex., leg. et det. IV (VALÍČKOVÁ 1998), Y. 1998, 1 ex., leg. et det. IV (VALÍČKOVÁ 1998).
 7165: Děvín 1.5.1965–23.7.1966, 4♂+6♀, leg. et det. VBU (BUKVA 1969), 14.1.1997, 1♀, leg. JCH, det. JS; Děvín - north 7.5.1996–25.5.1996, 2♂, leg. JCH, det. JS; Pavlovské vrchy Y. 1975, leg. et det. FM (MILLER & OBRTTEL 1975b).
 7166: Kinberk 18.10.2003, 1♀, leg. et det. VB; Milovický les 7.6.1994, 1♂, leg. JCH, det. JS, 13.9.1994, 1♀, leg. JCH, det. JS.
 7266: Slanisko u Nesytu 1.10.1993, 1♀, leg. JCH, det. JS, 1.10.1993–15.10.1993, 1♂, leg. JCH, det. JS; Valtice 18.10.2003, 1♀, leg. et det. JD, 24.11.2003, 1♀, leg. JCH, det. VB.

Remarks. Common, in various habitats but often confused; some records from wet stands can in fact represent *L. alutacius*.

***Lepthyphantes quadrimaculatus* Kulczyński, 1898 [3]**

7065: Pouzdřanská step-Kolby 8.4.1957, 2♂+5♀, leg. et det. FM (MILLER & ŽITŇANSKÁ 1976), 5.5.1957, 4♂+15♀+2 juv., leg. et det. FM (MILLER & ŽITŇANSKÁ 1976), 8.6.1964, 1♂, leg. et det. FM (MILLER & ŽITŇANSKÁ 1976).
 7165: Dunajovické kopce 17.10.2003, 1♂, leg. et det. JD.

Remarks. Rare, in grass steppes with patches of vegetation-free open soil.

***Lepthyphantes tenebricola* (Wider, 1834) [165]**

7166: Horní les Y. 1991, leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995); Lednice-Podivín, doubrava 30.9.1958, 1♀, leg. et det. FM (MILLER 1959), 15.3.1959, 1♀, leg. et det. FM (MILLER 1959).
7367: Soutok Y. 1991, 1 ex., leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995).

Remarks. Rare; this common species is restricted to higher altitudes and its occurrence in the forests of the Pálava region is very sporadic.

***Lepthyphantes tenuis* (Blackwall, 1852) [54]**

7065: VDNM II - Šmardův ostrov Y. 1996, 4 ex., leg. et det. IV (VALÍČKOVÁ 1998), Y. 1998, 1 ex., leg. et det. IV (VALÍČKOVÁ 1998).
7165: Kočičí skála 6.6.1996–11.6.1996, 1♀, leg. J. Matuška, det. VB (ŘEZÁČ & BRYJA 2002); Kotel 20.10.2002, 1♀, leg. et det. VB; Mikulov 20.12.2002, 1♂, leg. JCH, det. VB, 16.5.2004, 1♂+1♀, leg. JCH, det. VB.
7166: VDNM III - reedswamp 14.4.2003, 1♀, leg. JCH, det. VB.
7367: Soutok 9.11.1996, 1♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002), 14.11.1997, 1♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002).

Remarks. Scarce, in various habitats, often from autumn to spring.

***Leptorhoptrum robustum* (Westring, 1851) [60]**

7367: Soutok Y. 1991, 1 ex., leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995).

Remarks. Very rare, one specimen found by R. Vančura in Soutok floodplain forests.

***Linyphia hortensis* Sundevall, 1830 [130]**

7165: Děvín 30.4.1966–14.5.1966, 1♂, leg. et det. VBu (BUKVA 1969), 11.5.2003, 1♂+2♀, leg. JCH, det. VB, 23.5.2003, 3♀, leg. et det. ICH; Děvín - north 26.10.1992–14.5.1994, 1♂, leg. et det. VR, 23.5.2003, 1♂+1♀, leg. et det. PK, 23.5.2003, 3♀, leg. et det. VB; Svatý Kopeček 13.5.2000, 1♀, leg. P. Kment & M. Horsák, det. VB.
7166: Horní les Y. 1971, 3 ex., leg. JK, det. FM (KŘÍSTEK 1980); Milovický les 16.4.2004, 1♀, leg. JCH, det. VB.
7266: Rendezvous 24.5.2003, 1♀, leg. et det. PK.
7367: Ranšpurk 11.1.1995–27.5.1999, 1♂+2♀+7 juv., leg. JCH & HF, det. VB & JS (FOJTOVÁ 2003); Soutok Y. 1991, 1 ex., leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995).

Remarks. Common, webs mainly in herb layer of forests.

***Linyphia triangularis* (Clerck, 1757) [192]**

7065: Kolby 12.6.2004, 1 juv., leg. SV, det. VB.
7165: Děvín 14.7.1965, 1 juv., leg. VBu, det. VB, 23.8.1965, 5♂+3♀, leg. VBu, det. VB, 2.8.2003, 3 juv., leg. et det. VB; Dolní Věstonice - Kalendář věků 14.6.2003, 1 juv., leg. JCH, det. VB; Dolní Věstonice - trench 3.6.2003, 1 juv., leg. JCH, det. VB; Dunajovické kopce 22.5.2003, 1 juv., leg. et det. JS; Kotel 20.10.2002, 1♀, leg. et det. VB, 12.9.2003, 3♀, leg. JCH, det. VB; Mikulov 19.8.2003, 1♂, leg. JCH, det. VB, 6.6.2004, 1♀, leg. JCH, det. VB; Soutěska 17.6.2003, 1 juv., leg. JCH, det. VB; Svatý Kopeček 26.7.1965, 1 juv., leg. VBu,

Spiders of the Lower Morava

det. VB; Svatý Kopeček - vineyards 23.8.2000, 1♂, leg. P. Lauterer, det. VB; Tabulová 29.9.2003, 1♀, leg. JCH, det. VB.

7166: Horní les Y. 1971, 2 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 2 ex., leg. JK, det. FM (KŘÍSTEK 1980), 31.8.1996, 5♂+1♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002); Kinberk 1.8.2003, 1♂, leg. et det. VB, 18.10.2003, 1♀, leg. et det. I. Fenclová; Křivé jezero 29.5.2003, 1 juv., leg. JCH, det. VB; Květné jezero 10.6.2003, 1 juv., leg. JCH, det. VB; Lednický park 2.8.2003, 1 juv., leg. et det. VB; Milovice - trench 13.6.2003, 2 juv., leg. JCH, det. VB; Nejdek 17.7.1996, 1♂, leg. et det. VR.

7266: Boří les - oaks 18.10.2003, 1♀, leg. et det. VB; Hlohovecký rybník 20.6.1995, 2 juv., leg. T. Grim, det. VB (GRIM 1997); Lednické rybníky 7.8.1978, 1♂+4♀, leg. et det. K. Absolon; Mlýnský rybník 13.6.2003, 2 juv., leg. JCH, det. VB.

7267: Boří les - sand 7.6.2003, 1 juv., leg. JCH, det. VB; Lanžhot - Trnůvky 1.6.2002, 1 juv., leg. et det. JS.

Remarks. Common, adults in late summer and autumn in various habitats.

Lophomma punctatum (Blackwall, 1841) [52]

7266: Nesyt Y. 1969, 2 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975a).

Remarks. Very rare, two specimens obtained by pitfall trapping in terrestrial reedswamps of the Nesyt fishpond by R. Obrtel. Not confirmed recently.

Macrargus rufus (Wider, 1834) [143]

7166: Horní les Y. 1991, leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995); Lednice-Podivín, doubrava 30.9.1958, 2♀, leg. et det. FM (MILLER 1959), 20.2.1959, 1♂, leg. et det. FM (MILLER 1959), 15.3.1959, 1♀, leg. et det. FM (MILLER 1959).

7266: Boří les - oaks 24.5.2003, 1♀, leg. et det. VR.

7367: Ranšpurk 11.1.1995, 5♂+1♀, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 28.3.1995–6.4.2001, 6♂+1♀, leg. JCH & HF, det. VB & JS (FOJTOVÁ 2003); Soutok Y. 1991, 1 ex., leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995).

Remarks. Quite common, in leaf litter of wet forests from autumn to spring.

Maso gallicus Simon, 1894 [1]

7168: Očovské louky 31.5.2002, 9♂+5♀, leg. et det. VB.

Remarks. Very rare, in vegetation and in detritus of flooded Očovské louky meadow together with *M. sundevalli*. Elsewhere, this species occurs in CR only in U houkvice NR in eastern Bohemia (BUCHAR 1977, KASAL 1981).

Maso sundevalli (Westring, 1851) [127]

7065: Kolby 12.6.2004, 3♀, leg. SV, det. VB.

7165: Dunajovické kopce 28.5.2004, 1♀, leg. SV, det. VB; Dunajovický potok 2.4.2004, 1♀, leg. et det. VB; VDNM II - Písky 25.5.2004, 2♂+2♀, leg. JCH, det. VB.

7166: Kinberk - pool 4.4.2004, 1♀, leg. SV, det. VB; Lednice-Podivín, doubrava 20.5.1958–15.3.1959, 11♂+22♀+16 juv., leg. et det. FM (MILLER 1959); Milovický les 3.4.2004, 1♀, leg. et det. VB; Nejdek 17.7.1996, 2♀, leg. et det. VR.

7168: Mikulčice 29.5.2002, 1♀, leg. et det. VB; Očovské louky 31.5.2002, 3♀, leg. et det. VB, 31.5.2002, 1♂+1♀, leg. et det. VB.
 7266: Rendezvous - fishpond 24.5.2003, 1♂, leg. et det. VB.
 7267: Lanžhot - dead arms 2.6.2002, 1♀, leg. et det. PK.
 7268: Stibůrkovská jezera 29.5.2002, 3♂, leg. et det. VB, 29.5.2002, 1♀, leg. et det. JS; Týnecký les 29.5.2002, 1♀, leg. et det. JS.
 7367: Cahnov 5.6.1996, 2♀, leg. et det. VR; Raňšpurk 5.6.1996, 1♀, leg. et det. VR.

Remarks. Quite common, in wet habitats.

***Mecopisthes silus* (O. P.-Cambridge, 1872) [21]**

7065: Pouzdřanská step-Kolby 27.3.1968, leg. et det. FM.

Remarks. Very rare, found only in Pouzdřanská step-Kolby NNR by F. Miller (in P. Kasal collection). Not confirmed recently.

***Megalephyphantes nebulosus* (Sundevall, 1830) [39]**

7165: Mikulov 16.5.2004, 1♀, leg. JCH, det. VB; Perná 16.1.2003, 4♂+4♀, leg. JCH, det. VB.

Remarks. Very rare, in old and abandoned wine cellars. Among the many cellars investigated in the Pálava region, *M. nebulosus* was found in only two, which suggests that it does not belong among the typical fauna of cellars here, despite the fact that in other territories of CR it is a very abundant species in cellars.

***Megalephyphantes pseudocollinus* Saaristo, 1997 [3]**

7165: Mikulov 4.9.2003, 1♀, leg. JCH, det. VB; Svatý Kopeček 16.10.2003, 1♀, leg. et det. VB; Tabulová 3.10.1997–4.4.1998, 1♀, leg. VR & P. Antuš, det. VR.
 7166: Kinberk 18.10.2003, 1♀, leg. et det. JD, 28.11.2003–20.3.2004, 1♂, leg. JCH, det. VB; Milovický les 13.9.1994–29.10.1994, 1♂, leg. JCH, det. JS.

Remarks. Rare, in stony debris in steppes. In Mikulov *M. pseudocollinus* can also penetrate into buildings.

***Meioneta affinis* (Kulczyński, 1898) [46]**

7166: Lednice-Podivín, doubrava 20.5.1958, 1♀, leg. et det. FM (MILLER 1959); Milovice - trench 20.6.2003, 1♂, leg. JCH, det. VB.
 7367: Košárské louky 23.4.2004, 1♂, leg. JCH, det. VB.

Remarks. Rare, female in wet oak forest and male in dry loess slope. This species usually occurs in wet meadows; however males are, due to intensive ballooning, often also found in elevated, dry places.

***Meioneta fuscipalpa* (C. L. Koch, 1836) [6]**

7165: Tabulová 26.7.1965–8.8.1966, 3♂+1♀, leg. et det. VBu (BUKVA 1969).

Remarks. Very rare, found in pitfall traps in Tabulová rock steppe by V. Bukva. Not confirmed recently.

***Meioneta innotabilis* (O. P.-Cambridge, 1863) [8]**

7166: Horní les 31.7.1996–27.7.1997, 2♂+7♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002).

Remarks. Very rare, in trunks and in canopy of trees in Horní les floodplain forest.

***Meioneta mollis* (O. P.-Cambridge, 1871) [23]**

7165: Děvín 12.3.1966–2.4.1966, 1♂, leg. et det. VBu (BUKVA 1969); Svatý Kopeček 12.7.1965–26.7.1965, 1♂, leg. et det. VBu (BUKVA 1969), 23.8.1965–27.9.1965, 1♀, leg. et det. VBu (BUKVA 1969); Tabulová 26.7.1965–8.8.1966, 1♂+5♀, leg. et det. VBu (BUKVA 1969).

7266: Nesyt Y. 1969, 3 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975a); Slanisko u Nesytu 22.5.2003, 1♀, leg. et det. VB.

Remarks. Rare, found in two very different kinds of open habitats – in limestone steppes (collected only by V. Bukva) and in swamps.

***Meioneta rurestris* (C. L. Koch, 1836) [187]**

7065: Pouzdřanská step-Kolby 26.6.1959, 1, leg. et det. E. Žďárková; VDNM II - Šmardův ostrov Y. 1996, 1 ex., leg. et det. IV (VALÍČKOVÁ 1998).

7165: Děvín 12.7.1965–8.8.1966, 7♂+6♀, leg. et det. VBu (BUKVA 1969), 30.3.1995–14.11.1996, 24♂+9♀, leg. JCH, det. ZM, 2.8.2003, 1♂, leg. et det. VB, 25.11.2003, 1♀, leg. JCH, det. VB, 3.12.2003, 2♂, leg. JCH, det. VB; Dunajovické kopce 24.3.2003, 1♀, leg. JCH, det. VB, 17.10.2003, 3♂, leg. et det. VB, 17.10.2003, 1♂, leg. et det. I. Fenclová, 17.10.2003, 2♂, leg. et det. JD, 2.4.2004, 1♀, leg. et det. VB; Kočičí skála 17.10.2003, 1♀, leg. et det. VB; Kotel 20.10.2002, 1♀, leg. et det. VB; Pavlovské vrchy 24.6.1959, 1♀, leg. et det. E. Žďárková; Svatý Kopeček 12.7.1965–30.10.1965, 3♂+7♀, leg. et det. VBu (BUKVA 1969), 13.6.1970, 1♀, leg. VBu, det. VB, 22.5.2001–28.6.2001, 1+1♀, leg. MHL, det. VB, 16.10.2003, 1♂+3♀, leg. et det. VB; Svatý Kopeček - vineyards 20.4.2001–16.8.2001, 4♂+9♀, leg. MHL & P. Lauterer, det. VB; Tabulová 28.6.1965–8.8.1966, 11♂+17♀, leg. et det. VBu (BUKVA 1969), 1.6.1997–10.7.1997, 1♂+1♀, leg. VR & P. Antuš, det. VR, 10.7.1997–3.10.1997, 2♂, leg. VR & P. Antuš, det. VR, 17.10.2003, 1♂+2♀, leg. et det. VB, 22.12.2003, 1♂, leg. JCH, det. VB; VDNM II 19.3.2004, 1♀, leg. JCH, det. VB.

7166: Bulhary 20.12.2003, 1♀, leg. JCH, det. VB; Herdy 6.7.2003, 2♀, leg. JCH, det. VB; Horní les Y. 1971, 37 ex., leg. JK, det. FM (KRÍSTEK 1980), Y. 1972, 14 ex., leg. JK, det. FM (KRÍSTEK 1980); Kinberk 1.8.2003, 1♂, leg. et det. VB, 20.3.2004–19.5.2004, 1♀, leg. JCH, det. VB; Kinberk - pool 4.4.2004, 1♀, leg. SV, det. VB; Křivé jezero 19.2.1998–15.8.2001, 12♂+3♀, leg. JCH & HF, det. VB, 1.8.2003, leg. et det. VB; Květné jezero 10.6.2003, 1♀, leg. JCH, det. VB; Lednice 25.6.1959, 1♂, leg. et det. E. Žďárková; Lednice-Podivín, doubrava 20.5.1958, 1♂+2♀, leg. et det. FM (MILLER 1959), 30.9.1958, 1♀, leg. et det. FM (MILLER 1959); Milovice - trench 13.6.2003, 1♀, leg. JCH, det. VB, 20.6.2003, 1♀, leg. JCH, det. VB; Milovická stráň 16.6.2004, 1♀, leg. et det. JS; Milovický les 3.4.2004, 1♂, leg. et det. JD; Pastvisko 18.10.2003, 1♀, leg. et det. ICH.

7168: Mikulčice - museum 29.5.2002, 1♀, leg. et det. VB; Očovské louky 31.5.2002, 1♀, leg. et det. VB.

7266: Mušlov - sand pit 19.10.2003, 1♂+1♀, leg. et det. VB; Nesyt Y. 1969, 2 ex., leg. R. Obrtel, det. FM

(MILLER & OBRTEL 1975a); Prostřední rybník 3.8.2003, 1♂, leg. et det. VB; Skalky 16.10.2003, 1♂+1♀, leg. et det. VB; Slanisko u Nesytu Y. 1988, 2♂+4♀, leg. Křen, det. M. Řezáč.
 7267: Boří les 17.5.2004, 1♀, leg. et det. JS; Boří les - sand 28.6.2003–21.7.2003, 1♀, leg. JCH, det. VB, 18.10.2003, 1♀, leg. et det. VB; Pohansko 1.4.2004, 1♀, leg. JCH, det. VB.
 7367: Raňšpurk 20.9.1996–16.10.1996, 1♀, leg. JCH & HF, det. JS (FOJTOVÁ 2003); Soutok 1.10.1996, 1♂, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002), 26.8.1997, 1♂, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002), 30.3.2004, 1♀, leg. JCH, det. VB.

Remarks. Very common, in various, mainly open, habitats.

Meioneta saxatilis (Blackwall, 1844) [100]

7166: Lednický park 23.5.2003, 1♂, leg. et det. ZM.
 7266: Rendezvous 23.6.2004–27.7.2004, 2♂, leg. JCH, det. VB.
 7367: Raňšpurk 14.10.1993–24.5.1994, 2♂, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995).

Remarks. Rare, in forests.

Meioneta simplicitarsis (Simon, 1884) [3]

7065: Pouzdřanská step-Kolby Y. 1966, leg. et det. FM (MILLER 1966).
 7165: Děvín 12.7.1965–8.8.1966, 3♂+3♀, leg. VBu, det. FM (BUKVA 1969); Svatý Kopeček 26.7.1965–9.8.1965, 2♂+1♀, leg. VBu, det. FM (BUKVA 1969); Tabulová 1.5.1965–28.5.1966, 5♂+1♀, leg. VBu, det. FM (BUKVA 1969).
 7266: Liščí vrch 4.4.2004, 1♀, leg. et det. VB; Skalky 30.4.2003, 2♀, leg. et det. VB.

Remarks. Rare, among grass and leaf litter of steppes. As well as in the Pálava region, this thermophilous species has been found in CR only in the Budkovické skály rocks (BRYJA 2002).

Metopobactrus ascitus (Kulczyński, 1894) [2]

7166: Kinberk 19.5.2004–23.6.2004, 1♂, leg. JCH, det. VB; Lednice Y. 1959, leg. et det. FM (MILLER 1959).
 7266: Skalky 15.5.2004, 1♀, leg. et det. JS.

Remarks. Very rare, found in surroundings of Lednice (no closer specification) by F. Miller (MILLER 1959). Besides this finding, only one female of *M. ascitus* has been collected in CR, in Čertoryje NNR (Růžička 1998c). *M. ascitus* was recently collected in grassy steppes Kinberk and Skalky.

Micrargus herbigradus (Blackwall, 1854) [188]

7065: VDNM II - Šmardův ostrov Y. 1996, 2 ex., leg. et det. IV (VALÍČKOVÁ 1998).
 7166: Horní les Y. 1971, 13 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1991, leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995); Milovický les 3.4.2004, 1♂, leg. et det. VB.
 7266: Boří les - oaks 24.5.2003, 1♀, leg. et det. VR.
 7267: Kančí obora Y. 1969, 9 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975b).
 7367: Raňšpurk 28.2.2001–10.12.2001, 14♂+6♀, leg. JCH & HF, det. VB (FOJTOVÁ 2003).

Remarks. Quite common, mainly in floodplain forests.

***Micrargus subaequalis* (Westring, 1851) [49]**

7165: Děvín 12.3.1966–2.4.1966, 1♂, leg. et det. VBu (BUKVA 1969), 12.6.1966–9.7.1966, 1♀, leg. et det. VBu (BUKVA 1969); Svatý Kopeček 28.6.1965–12.7.1965, 1♂, leg. et det. VBu (BUKVA 1969); Svatý Kopeček - vineyards 22.5.2001–28.6.2001, 7♂, leg. MHL, det. VB.
7166: Křivé jezero 18.6.1998–8.7.1998, 1♂, leg. JCH & HF, det. VB; Lednice-Podivín, doubrava 20.5.1958, 1♀, leg. et det. FM (MILLER 1959); Milovice - trench 13.6.2003, 1♂, leg. JCH, det. VB.
7267: Boří les - sand 28.6.2003–21.7.2003, 2♀, leg. JCH, det. VB, 28.6.2003–24.7.2003, 1♂+1♀, leg. JCH, det. VB.

Remarks. Quite common, in various open habitats.

***Microctenonyx subitaneus* (O. P.-Cambridge, 1875) [0]**

7267: Pohansko 23.5.2003, 1♂+3♀, leg. et det. VR, redet. JB.

Remarks. Very rare. One male and three females were found in a haycock in Pohansko by V. Růžicka. NEW SPECIES FOR THE CZECH REPUBLIC.

***Microlinyphia impigra* (O. P.-Cambridge, 1871) [26]**

7065: Pouzdřanská step-Kolby Y. 1970, leg. et det. FM (MILLER 1971); VDNM II - Šmardův ostrov Y. 1996, 2 ex., leg. et det. IV (VALÍČKOVÁ 1998).
7165: Dunajovický potok 21.3.2004, 1 juv., leg. JCH, det. VB, 2.4.2004, 1 juv., leg. et det. VB; VDNM II 1.4.2004, 2♀+5 juv., leg. JCH, det. VB.
7166: Pastvisko 30.5.1997, 2♂+4♀, leg. et det. MH, 30.5.1997, 1♂+6♀, leg. et det. VR, 23.5.2003, 1♀, leg. et det. JB.
7266: Lednické rybníky 13.5.1999–14.11.1999, 5 ex., leg. et det. MH; Mušlovské rybníky 19.10.2003, 1 juv., leg. et det. VB; Nový rybník 30.5.1997, 1♀, leg. et det. MH; Slanisko u Nesytu Y. 1988, 1♀, leg. Křen, det. M. Řezáč (ŘEZÁČ 2001).

Remarks. Quite common, in vegetation in pond littorals and swamps.

***Microlinyphia pusilla* (Sundevall, 1830) [132]**

7065: VDNM II - Šmardův ostrov Y. 1996, 3 ex., leg. et det. IV (VALÍČKOVÁ 1998).
7165: Děvín 30.4.1966–14.5.1966, 1 juv., leg. et det. VBu (BUKVA 1969); Dunajovické kopce 28.5.2004, 1♀, leg. SV, det. VB; Svatý Kopeček - vineyards 27.7.2001, 1♀, leg. P. Lauterer, det. VB, 13.8.2001, 1♀, leg. P. Lauterer, det. VB; Tabulová 9.10.1965–28.5.1966, 2♀+1 juv., leg. et det. VBu (BUKVA 1969).
7166: Horní les Y. 1971, 27 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 20 ex., leg. JK, det. FM (KŘÍSTEK 1980); Křivé jezero 18.6.1998–8.7.1998, 1♀, leg. JCH & HF, det. VB; Lednice 4.5.1974, 1♂, leg. et det. VR; Lednice-Podivín, doubrava 20.5.1958, 1♀, leg. et det. FM (MILLER 1959); Nejdek 17.7.1996, 1♂, leg. et det. VR.
7266: Mlýnský rybník Y. 1994, 7 ex., leg. T. Grim, det. VB (GRIM 1997); Nesyt 7.5.1987, 1♂, leg.?, det. VB; Slanisko u Nesytu 13.4.2003, 1♀, leg. JCH, det. VB.
7367: Soutok - Sekulská Morava 15.5.2004, 1♂, leg. JCH, det. VB.

Remarks. Common, in vegetation in various habitats.

***Microneta viaria* (Blackwall, 1841) [179]**

7165: Děvín 28.5.1966–12.6.1966, 1♀, leg. et det. VBu (BUKVA 1969); Dunajovický potok 21.3.2004, 1♀, leg. JCH, det. VB, 2.4.2004, 3♀, leg. et det. VB; Klentnický potok 3.4.2004, 1♂, leg. et det. VB.
 7166: Horní les Y. 1971, 3 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1991, leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995), 19.4.2004, 1♂+2♀, leg. JCH, det. VB; Lednice 4.5.1974, 1♀, leg. et det. VR; Lednice-Podivín, doubrava 20.5.1958–15.3.1959, 20♂+54♀+13 juv., leg. et det. FM (MILLER 1959); Lednický park 23.5.2003, 3♀, leg. et det. VR; Milovický les 3.4.2004, 1♂+3♀, leg. et det. JD, 3.4.2004, 1♀, leg. et det. ZM, 3.4.2004, 1♂+1♀, leg. et det. JS, 3.4.2004, 1♀, leg. et det. VB, 16.4.2004, 1♀, leg. JCH, det. VB.
 7168: Očovské louky 31.5.2002, 2♀, leg. et det. VB.
 7266: Boří les - oaks 24.5.2003, 2♀, leg. et det. VR, 24.5.2003, 3♀, leg. et det. PK; Mušlovské rybníky 4.4.2004, 1♀, leg. et det. VB; Rendezvous 24.5.2003, 3♀, leg. et det. VR; Rendezvous - fishpond 24.5.2003, 1♀, leg. et det. VB; Skalky 22.5.2003, 1♀, leg. et det. JB; Slanisko u Nesytu 1.4.2004, 1♀, leg. et det. JS.
 7267: Boří les 18.10.2003, 1♂+3♀, leg. et det. JD; Břeclav 19.8.2002, 1♀, leg. et det. JD.
 7367: Ranšpurk 14.10.1993–24.5.1994, 4♂+1♀, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 19.4.1995–13.7.2001, 15♂+12♀, leg. JCH & HF, det. VB (FOJTOVÁ 2003), 1.4.2004, 2♂+1♀, leg. JCH, det. VB; Soutok Y. 1991, 3 ex., leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995).

Remarks. Common, in leaf litter in forests and forest margins.

***Midia midas* (Simon, 1884) [4]**

7166: Horní les 31.8.1996, 1♂, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002).
 7266: Hlohovec 22.5.2004, 2♀, leg. JCH, det. VB.

Remarks. Very rare; this species is usually found in tree hollows. One male was collected using tree eclectors in Horní les floodplain forest and two females were found on the trunk of a broken willow on the meadow close to Hlohovec.

***Minicia marginella* (Wider, 1834) [22]**

7165: Děvín 24.6.1970, 3♀, leg. VBu, det. VB.
 7267: Boří les 17.5.2004, 1♀, leg. et det. JS.

Remarks. Very rare; three females were found during recent determination of V. Bukva's material in a sample of spiders swept on Děvín rock steppe in 1970. Recently collected only in Boří les by J. Svatoň.

***Minyriolus pusillus* (Wider, 1834) [47]**

7165: Děvín - north 9.4.2004, 1♀, leg. JCH, det. VB.

Remarks. Very rare; this species is more common in middle and higher altitudes and was found only in mossy screes in the northern part of Děvín.

***Mioxena blanda* (Simon, 1884) [4]**

7166: Horní les Y. 1972, 1 ex., leg. JK, det. FM (KŘÍSTEK 1980).

Remarks. Very rare, one specimen collected by J. Křístek in detritus of Horní les floodplain forest. Not confirmed recently.

***Moebelia penicillata* (Westring, 1851) [21]**

7065: Pouzdřanská step 25.5.2004, 1♂, leg. SV, det. VB.

7165: Klentnický potok 14.4.2004, 1♂+1♀, leg. JCH, det. VB, 22.4.2004, 1♂, leg. JCH, det. VB.

7166: Horní les Y. 1971, 19 ex., leg. JK, det. FM (KŘÍSTEK 1980), 2.7.1996–31.5.1997, 19♂+1♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002); Křivé jezero 2.5.2003, 1♂, leg. JCH, det. VB; Lednický park 23.5.2003, 1♂, leg. E. Svatoňová, det. JS, 23.5.2003, 2♂+2♀, leg. et det. VB, 2.8.2003, 2♀, leg. et det. JD; Milovický les 14.5.2003, 1♂, leg. JCH, det. VB.

7266: Nový rybník 25.5.2003, 1♂, leg. et det. VB.

7367: Soutok 26.8.1997, 1♂, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002).

Remarks. Scarce on bark of trees. *M. penicillata* may be overlooked due to its cryptic way of life in clefts of bark.

***Nematogmus sanguinolentus* (Walckenaer, 1841) [17]**

7165: Dunajovické kopce 22.5.2003, 2♀, leg. et det. JS, 22.5.2003, 1♂, leg. et det. VR, 22.5.2003, 2♂+2♀, leg. et det. VB, 22.5.2003, 2♀, leg. et det. PK, 17.10.2003, 2 juv., leg. et det. VB, 2.4.2004, 3 juv., leg. P. Vaňhara, det. VB, 9.5.2004, 2 juv., leg. SV, det. VB.

7166: Lednice-Podivín, doubrava 20.5.1958, 1♀, leg. et det. FM (MILLER 1959), 20.2.1959, 2 juv., leg. et det. FM (MILLER 1959), 15.3.1959, 1 juv., leg. et det. FM (MILLER 1959); Milovická stráň 3.4.2004, 1♂, leg. et det. JS.

7266: Skalky 1.6.2003, 1♀, leg. JCH, det. VB.

Remarks. Rare, in grass of steppes (abundant in Dunajovické kopce steppe) and in forest (Lednice- Podivín, doubrava).

***Nerienne clathrata* (Sundevall, 1830) [182]**

7065: Kolby (outside NNR) 16.5.2004–12.6.2004, 1♀, leg. SV, det. VB.

7165: Děvín - north 9.4.2004, 1♂, leg. JCH, det. VB; Dunajovické kopce 24.3.2003, 2♂, leg. JCH, det. VB; Dunajovický potok 21.3.2004, 5 juv., leg. JCH, det. VB, 2.4.2004, 1♀, leg. M. Jarab, det. JS; Klentnický potok 3.4.2004, 2 juv., leg. M. Jarab, det. JS, 3.4.2004, 2 juv., leg. et det. VB, 14.4.2004, 2 juv., leg. JCH, det. VB; Mariánská jezera 29.7.1981, 1♂, leg. H. Híršová, det. VB (HİRŠOVÁ 1996); Soutěska 17.6.2003, 1♀, leg. JCH, det. VB; Turolď 1.5.2003, 1♀, leg. JCH, det. VB; VDNM II 19.3.2004, 2 juv., leg. JCH, det. VB; VDNM II - Pisky 25.5.2004, 2♀, leg. JCH, det. VB.

7166: Horní les Y. 1971, 69 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 30 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1991, leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995), 29.6.1997, 1♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002), 19.4.2004, 1 juv., leg. JCH, det. VB; Kinberk 18.6.2003, 1♂+1♀, leg. JCH, det. VB; Křivé jezero 27.7.1999–28.8.1999, 1♀, leg. JCH & HF, det. VB; Lednice-Podivín, doubrava 20.5.1958, 1♂+3♀, leg. et det. FM (MILLER 1959), 15.3.1959, 1♀+2 juv., leg. et det. FM (MILLER 1959); Lednický park 23.5.2003, 1♀, leg. et det. VB; Milovice - trench 20.6.2003, 1♀, leg. JCH, det. VB; Milovická stráň 3.4.2004, 1 juv., leg. A. Konečný, det. VB, 3.4.2004, 1♀, leg. et det. PK; Milovický les 3.4.2004, 1♂+2♀,

leg. et det. VB, 3.4.2004, 2♀+1 juv., leg. M. Jarab, det. JS; Nejdek 17.7.1996, 1♀, leg. et det. VR; Pastvisko 23.5.2003, 1♀, leg. et det. PK, 18.10.2003, 1♂+1♀, leg. et det. VB, 29.3.2004, 1 juv., leg. JCH, det. VB; Šakvice Y. 1894, leg. et det. A. Nosek (NOSEK 1895).
 7168: Očovské louky 31.5.2002, 1♀, leg. et det. VB.
 7265: Šibeník 16.3.2004, 1 juv., leg. JCH, det. VB.
 7266: Hlohovecký rybník 20.6.1995, 1♀, leg. T. Grim, det. VB (GRIM 1997); Liščí vrch 4.4.2004, 1♂, leg. P. Vaňhara, det. VB; Mlýnský rybník 15.7.1994, 1♂, leg. T. Grim, det. VB (GRIM 1997); Mušlovské rybníky 19.10.2003, 1♂+1♀+1 juv., leg. et det. VB; Nesyt 7.5.1987, 1♀, leg.?, det. VB; Rendezvous - fishpond 24.5.2003, 1♂+2♀, leg. et det. VB; Slanisko u Nesytu 22.5.2003, 1♀, leg. et det. JS, 1.4.2004, 1 juv., leg. et det. JS.
 7267: Boří les - pool 24.5.2003, 1♂+1 juv., leg. et det. VB, 18.10.2003, 1♂, leg. et det. ICH; Boří les - sand 28.6.2003–21.7.2003, 1♀, leg. JCH, det. VB; Kančí obora Y. 1969, 3 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975b); Lanžhot - dead arms 28.5.2002, 1♂, leg. et det. VB.
 7268: Stibůrkovská jezera 29.5.2002, 1♀, leg. et det. VB.
 7367: Ranšpurk 28.3.1995–20.8.2003, 8♂+3♀+14 juv., leg. JCH & HF, det. VB (FOJTOVÁ 2003), 1.4.2004, 1♀, leg. JCH, det. VB; Soutok Y. 1991, 2 ex., leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995).

Remarks. Very common, in detritus of various habitats.

Nerienne furtiva (O. P.-Cambridge, 1871) [2]

7166: Lednice?, leg. et det. FM (MILLER 1971).

Remarks. Very rare, collected by F. Miller near Lednice without closer specification of habitat and time (MILLER 1971). Not confirmed recently.

Nerienne montana (Clerck, 1757) [89]

7065: confluence of Svratka and Jihlava 30.5.1980, 1♂, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996).

7165: Děvín - north 23.5.2003, 1♀, leg. et det. VR, 9.4.2004, 2 juv., leg. JCH, det. VB; Dunajovický potok 2.4.2004, 2 juv., leg. J. Erhart, det. VB, 2.4.2004, 2 juv., leg. E. Svatoňová, det. JS, 2.4.2004, 2 juv., leg. et det. VB, 28.5.2004, 1♀, leg. SV, det. VB; Klentnický potok 3.4.2004, 6 juv., leg. et det. ZM, 3.4.2004, 3 juv., leg. et det. VB, 3.4.2004, 1♂+2 juv., leg. P. Vaňhara, det. VB, 14.4.2004–23.4.2004, 3♂+3♀+3 juv., leg. JCH, det. VB; Soutěska 30.5.2003, 1♀, leg. JCH, det. VB, 9.4.2004, 5 juv., leg. JCH, det. VB; VDNM II 20.3.2004, 2 juv., leg. JCH, det. VB; VDNM II - Písky 29.4.2004, 1♀, leg. JCH, det. VB, 25.5.2004, 3♀, leg. JCH, det. VB. 7166: Horní les Y. 1971, 23 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 44 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1991, leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995), 31.8.1996–4.10.1997, 4♂+6♀+5 juv., leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002), 19.4.2004, 6 juv., leg. JCH, det. VB; Křivé jezero 7.5.2003, 1♀, leg. JCH, det. VB, 29.5.2003, 1♀, leg. JCH, det. VB, 1.8.2003, 2 juv., leg. et det. VB, 4.11.2003, 4 juv., leg. JCH, det. VB; Lednický park 23.5.2003, 1♀, leg. et det. VR.

7266: Hlohovecký rybník Y. 1996, 1 ex., leg. T. Grim, det. VB (GRIM 1997); Mlýnský rybník 30.4.2004, 1♂+2♀, leg. JCH, det. VB; Slanisko u Nesytu 23.5.2003, 1♀, leg. et det. VR.

7268: Stibůrkovská jezera 29.5.2002, 1♀, leg. et det. JS.

7367: Ranšpurk 5.6.1996, 1♀, leg. et det. VR, 27.7.1999–27.8.1999, 1 juv., leg. JCH & HF, det. VB (FOJTOVÁ 2003); Soutok 4.7.1996–2.6.1997, 2♀+2 juv., leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002).

Remarks. Common, webs in shaded microhabitats of trees and wood constructions – in tree hollows, deep clefts of bark, etc.

***Nerienne peltata* (Wider, 1834) [68]**

7065: VDNM II - Šmardův ostrov Y. 1996, 2 ex., leg. et det. IV (VALÍČKOVÁ 1998).
 7166: Horní les Y. 1971, 17 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 5 ex., leg. JK, det. FM (KŘÍSTEK 1980).
 7367: Raňšpurk 5.6.1996, 1 ♀, leg. LK, det. VR.

Remarks. Rare, in forests.

***Nerienne radiata* (Walckenaer, 1841) [73]**

7266: Boří les - oaks 24.5.2003, 1 ♂, leg. et det. VB; Rendezvous 2.6.2002, 2 ♀, leg. et det. PK.
 7267: Boří les 13.5.2003, 2 ♀, leg. JCH, det. VB; Boří les - sand 24.5.2003, 1 ♂, leg. et det. ICH; Lanžhot - dead
 arms 28.5.2002, 1 ♀, leg. et det. VB.
 7268: Týnecký les 29.5.2002, 1 ♀, leg. et det. JS.

Remarks. Rare, usually in vegetation of forest edges.

***Oedothorax agrestis* (Blackwall, 1853) [69]**

7165: Klentnický potok 3.4.2004, 2 ♀, leg. et det. JD; VDNM II 1.4.2004, 1 ♀, leg. JCH, det. VB.
 7266: Mušlovské rybníky 4.4.2004, 2 ♂, leg. et det. VB.

Remarks. Rare, in detritus in pond and brook margins.

***Oedothorax apicatus* (Blackwall, 1850) [119]**

7065: confluence of Svratka and Jihlava 30.5.1980, 1 ♂, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996); VDNM II -
 Šmardův ostrov Y. 1996, 938 ex., leg. et det. IV (VALÍČKOVÁ 1998), Y. 1997, 108 ex., leg. et det. IV (VALÍČKOVÁ
 1998), Y. 1998, 59 ex., leg. et det. IV (VALÍČKOVÁ 1998).
 7165: Dunajovické kopce 24.3.2003, 1 ♂, leg. JCH, det. VB; Mikulov 15.1.2003–6.9.2003, 2 ♂+11 ♀, leg. JCH,
 det. VB; Tabulová 10.7.1997–3.10.1997, 1 ♂, leg. VR & P. Antuš, det. VR; VDNM II 1.4.2004, 3 ♂+6 ♀, leg.
 JCH, det. VB; VDNM II - Písky 12.6.1981, 1 ♂, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996), 29.4.2004, 1 ♀, leg.
 JCH, det. VB.
 7166: Křivé jezero 28.9.1993, 4 ♂+1 ♀, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 28.9.1993–12.10.1993, 5 ♂,
 leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 25.4.1997–19.10.2001, 503 ♂+333 ♀, leg. JCH & HF, det. VB;
 Květné jezero 10.6.2003, 1 ♀, leg. JCH, det. VB.
 7265: Šibeník 16.5.2003, 6 ♀, leg. JCH, det. VB.
 7266: Hlohovec 23.8.2002, 1 ♂, leg. et det. JD; Mlýnský rybník 29.6.1994, 1 ♂, leg. T. Grim, det. VB (GRIM
 1997); Mušlovské rybníky 19.10.2003, 2 ♀, leg. J. Erhart, det. VR, 4.4.2004, 1 ♂+3 ♀, leg. et det. VB; Skalky
 3.8.2003, 1 ♀, leg. et det. VB; Slanisko u Nesytu Y. 1988, 1 ♂+1 ♀, leg. Křen, det. M. Řezáč,
 20.3.2003–24.4.2003, 1 ♂+1 ♀, leg. JCH, det. VB, 1.4.2004, 1 ♀, leg. M. Jarab, det. JS.
 7267: Lanžhot 5.6.1996, 2 ♀, leg. et det. VR.
 7367: Raňšpurk 28.2.1997–18.6.1998, 10 ♂+5 ♀, leg. JCH & HF, det. VB & JS (FOJTOVÁ 2003).

Remarks. Very common, typically in wet open habitats – fields, meadows and clay banks
 of rivers.

***Oedothorax gibbosus* (Blackwall, 1841) [121]**

7065: Pasohlávky 7.9.1994, 1 ♀, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996).

7166: Pastvisko 5.5.1978, 1 ♂, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996).

7367: Soutok - Sekulská Morava 15.5.2004, 1 ♀, leg. JCH, det. VB.

Remarks. Rare, in swamps.

***Oedothorax retusus* (Westring, 1851) [108]**

7065: confluence of Svratka and Jihlava 30.5.1980, 1 ♀, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996).

7166: Horní les Y. 1971, 8 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 23 ex., leg. JK, det. FM (KŘÍSTEK 1980); Křivé jezero 28.9.1993–12.10.1993, 1 ♂, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 25.4.1997–19.10.2001, 629 ♂+264 ♀, leg. JCH & HF, det. VB; Lednice 4.5.1974, 1 ♂+1 ♀, leg. et det. VR; Lednice-Podivín, doubrava 20.5.1958, 1 ♂, leg. et det. FM (MILLER 1959), 15.8.1958, 1 ♂+1 ♀, leg. et det. FM (MILLER 1959).

7266: Nesyt Y. 1969, 1 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975a); Slanisko u Nesytu 22.5.2003, 1 ♀, leg. et det. PK.

7367: Ranšpurk 14.10.1993–24.5.1994, 1 ♂, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 21.1.1997–27.8.1999, 42 ♂+22 ♀, leg. JCH & HF, det. VB (FOJTOVÁ 2003); Soutok Y. 1991, 212 ex., leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995), 2.8.1996–26.8.1997, 170 ♂+64 ♀+1 juv., leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002).

Remarks. Very common, in wet habitats; in comparison with *O. apicatus* more often in floodplain forest.

***Ostearius melanopygius* (O. P.-Cambridge, 1879) [27]**

7065: VDNM II - Šmardův ostrov Y. 1996, 6 ex., leg. et det. IV (VALÍČKOVÁ 1998).

7165: Svatý Kopeček 14.5.2004–17.5.2004, 1 juv., leg. et det. JS.

Remarks. Very rare; this expansive species was found only on the banks of VDNM II reservoir during a study by I. Valíčková and in Svatý Kopeček limestone rock steppe.

***Panamomops fagei* Miller et Kratochvíl, 1939 [14]**

7165: Pavlovské vrchy Y. 1959, leg. et det. FM (MILLER 1959).

7267: Boří les 17.5.2004, 1 ♂, leg. et det. JS.

Remarks. Very rare, found by F. Miller and recently by J. Svatoň in Boří les pine forest.

***Panamomops inconspicuus* (Miller et Valešová, 1964) [11]**

7165: Děvín 30.3.1995, 1 ♀, leg. JCH, det. JS.

Remarks. Very rare, only one female collected in Děvín limestone rock steppe, by pitfall trapping.

***Panamomops latifrons* Miller, 1959 [2]**

7166: Horní les Y. 1971, 14 ex., leg. JK, det. FM (KŘÍSTEK 1980); Lednice 20.6.1974, leg. et det. FM; Lednice-Podivín, doubrava 20.5.1958–15.3.1959, 31♂+47♀, leg. et det. FM (MILLER 1959).
7267: Kančí obora Y. 1969, 2 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975b).

Remarks. Very rare species described by F. Miller from oak forest near Lednice in 1959 and further collected by this author in other floodplain forests in the Pálava region (Horní les and Kančí obora) by pitfall trapping. *P. latifrons* has not been confirmed recently in Pálava region nor found in other regions of the Czech Republic. This species is known only from Czech Republic, Austria and the Balkans (PLATNICK 2004).

***Pelecopsis mengei* (Simon, 1884) [5]**

7165: Děvín 20.6.1995, 2♀, leg. JCH, det. JS; VDNM II 13.6.1983, 1♀, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996).
7166: Horní les Y. 1971, 2 ex., leg. JK, det. FM (KŘÍSTEK 1980); Křivé jezero 28.9.1993, 1♀, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 28.9.1993–12.10.1993, 2♂, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 25.4.1997–10.12.2001, 1175♂+1034♀, leg. JCH & HF, det. VB (BRYJA 2004); Lednice 28.6.1958, leg. et det. FM; Lednice-Podivín, doubrava 20.5.1958, 1♂, leg. et det. FM (MILLER 1959), 15.8.1958, 1♀, leg. et det. FM (MILLER 1959).
7367: Košárské louky 23.4.2004, 1♀, leg. JCH, det. VB; Soutok Y. 1991, 15 ex., leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995), 1.10.1996–26.8.1997, 3♂+20♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002).

Remarks. Quite common and locally abundant (Křivé jezero) in flooded meadows and lowland forests. Outside Pálava region only one female has been collected, at the forest edge in Stříbřec in southern Bohemia (BUCHAR & RŮŽIČKA 2002).

***Pelecopsis parallela* (Wider, 1834) [23]**

7168: Očovské louky 31.5.2002, 1♀, leg. et det. VB.

Remarks. Very rare, only one female found in reeds of Očovské louky meadows.

***Pocadicnemis juncea* Locket et Millidge, 1953 [48]**

7065: VDNM II - Šmardův ostrov Y. 1996, 7 ex., leg. et det. IV (VALÍČKOVÁ 1998).
7166: Křivé jezero 22.5.1997–12.6.1997, 1♂, leg. JCH, det. JS, 3.5.1998–18.6.1998, 2♂, leg. JCH & HF, det. VB.
7266: Lednické rybníky 1.5.1996–1.5.1998, 1 ex., leg. et det. MH; Nesyt 7.5.1987, 1♂, leg.?, det. VB.

Remarks. Rare, in detritus of marshes, wet meadows and pond margins.

***Pocadicnemis pumila* (Blackwall, 1841) [113]**

7165: Tabulová 1.6.1997, 1♂, leg. VR & P. Antuš, det. VR.
7166: Lednice-Podivín, doubrava 20.5.1958, 1♂, leg. et det. FM (MILLER 1959), 30.6.1958, 2♂+3♀, leg. et det.

FM (MILLER 1959), 15.3.1959, 1♀, leg. et det. FM (MILLER 1959).

7267: Boří les - sand 24.5.2003, 1♂, leg. et det. VB.

Remarks. Rare, in detritus of dry habitats in Tabulová limestone rock steppe and in sandy part of Boří les. The findings of Prof. F. Miller from the lowland forest between Lednice and Podivín (voucher material not available) may in fact represent *P. juncea*, which usually occurs in more wet habitats.

Porrhomma campbelli F. O. P.-Cambridge, 1894 [8]

7367: Ranšpurk 19.6.1995–11.7.1995, 1♀, leg. JCH, det. JS (FOJTOVÁ 2003).

Remarks. Very rare; one female obtained by pitfall trapping in Ranšpurk floodplain forest. However, due to recent advances in the taxonomy of the genus *Porrhomma*, the voucher specimen of *P. campbelli* needs to be redetermined. Before the redetermination is complete, we consider the occurrence of *P. campbelli* in the Pálava region to be questionable.

Porrhomma convexum (Westring, 1851) [21]

7166: Horní les Y. 1991, leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995).

7367: Ranšpurk 14.10.1993–24.5.1994, 1♂, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995); Soutok Y. 1991, 1 ex., leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995).

Remarks. Rare, obtained by pitfall trapping in floodplain forest. However, due to recent advances in the taxonomy of the genus *Porrhomma*, the voucher specimens of *P. convexum* need to be redetermined. Before the redetermination is complete, we consider the occurrence of *P. convexum* in the Pálava region to be questionable.

Porrhomma errans (Blackwall, 1841) [2]

7166: Horní les Y. 1991, leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995).

7367: Soutok Y. 1991, 3 ex., leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995).

Remarks. Rare, obtained by pitfall trapping in floodplain forests. However, due to recent advances in the taxonomy of the genus *Porrhomma*, the voucher specimens of *P. errans* need to be redetermined. Before the redetermination is complete, we consider the occurrence of *P. errans* in the Pálava region to be questionable.

Porrhomma lativelum Tretzel, 1956 [10]

7165: Mušov 23.5.1964, 1♂+2♀, leg. et det. FM (MILLER & OBRTTEL 1975b).

7166: Horní les Y. 1971, 3 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 3 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1991, leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995).

7267: Kančí obora Y. 1969, 6♂+11♀, leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975b).
7367: Ranšpurk 18.6.1998–19.10.2001, 8♂+20♀, leg. JCH & HF, det. VB (FOJTOVÁ 2003).

Remarks. Quite common, but restricted to floodplain forests, where *P. lativelum* lives among leaf litter.

***Porrhomma microphthalmum* (O. P.-Cambridge, 1871) [70]**

7065: VDNM II - Šmardův ostrov Y. 1996, 12 ex., leg. et det. IV (VALÍČKOVÁ 1998), Y. 1998, 2 ex., leg. et det. IV (VALÍČKOVÁ 1998).
7165: Dunajovické kopce 28.5.2004, 1♀, leg. SV, det. VB; Mušov Y. 1969, leg. et det. FM (MILLER & OBRTEL 1975b); Svatý Kopeček 16.10.2003, 1♂, leg. et det. VB.
7166: Horní les 31.7.1996, 1♂, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002); Křivé jezero 20.10.1997–18.11.1997, 1♀, leg. JCH, det. JS, 19.2.1998–19.10.2001, 43♂+24♀, leg. JCH & HF, det. VB.
7265: Šibeník 16.3.2004, 1♂+3♀, leg. JCH, det. VB.
7266: Skalky 3.8.2003, 1♀, leg. et det. PK; Slanisko u Nesytu Y. 1988, 2♂+3♀, leg. Křen, det. M. Řezáč, 22.5.2003, 1♂, leg. et det. VB.
7267: Pohansko 1.4.2004, 1♀, leg. JCH, det. VB.
7367: Ranšpurk 14.10.1993–24.5.1994, 3♂+3♀, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 28.3.1995–30.8.2000, 3♂+4♀, leg. JCH & HF, det. VB & JS (FOJTOVÁ 2003); Soutok 30.3.2004, 1♂+7♀, leg. JCH, det. VB.

Remarks. Common, in various open habitats (meadows, vineyards, steppes), occasionally also in floodplain forests.

***Porrhomma montanum* Jackson, 1913 [8]**

7166: Lednice-Podivín, doubrava 15.3.1959, 1♂+1♀, leg. et det. FM (MILLER 1959).
7267: Kančí obora Y. 1969, 9 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975b); Lanžhot - dead arms 28.5.2002, 1♂, leg. et det. VB.
7367: Ranšpurk 14.10.1993–24.5.1994, 1♀, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 11.1.1995–19.4.1995, 1♂, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 14.6.1996–10.12.2001, 45♂+23♀, leg. JCH & HF, det. VB & JS (FOJTOVÁ 2003).

Remarks. Quite common, however only in detritus of floodplain forests.

***Porrhomma oblitum* (O. P.-Cambridge, 1871) [12]**

7166: Křivé jezero 21.4.2000–10.12.2001, 11♂+1♀, leg. JCH & HF, det. VB, 4.4.2004, 2♀, leg. et det. VB.
7266: Nesyt 16.7.1996, 1♀, leg. et det. VR; Slanisko u Nesytu Y. 1988, 1♂, leg. Křen, det. M. Řezáč (ŘEZÁČ 2001).
7267: Lanžhot - dead arms 28.5.2002, 2♂, leg. et det. VB.
7367: Ranšpurk 5.6.1996, 1♀, leg. et det. VR; Soutok 4.7.1996–26.8.1997, 34♂+55♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002), 30.3.2004, 2♂, leg. JCH, det. VB.

Remarks. Quite common, in wet habitats – most numerous as epigeic in flooded Křivé jezero meadow and on tree bark in Ranšpurk.

***Porrhomma pallidum* Jackson, 1913 [42]**

7166: Horní les Y. 1971, 23 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 95 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, leg.?, det. FM (KŘÍSTEK 1985).

7267: Kančí obora Y. 1969, 8 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975b).

Remarks. Rare. Many individuals of *P. pallidum* were captured and illustrated (MILLER & OBRTEL 1975) in floodplain forests between 1969–1972. Interestingly, the occurrence of *P. pallidum* has not been confirmed recently in floodplain forests in the Pálava region, despite intensive research.

***Porrhomma pygmaeum* (Blackwall, 1834) [67]**

7165: Klentnický potok 14.4.2004, 1♀, leg. JCH, det. VB; Mušov Y. 1969, leg. et det. FM (MILLER & OBRTEL 1975b).

7166: Horní les Y. 1971, 126 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 184 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, leg.?, det. FM (KŘÍSTEK 1985); Křivé jezero 28.4.1999–17.3.2001, 11♂+1♀, leg. JCH & HF, det. VB; Lednice-Podivín, doubrava 20.5.1958–15.3.1959, 28♂+39♀, leg. et det. FM (MILLER 1959); Pastvisko 18.10.2003, 1♀, leg. JCH, det. M. Řezáč.

7266: Hlohovecký rybník 23.5.1999, 1♂, leg. et det. LK; Lednické rybníky 30.5.1997, 3♀, leg. et det. MH, 1.5.1996–1.5.1998, 14 ex., leg. MH, det. VR; Nesyt Y. 1969, 3 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975a), 5.5.1974, 1♂+1♀, leg. et det. VR; Slanisko u Nesytu Y. 1988, 2♂, leg. Křen, det. M. Řezáč (ŘEZÁČ 2001).

7367: Ranšpurk 20.12.1995–9.7.1997, 8♂+3♀, leg. JCH & HF, det. JS (FOJTOVÁ 2003).

Remarks. Common, in various wet habitats, where *P. pygmaeum* often occurs together with *P. oblitum* and *P. microphthalmum*.

***Prinerigone vagans* (Audouin, 1826) [2]**

7166: Horní les Y. 1971, 1 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 1 ex., leg. JK, det. FM (KŘÍSTEK 1980); Lednice 17.10.1952, 1♂, leg. et det. FM.

Remarks. Very rare, collected by J. Křístek on shrubs in Horní les floodplain forest and by F. Miller in the vicinity of Lednice.

***Silometopus reussi* (Thorell, 1871) [16]**

7165: Mikulov 14.4.2003, 1♀, leg. JCH, det. VB.

Remarks. Very rare, one female found in the garden of a family house in Mikulov.

***Sintula corniger* (Blackwall, 1856) [28]**

7166: Horní les Y. 1991, leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995); Křivé jezero 28.9.1993, 1♂, leg. JCH, det. JS.

Remarks. Very rare; this mountain species was surprisingly found in two lowland habitats – in the Horní les floodplain forest and in Křivé jezero flooded meadow.

***Stemonyphantes lineatus* (Linné, 1758) [61]**

7165: Děvín 1.5.1965–8.8.1966, 9♂+5♀+1 juv., leg. et det. VBu (BUKVA 1969).

7166: Kinberk 18.6.2003, 1♀, leg. JCH, det. VB, 3.9.2003, 1 juv., leg. JCH, det. VB, 4.4.2004, 1♀, leg. et det. VB; Pastvisko 18.10.2003, 1♀, leg. et det. ICH.

7266: Skalky 5.4.2003–5.5.2003, 1♀, leg. JCH, det. VB.

Remarks. Scarce, in grass of steppes.

***Styloctetor romanus* (O. P.-Cambridge, 1872) [5]**

7165: Kočičí skála 17.10.2003, 1♂, leg. et det. I. Fenclová.

7266: Skalky 30.4.2003, 2♂+2♀, leg. et det. VB, 22.5.2003, 4♀, leg. et det. VB, 3.8.2003, 1♀, leg. et det. VB, 16.10.2003, 1♀, leg. et det. VB.

Remarks. Rare, in grass of steppe in Kočičí skála and in tussocks of grass in sandy part of Skalky.

***Tallusia experta* (O. P.-Cambridge, 1871) [82]**

7266: Nesyt Y. 1969, 2 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975a), 5.7.1974, 1♀, leg. et det. VR, 5.7.1974, 1♀, leg. et det. VR.

Remarks. Rare; the only known locality of *T. experta* in Pálava region is Slanisko near Nesyt salt marsh, where it was last collected in 1974.

***Tapinocyba biscissa* (O. P.-Cambridge, 1872) [6]**

7367: Ranšpurk 25.4.1997–19.5.1997, 1♂, leg. JCH & HF, det. JS (FOJTOVÁ 2003).

Remarks. Very rare; the only known male was collected by pitfall trapping in the Ranšpurk floodplain forest.

***Tapinocyba insecta* (L. Koch, 1869) [69]**

7165: Dunajovický potok 21.3.2004, 1♂, leg. JCH, det. VB, 2.4.2004, 1♀, leg. et det. VB.

7166: Horní les Y. 1991, leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995); Lednice-Podivín, doubrava 20.5.1958–15.3.1959, 4♂+7♀, leg. et det. FM (MILLER 1959).

7266: Boří les - oaks 24.5.2003, 1♀, leg. et det. VR.

7267: Boří les 18.10.2003, 2♂, leg. et det. JD.

7367: Ranšpurk 12.2.1998–18.6.2001, 30♂+7♀, leg. JCH & HF, det. VB (FOJTOVÁ 2003).

Remarks. Quite common, among leaf litter in forests.

***Tapinocyboides pygmaeus* (Menge, 1869) [14]**

7165: Děvín 12.7.1965–9.7.1966, 18♂+4♀, leg. et det. VBu (BUKVA 1969); Svatý Kopeček 23.2.1966–16.4.1966, 3♂, leg. et det. VBu (BUKVA 1969); Tabulová 1.5.1965–16.4.1966, 16♂+6♀, leg. et det. VBu (BUKVA 1969).

Remarks. Rare, in grass of limestone rock steppes, where it was collected in high numbers by V. Bukva in the 1960's. Interestingly, the occurrence of *T. pygmaeus* at these localities has not been confirmed recently.

***Tapinopa longidens* (Wider, 1834) [49]**

7267: Boří les - sand 18.10.2003, 1♀, leg. et det. VB.
7367: Soutok Y. 1991, 1 ex., leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995).

Remarks. Very rare, one female in sandy part of Boří les with pines and a second in floodplain forest.

***Taranucnus setosus* (O. P.-Cambridge, 1863) [9]**

7268: Stibůrkovská jezera 29.5.2002, 1♂, leg. et det. JS.

Remarks. Very rare; one male found in pond littoral of Stibůrkovská jezírka NR. *T. setosus* was hitherto recorded only from Třeboňsko PLA and the area around Doksy (BUCHAR & RŮŽIČKA 2002) and our record is thus the first for Moravia.

***Theonina cornix* (Simon, 1881) [13]**

7165: Děvín 24.1.1996–20.3.1996, 1♂, leg. JCH, det. JS.

Remarks. Very rare; the only male was obtained by pitfall trapping in rock steppe.

***Theonina kratochvili* Miller et Weiss, 1979 [5]**

7065: Pouzdřanská step-Kolby 6.5.1958, 4♀+1 juv., leg. et det. FM (MILLER & WEISS 1979).
7166: Milovická stráň 3.4.2004, 1♂, leg. E. Svatoňová, det. JS.

Remarks. Very rare, this pannonic species was collected and described by F. Miller and I. Weiss from Pouzdřanská step-Kolby NNR, where it lives in grass. The occurrence of *T. kratochvili* was recently confirmed in the Pálava region in Milovická stráň grass steppe.

***Thyreosthenius parasiticus* (Westring, 1851) [63]**

7165: Děvín 21.6.1996–10.7.1996, 1♀, leg. JCH, det. JS; Klentnický potok 14.4.2004, 1♀, leg. JCH, det. VB.
7166: Horní les 6.11.1996–7.11.1997, 3♂+3♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002).

7266: Boří les - oaks 24.5.2003, 2♀, leg. et det. VR, 24.6.2003, 1♀, leg. JCH, det. VB, 20.8.2003, 1♀, leg. JCH, det. VB, 18.10.2003, 1♂, leg. et det. JD.

Remarks. Scarce, on tree trunks, in hollow parts of trees and among roots of trees in forests.

***Trematocephalus cristatus* (Wider, 1834) [110]**

7165: Děvín 24.1.1996–20.3.1996, 2 juv., leg. JCH, det. JS; Děvín - north 23.5.2003, 1♂, leg. et det. JB.
7166: Horní les Y. 1971, 53 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 29 ex., leg. JK, det. FM (KŘÍSTEK 1980); Lednický park 25.5.1983, 3♀, leg. et det. K. Absolon.
7266: Rendezvous 24.5.2003, 1♀, leg. et det. PK, 24.5.2003, 1♀, leg. et det. VB.
7267: Boří les - pool 24.5.2003, 2♂, leg. et det. ICH; Boří les - sand 24.5.2003, 1♀, leg. et det. VB; Pohansko 25.5.2003, 1♂, leg. et det. VB.

Remarks. Quite common, on branches of trees and shrubs in forests and parks.

***Trichoncoides piscator* (Simon, 1884) [2]**

7065: Pouzďřanská step-Kolby, 1♀, leg. et det. FM (MILLER 1971).

Remarks. Very rare; one female found in leaf litter in mixed forest in Pouzďřanská step-Kolby NNR by F. Miller. Not confirmed recently.

***Trichoncus affinis* Kulczyński, 1894 [6]**

7065: Kolby 12.6.2004–25.8.2004, 2♀, leg. SV, det. VB.
7266: Rendezvous 24.5.2003, 1♂+1♀, leg. et det. VB.
7267: Boří les 15.5.2004, 1♂+1♀, leg. JCH, det. VB.

Remarks. Scarce, in leaf litter of oak forests.

***Trichoncus auritus* (L. Koch, 1869) [14]**

7065: Pouzďřanská step-Kolby 21.7.1938, leg. Hoffer, det. FM (MILLER 1939).
7165: Děvín 12.3.1966–2.4.1966, 4♂, leg. et det. VBu (BUKVA 1969), 7.5.1996, 1♂+1♀, leg. JCH, det. JS, 3.12.2003, 1♂, leg. JCH, det. VB; Kotel 20.10.2002, 1♂, leg. et det. VB.

Remarks. Rare, among grass and small stones in limestone rock steppes from autumn to spring.

***Trichoncus hackmani* Millidge, 1955 [3]**

7065: Pouzďřanská step 25.5.2004, 1♀, leg. SV, det. VB; Pouzďřanská step-Kolby, leg. et det. FM (MILLER 1966).
7165: Tabulová 20.12.1965–23.2.1966, 1♀, leg. et det. VBu (BUKVA 1969), 14.5.1966–28.5.1966, 1♂, leg. et det. VBu (BUKVA 1969).

Remarks. Very rare, among grass in steppes (Tabulová, Pouzdřanská step). The occurrence of *T. hackmani* was recently confirmed on Pouzdřanská step grass steppe.

***Trichopterna cito* (O. P.-Cambridge, 1872) [36]**

7165: Pouzdřanská step-Kolby Y. 1966, leg. et det. FM (MILLER 1966).

7165: Dunajovické kopce 9.5.2004, 3♀, leg. SV, det. VB; Kočičí skála 17.10.2003, 1♀, leg. et det. VB; Svatý Kopeček 30.10.1965–13.11.1965, 1♂, leg. et det. VBU (BUKVA 1969), 23.2.1966–12.3.1966, 1♂+1♀, leg. et det. VBU (BUKVA 1969); Tabulová 1.5.1965–9.7.1966, 7♂+11♀, leg. et det. VBU (BUKVA 1969).

7166: Křivé jezero 28.9.1993–12.10.1993, 1♀, leg. JCH, det. JS.

7266: Skalky 22.5.2003–3.4.2004, 2♂+11♀, leg. et det. VB.

Remarks. Common, among grass in steppes.

***Typhochrestus digitatus* (O. P.-Cambridge, 1872) [28]**

7267: Boří les - sand 24.5.2003, 1♀, leg. et det. VB.

Remarks. Very rare, in grass tussocks in open sandy part of Boří les.

***Walckenaeria alticeps* (Denis, 1952) [25]**

7165: Dunajovický potok 2.4.2004, 1♀, leg. et det. VB.

7166: Horní les Y. 1971, 9 ex., leg. JK, det. FM (KŘÍSTEK 1980, sub. *W. antica*), Y. 1972, 2 ex., leg. JK, det. FM (KŘÍSTEK 1980, sub. *W. antica*); Kinberk - pool 4.4.2004, 1♀, leg. SV, det. VB; Pastvisko 20.10.2003–28.11.2003, 1♂, leg. JCH, det. VB, 29.3.2004, 1♀, leg. JCH, det. VB.

7267: Lanžhot - Bačovská 27.5.2003–2.6.2003, 3♀, leg. et det. JS.

7268: Stibůrkovská jezera 29.5.2002, 1♀, leg. et det. JS.

7367: Ranšpurk 28.4.1998–13.7.2001, 10♂+17♀, leg. JCH & HF, det. VB (FOJTOVÁ 2003), 1.4.2004, 1♀, leg. JCH, det. VB; Soutok Y. 1991, 1 ex., leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995, sub. *W. antica*).

Remarks. Quite common, in floodplain forests and other wet places.

***Walckenaeria antica* (Wider, 1834) [74]**

7166: Milovický les 3.4.2004, 1♂+1♀, leg. et det. JD.

7266: Rendezvous 24.5.2003, 1♀, leg. et det. PK, 13.6.2004–23.6.2004, 1♀, leg. JCH, det. VB.

7267: Boří les 15.5.2004, 1♂+1♀, leg. JCH, det. VB; Boří les - sand 8.6.2003, 1♀, leg. JCH, det. VB, 27.5.2003–28.6.2003, 1♀, leg. JCH, det. VB, 28.6.2003–24.7.2003, 1♀, leg. JCH, det. VB.

7367: Soutok 1.10.1996, 1♂, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002), 26.8.1997, 1♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002).

Remarks. Scarce, in dry, open forests and parks.

***Walckenaeria atrotibialis* (O. P.-Cambridge, 1878) [116]**

7165: Děvín 20.6.1995, 5♂, leg. JCH, det. ZM.

7166: Horní les Y. 1991, leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995); Křivé jezero

18.6.2000–15.8.2001, 2♂+2♀, leg. JCH & HF, det. VB; Lednice-Podivín, doubrava 20.5.1958–15.3.1959, 2♂+7♀, leg. et det. FM (MILLER 1959).

7266: Rendezvous 13.6.2004–23.6.2004, 2♂, leg. JCH, det. VB.

7267: Kančí obora Y. 1969, 6 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975b).

7367: Ranšpurk 14.6.1996–13.7.2001, 19♂+8♀, leg. JCH & HF, det. VB & JS (FOJTOVÁ 2003); Soutok Y. 1991, 69 ex., leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995).

Remarks. Common, in wet meadows and floodplain forests.

***Walckenaeria capito* (Westring, 1861) [29]**

7165: Děvín 30.10.1965–13.11.1965, 1♂, leg. et det. VBu (BUKVA 1969), 13.11.1965–20.12.1965, 2♂, leg. et det. VBu (BUKVA 1969); Svatý Kopeček 30.10.1965–13.11.1965, 1♂, leg. et det. VBu (BUKVA 1969); Svatý Kopeček - vineyards 20.4.2001–22.5.2001, 1♂+1♀, leg. MHL, det. VB.

Remarks. Rare, from autumn to spring in limestone rock steppes and surrounding vineyards.

***Walckenaeria cucullata* (C. L. Koch, 1836) [89]**

7266: Boří les - oaks 24.5.2003, 1♀, leg. et det. VB.

Remarks. Very rare; the only female was obtained by sieving of detritus in old oak forest in Boří les.

***Walckenaeria dysderoides* (Wider, 1834) [63]**

7165: Děvín 30.4.1966–14.5.1966, 1♂, leg. et det. VBu (BUKVA 1969).

7166: Milovický les 7.6.1994, 1♂, leg. JCH, det. JS.

7267: Kančí obora Y. 1969, 1 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975b).

7367: Ranšpurk 30.9.1993–10.12.2001, 26♂+16♀, leg. JCH & HF, det. VB (FOJTOVÁ 2003); Soutok Y. 1991, 1 ex., leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995).

Remarks. Quite common, in floodplain and to a minor extent also in other types of forests.

***Walckenaeria furcillata* (Menge, 1869) [57]**

7065: Kolby 12.6.2004–25.8.2004, 5♀, leg. SV, det. VB.

7165: Děvín 28.5.1966–9.7.1966, 2♂+3♀, leg. et det. VBu (BUKVA 1969).

7266: Rendezvous 2.6.2002, 1♂, leg. et det. PK.

Remarks. Rare, in oak forests and their edges.

***Walckenaeria mitrata* (Menge, 1868) [34]**

7165: Děvín - north 26.10.1992–14.5.1994, 1♂+1♀, leg. et det. VR.

Remarks. Very rare, one male and one female were found by V. Růžička in scree slope in northern part of Děvín.

***Walckenaeria nodosa* O. P.-Cambridge, 1873 [16]**

7166: Horní les Y. 1991, leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995).
7367: Ranšpurk 14.10.1993–24.5.1994, 70 ex., leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 11.1.1996–23.2.1996, 1♂, leg. JCH & HF, det. JS (FOJTOVÁ 2003); Soutok Y. 1991, 2 ex., leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995).

Remarks. Rare, collected only by pitfall trapping in floodplain forests during winter.

***Walckenaeria nudipalpis* (Westring, 1851) [61]**

7065: VDNM II - Šmardův ostrov Y. 1997, 5 ex., leg. et det. IV (VALÍČKOVÁ 1998).
7166: Horní les Y. 1971, 4 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 2 ex., leg. JK, det. FM (KŘÍSTEK 1980); Krivé jezero 28.9.1993–12.10.1993, 1♂, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 11.10.1998–21.5.2001, 4♂+1♀, leg. JCH & HF, det. VB; Pastvisko 20.10.2003–28.11.2003, 1♂, leg. JCH, det. VB.
7168: Očovské louky 31.5.2002, 2♀, leg. et det. VB.
7266: Lednické rybníky 1.5.1996–1.5.1998, 1 ex., leg. et det. MH.
7367: Ranšpurk 11.1.1995, 7♂, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 28.3.1995–10.12.2001, 46♂+14♀, leg. JCH & HF, det. VB (FOJTOVÁ 2003); Soutok Y. 1991, 19 ex., leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995).

Remarks. Common, in wet meadows and floodplain forests.

***Walckenaeria obtusa* Blackwall, 1836 [66]**

7166: Horní les Y. 1971, 1 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1991, leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995).
7266: Nesyt Y. 1969, 1 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975a).
7267: Kančí obora Y. 1969, 3 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975b).

Remarks. Rare, in floodplain forests and in Nesyt reed swamp. Not confirmed recently.

***Walckenaeria unicornis* O. P.-Cambridge, 1861 [25]**

7165: Dunajovické kopce 22.5.2003, 1♀, leg. et det. PK; Dunajovický potok 21.3.2004, 2♂+1♀, leg. JCH, det. VB, 2.4.2004, 3♀, leg. et det. VB, 2.4.2004, 1♂, leg. et det. JD; VDNM II 20.3.2004, 2♀, leg. JCH, det. VB.
7166: Pastvisko 18.10.2003, 1♀, leg. et det. VB, 18.10.2003, 1♂+1♀, leg. et det. JD.
7168: Mikulčice 29.5.2002, 1♀, leg. et det. JS.
7266: Nesyt 16.7.1996, 1♀, leg. et det. VR.
7267: Boří les - pool 18.10.2003, 2♂, leg. et det. ICH.
7268: Stibůrkovská jezera 29.5.2002, 1♀, leg. et det. VB.

Remarks. Common, in open, very wet and flooded habitats.

***Walckenaeria vigilax* (Blackwall, 1853) [25]**

7065: VDNM II - Šmardův ostrov Y. 1996, 1 ex., leg. et det. IV (VALÍČKOVÁ 1998).

7166: Křivé jezero 19.2.1998–12.9.2001, 36♂+34♀, leg. JCH & HF, det. VB.

7266: Nesyt Y. 1969, 5 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975a).

Remarks. Scarce, in wet habitats – most abundant in flooded meadow of Křivé jezero NNR.

Family Tetragnathidae

***Meta menardi* (Latreille, 1804) [54]**

7165: Tabulová Y. 2003, det. JCH; Mikulov Y. 2003, det. JCH; Turolď - cave 25.5.2003, 2♂+1♀, leg. et det. VR; .

7166: Herdy Y. 2003, det. JCH; Lednice 1.6., 1♀, leg. et det. FM (KŮRKA in press); Lednický park 30.4.2003, 2 juv., leg. et det. VB.

7266: Sedlec Y. 2003, det. JCH; Valtice Y. 2003, det. JCH.

Remarks. Scarce, in caves and deep cellars.

***Metellina mengei* (Blackwall, 1870) [127]**

7065: Kolby 12.6.2004, 1♂, leg. SV, det. VB; Pouzdřanská step-Kolby?, 1♀, leg. et det. FM (KŮRKA in press).
7165: Děvín 11.5.2003, 1♂+1♀, leg. JCH, det. VB, 23.5.2003, 1♂+1♀, leg. et det. ICH; Děvín - north 23.5.2003, 1♀, leg. et det. VB, 9.4.2004, 1♀, leg. JCH, det. VB; Klentnický potok 3.4.2004, 1♀, leg. et det. VB; Svatý Kopeček 13.5.2000, 1♂, leg. P. Kment & M. Horsák, det. VB, 21.5.2003, 1♂, leg. et det. VB; Svatý Kopeček - vineyards 27.6.2001, 1♀, leg. P. Lauterer, det. VB.

7166: Horní les Y. 1971, 109 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 46 ex., leg. JK, det. FM (KŘÍSTEK 1980); Lednice 1.6.1972, 1♂, leg. et det. FM (KŮRKA in press), 24.5., 36♂, leg. et det. FM (KŮRKA in press).

7266: Skalky 5.4.2003–5.5.2003, 1♀, leg. JCH, det. VB.

7267: Boří les 13.5.2003, 1♂+4♀, leg. JCH, det. VB.

7268: Týnecký les 29.5.2002, 1♂, leg. et det. JS.

7367: Ranšpurk 12.2.1998, 1♀, leg. JCH & HF, det. VB (FOJTOVÁ 2003), 28.4.2000–20.5.2000, 1♂+1♀, leg. JCH & HF, det. VB (FOJTOVÁ 2003).

Remarks. Common, on vegetation.

***Metellina merianae* (Scopoli, 1763) [97]**

7165: Klentnický potok 22.4.2004, 1♂+1♀, leg. JCH, det. VB; Perná 16.1.2003, 1♀, leg. JCH, det. VB; Soutěska 30.5.2003, 2 juv., leg. JCH, det. VB; Turolď 24.5.2003, 1♂+1♀, leg. et det. VB; Turolď - cave 25.5.2003, 2♀+2 juv., leg. et det. VR; VDNM II 1.4.2004, 2 juv., leg. JCH, det. VB.

7166: Nejdek 4.7.2003, 1♀, leg. JCH, det. VB.

7266: Valtice 17.1.2003, 1♀, leg. JCH, det. VB, 24.11.2003, 1♀, leg. JCH, det. VB.

7367: Ranšpurk 6.12.1999–18.1.2000, 2 juv., leg. JCH & HF, det. VB (FOJTOVÁ 2003), 23.11.2000–10.1.2001, 1 juv., leg. JCH & HF, det. VB (FOJTOVÁ 2003).

Remarks. Quite common, usually synanthropic in cellars, but also in cave (Turolď) and in dark and colder microhabitats of floodplain forests.

***Metellina segmentata* (Clerck, 1757) [153]**

7065: VDNM II - Šmardův ostrov Y. 1996, 1 ex., leg. et det. IV (VALÍČKOVÁ 1998).
 7165: Děvín 27.9.1965–9.10.1965, 1♂, leg. et det. VBU (BUKVA 1969), 2.8.2003, 2 juv., leg. et det. VB; Kotel 9.11.2003, 1♂, leg. JCH, det. VB; Tuřold 3.11.2003, 1♂, leg. JCH, det. VB.
 7166: Horní les Y. 1971, 181 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 32 ex., leg. JK, det. FM (KŘÍSTEK 1980); Lednice 12.10.1952, 1♂+4♀, leg. et det. FM (KŮRKA in press), 1.7.1972, 2♂+1♀, leg. et det. FM (KŮRKA in press); Šakvice 19.9.1955, 1♀, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996).
 7266: Mlýnský rybník Y. 1994, 1 ex., leg. T. Grim, det. VB (GRIM 1997); Sedlec 29.10.2003, 1♀, leg. JCH, det. VB; Sedlec - Váhovna 4.10.2003, 1♂+1♀, leg. JCH, det. VB.
 7367: Ranšpurk 14.6.1996–4.7.1996, 1♀, leg. JCH & HF, det. JS (FOJTOVÁ 2003), 20.5.2000–19.6.2000, 1♂, leg. JCH & HF, det. VB (FOJTOVÁ 2003).

Remarks. Common, on vegetation.

***Pachygnatha clercki* Sundevall, 1823 [140]**

7065: confluence of Svatka and Jihlava 30.5.1980, 1♂, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996), 30.5.1980, 2♀, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996); Pouzdřanská step-Kolby 4.4.1958, 1♂, leg. et det. FM (KŮRKA in press), 20.4., 1♀, leg. et det. FM (KŮRKA in press); VDNM II - Šmardův ostrov Y. 1996, 12 ex., leg. et det. IV (VALÍČKOVÁ 1998), Y. 1997, 12 ex., leg. et det. IV (VALÍČKOVÁ 1998), Y. 1998, 115 ex., leg. et det. IV (VALÍČKOVÁ 1998).
 7165: Dunajovický potok 2.4.2004, 1♂, leg. et det. JD; Mariánská jezera 29.7.1981, 1♀, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996); Mušov 25.5., 1♂, leg. et det. FM (KŮRKA in press); VDNM II 27.7.1976, 1♀, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996), 29.7.1981, 1♂, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996), 1.4.2004, 2♂+1♀, leg. JCH, det. VB; VDNM II - Písky 22.7.1981, 1♂, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996), 4.5.1982, 1♂, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996).
 7166: Horní les Y. 1971, 10 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 10 ex., leg. JK, det. FM (KŘÍSTEK 1980); Křivé jezero 18.5.1993–19.10.2001, 176♂+211♀+3 juv., leg. JCH & HF, det. VB & JS (part in MAJKUS & SVATOŇ 1995), 4.11.2003, 3♀, leg. JCH, det. VB; Lednice 12.10.1952, 3♂+4♀+1 juv., leg. et det. FM (KŮRKA in press), 5.4.1958, 6♂, leg. et det. FM (KŮRKA in press), 20.5., 1♀, leg. et det. FM (KŮRKA in press); Lednický park 23.5.2003, 2♀, leg. et det. VB; Mušlov - frog traps 14.4.2003, 1♂+1♀, leg. JCH, det. VB; Nejde 17.7.1996, 1♀, leg. et det. VR; Pansee 23.4.1985, 1♀, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996); Pastvíska 25.8.1976, 1♂, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996), 5.5.1978, 2♀, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996); VDNM III 22.7.1976, 1♀, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996).
 7168: Očovské louky 31.5.2002, 1♂, leg. et det. VB.
 7265: Šibeník 30.3.2004, 1♀, leg. JCH, det. VB.
 7266: Hlohovecký rybník Y. 1996, 3 ex., leg. T. Grim, det. VB (GRIM 1997); Lednické rybníky 1.5.1996–1.5.1998, 10 ex., leg. et det. MH; Mlýnský rybník Y. 1994, 1 ex., leg. T. Grim, det. VB (GRIM 1997); Mušlov - sand pit 15.4.2003–26.5.2003, 1♀, leg. JCH, det. VB, 2.4.2004, 1♂, leg. M. Jarab, det. JS; Mušlovské rybníky 19.10.2003, 2♀, leg. et det. VB; Nesyt Y. 1969, 48 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975a), 22.5.2004, 1♀, leg. JCH, det. VB.
 7267: Kančí obora Y. 1969, 5 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975b).
 7268: Stibůrkovská jezera 29.5.2002, 1♂+1♀, leg. et det. VB.
 7367: Ranšpurk 12.2.1998–19.6.2000, 13♂+6♀, leg. JCH & HF, det. VB (FOJTOVÁ 2003); Soutok Y. 1991, 2 ex., leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995).

Remarks. Very common, in wet open habitats.

***Pachygnatha degeeri* Sundevall, 1830 [156]**

7065: Pouzdřanská step-Kolby 15.4.–16.10.?, 3♂+4♀, leg. et det. FM (KŮRKA in press); VDNM II - Šmardův ostrov Y. 1998, 3 ex., leg. et det. IV (VALÍČKOVÁ 1998).

7165: Děvín 9.8.1965–23.8.1965, 1♂, leg. et det. VBU (BUKVA 1969), 20.12.1965–22.1.1966, 1♂, leg. et det. VBU (BUKVA 1969); Klentnický potok 22.4.2004, 1♀, leg. JCH, det. VB; Mikulov 14.4.2003, 1♀, leg. JCH, det. VB, 1.7.2003–31.7.2003, 1♀, leg. JCH, det. VB; Svatý Kopeček 9.8.1965–23.8.1965, 1 juv., leg. et det. VBU (BUKVA 1969); Svatý Kopeček - vineyards 20.4.2001–22.5.2001, 1♀, leg. MHL, det. VB; Tabulová 17.5.1965–8.8.1966, 15♂+19♀+10 juv., leg. et det. VBU (BUKVA 1969).
 7166: Horní les Y. 1971, 1 ex., leg. JK, det. FM (KŘÍSTEK 1980); Křivé jezero 15.6.1993–14.7.1993, 2♂, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 19.2.1998–12.9.2001, 3♂+2♀, leg. JCH & HF, det. VB, 4.11.2003, 1♂, leg. JCH, det. VB; Lednice 12.10.1952, 1♂+2♀, leg. et det. FM (KÚRKA in press), 20.5., 1♀, leg. et det. FM (KÚRKA in press); Milovice - trench 20.6.2003, 2 juv., leg. JCH, det. VB; Mušlov - frog traps 14.4.2003, 1♂+1♀, leg. JCH, det. VB, 19.4.2004, 1♀, leg. JCH, det. VB.
 7266: Slanisko u Nesytu 20.5.1993–15.7.1993, 18♂+11♀+1 juv., leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 20.3.2003–24.4.2003, 4♂+2♀, leg. JCH, det. VB, 22.5.2003, 1♀, leg. et det. PK, 22.5.2003, 1♂, leg. et det. JS, 22.5.2003, 1♀, leg. M. Jarab, det. JS.
 7367: Soutok 9.11.1996, 2♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002), 14.11.1997, 1♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002).

Remarks. Common, in comparison with other species of the genus *Pachygnatha* prefers more dry, often disturbed habitats.

Pachygnatha listeri Sundevall, 1830 [153]

7065: confluence of Svratka and Jihlava 30.5.1980, 1♂, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996); Pouzdřanská step-Kolby 5.3., 1♀, leg. et det. FM (KÚRKA in press), 20.4., 11♂+3♀, leg. et det. FM (KÚRKA in press), 5.5., 1♀, leg. et det. FM (KÚRKA in press).
 7165: Klentnický potok 3.4.2004, 3♀, leg. et det. VB, 3.4.2004, 1♂, leg. P. Vaňhara, det. VB, 3.4.2004, 1♂, leg. et det. JD; Mušov 25.4., 1♂+1♀, leg. et det. FM (KÚRKA in press), 25.5., 14♂+8♀, leg. et det. FM (KÚRKA in press); VDNM II - Pisky 25.5.2004, 2♀, leg. JCH, det. VB.
 7166: Horní les Y. 1971, 489 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 409 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, leg.?, det. FM (KŘÍSTEK 1985), Y. 1991, leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995); Křivé jezero 22.5.1997–12.6.1997, 1♀, leg. JCH, det. JS, 23.3.1998–21.5.2001, 6♂+3♀, leg. JCH & HF, det. VB, 2.6.2003, 1♀, leg. JCH, det. VB; Lednice 30.4.1956, 1♂, leg. et det. FM (KÚRKA in press), 30.5., 1♀, leg. et det. FM (KÚRKA in press); Lednice-Podivín, doubrava 20.5.1958, 3♀, leg. et det. FM (MILLER 1959), 15.8.1958, 1♀, leg. et det. FM (MILLER 1959), 20.2.1959, 1♂, leg. et det. FM (MILLER 1959), 15.3.1959, 1♂, leg. et det. FM (MILLER 1959), 25.6.1959, 1♀, leg. et det. E. Žďárková; Milovický les 14.5.2003, 1♀, leg. JCH, det. VB; Šakvice 19.9.1955, 1♂, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996).
 7266: Slanisko u Nesytu 20.5.1993, 1♀, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 23.5.2003, 1♀, leg. et det. VR.
 7267: Boří les - pool 18.10.2003, 1♀, leg. et det. ICH; Kančí obora Y. 1969, 42 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975b).
 7367: Ranšpurk 14.5.1993–15.8.2001, 139♂+332♀+26 juv., leg. JCH & HF, det. VB & JS (part in Majkus & Svatoň, 1995FOJTOVÁ 2003); Soutok Y. 1991, 108 ex., leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995), 26.8.1997, 1♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002).

Remarks. Common, in floodplain forests.

Tetragnatha dearmata Thorell, 1873 [36]

7165: Mariánská jezera 29.7.1981, 1♀, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996); Mikulov 1.6.2003–30.6.2003, 1♂, leg. JCH, det. VB; Pavlovské vrchy 1.7.1967, 2♂, leg. et det. FM (KÚRKA in press), Y. 1971, leg. et det. FM (MILLER 1971); VDNM II 18.8.1982, 1♀, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996), 13.6.1983, 1♂, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996), 30.5.1984, 1♂, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996); VDNM II - Pisky 29.4.2004, 2♂, leg. JCH, det. VB.

7166: Křivé jezero 2.6.2003, 3♂, leg. JCH, det. VB, 5.6.2003, 1♂, leg. JCH, det. VB; Lednice 18.5., 1♂, leg. et det. FM (KÚRKA in press); Nejdeček 17.7.1996, 2♂, leg. et det. VR.

7267: Lanžhot - dead arms 2.6.2002, 1♂, leg. et det. JS.

7268: Stibůrkovská jezera 29.5.2002, 2♀, leg. et det. VB; Týnecký les 29.5.2002, 1♂, leg. et det. JS.

Remarks. Scarce, on vegetation around bodies of water and on wet meadows.

Tetragnatha extensa (Linné, 1758) [112]

7065: Betlém 8.6.1993, 2♂+4♀, leg. J. Bašta, det. VB, 12.6.1997, 2♂+2♀, leg. J. Bašta, det. VB; VDNM II - Šmardův ostrov Y. 1997, 3 ex., leg. et det. IV (VALÍČKOVÁ 1998), Y. 1998, 7 ex., leg. et det. IV (VALÍČKOVÁ 1998).

7165: Mariánská jezera 29.7.1981, 1♀, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996); VDNM II 22.6.1983, 1♂, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996).

7166: Horní les Y. 1972, 2 ex., leg. JK, det. FM (KŘÍSTEK 1980); Křivé jezero 3.6.2003, 1♂+1♀, leg. JCH, det. VB, 1.8.2003, 1♂, leg. et det. VB, 1.8.2003, 1♂, leg. et det. JD; Květné jezero 10.6.2003, 1♀, leg. JCH, det. VB; Lednice 15.8.1957, 1♂+1♀, leg. et det. FM (KÚRKA in press), 25.6.1959, 1♂+3♀, leg. et det. E. Žďárková; Lednický park 23.5.2003, 1♂+2♀, leg. et det. ZM; Milovický les 23.5.2003, 1♀, leg. et det. ZM; Nejdeček 17.7.1996, 1♀+1 juv., leg. et det. VR; Šakvice Y. 1894, leg. et det. A. Nosek (NOSEK 1895).

7266: Hlohovec 22.5.2004, 2♀, leg. JCH, det. VB; Hlohovecký rybník Y. 1995, 3 ex., leg. T. Grim, det. VB (GRIM 1997); Mlýnský rybník Y. 1994, 1 ex., leg. T. Grim, det. VB (GRIM 1997); Mušlov - sand pit 1.8.2003, 1♀, leg. et det. PK, 1.8.2003, 1♂+1♀, leg. et det. JD; Slanisko u Nesytu 22.5.2003, 1♀, leg. E. Svatoňová, det. JS, 22.5.2003, 2♀, leg. et det. JS, 22.5.2003, 2♂+1♀, leg. et det. PK, 22.5.2003, 1♀, leg. et det. ZM, 22.5.2003, 1♀, leg. et det. ZM, 15.5.2004, 1♂, leg. et det. JS.

7267: Boří les - pool 24.5.2003, 1♂, leg. et det. ICH; Břeclav 19.8.2002, 1♂+1♀, leg. et det. JD; Lanžhot - Trnůvky 1.6.2002, 1♀, leg. et det. JS.

Remarks. Common, in pond littorals and other wet places.

Tetragnatha montana Simon, 1874 [105]

7065: Betlém 12.6.1997, 1♀, leg. J. Bašta, det. VB.

7165: Dunajovický potok 28.5.2004, 3♀, leg. SV, det. VB; VDNM II 18.5.2004, 1♂+2♀, leg. JCH, det. VB; VDNM II - Písky 29.7.1981, 1♂, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996), 15.5.2003, 2♂+4♀, leg. JCH, det. VB, 25.5.2004, 3♂+12♀, leg. JCH, det. VB.

7166: Horní les Y. 1971, 1284 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 2557 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, leg.?, det. FM (KŘÍSTEK 1985), 2.7.1996, 1♂+1♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002); Křivé jezero 29.5.2003, 2♀, leg. JCH, det. VB, 2.6.2003, 1♀, leg. JCH, det. VB, 27.5.2004, 1♂+1♀, leg. JCH, det. VB; Květné jezero 10.6.2003, 1♀, leg. JCH, det. VB; Lednice 25.6.1959, 2♂+5♀, leg. et det. E. Žďárková, 20.5., 1♀, leg. et det. FM (KÚRKA in press), 1.6., 1♂+4♀, leg. et det. FM (KÚRKA in press), 10.7., 1♂, leg. et det. FM (KÚRKA in press); Lednický park 25.5.1983, 1♂+2♀, leg. et det. K. Absolon, 23.5.2003, 7♂+3♀, leg. et det. VB, 23.5.2003, 1♀, leg. M. Jarab, det. JS, 23.5.2003, 1♂, leg. et det. JB, 23.5.2003, 1♀, leg. et det. ICH, 11.7.2003, 1♀, leg. JCH, det. VB; Milovický les 9.6.2003, 2♀, leg. JCH, det. VB; Pastvisko 23.5.2003, 1♂, leg. et det. ICH; Šakvice Y. 1894, leg. et det. A. Nosek (NOSEK 1895).

7266: Hlohovec 22.5.2004, 4♀, leg. JCH, det. VB; Hlohovecký rybník 20.6.1995, 2♂+1♀, leg. T. Grim, det. VB (GRIM 1997); Mlýnský rybník 13.6.2003, 1♀, leg. JCH, det. VB; Nesyt 17.5.2003, 1♀, leg. JCH, det. VB; Nový rybník 23.5.2003, 1♂+2♀, leg. et det. ICH, 25.5.2003, 1♀, leg. et det. VB.

7267: Lanžhot - dead arms 28.5.2002, 1♀, leg. et det. VB, 2.6.2002, 1♀, leg. et det. JS, 2.6.2002, 1♂+1♀, leg. et det. PK; Lanžhot - Trnůvky 1.6.2002, 3♀, leg. et det. JS.

7268: Stibůrkovská jezera 29.5.2002, 1♂, leg. et det. JS.

7367: Soutok 4.7.1996–4.10.1997, 3♂+6♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002); Soutok - hrúd Polínka 6.6.2003, 1♀, leg. JCH, det. VB; Soutok - Sekulská Morava 15.5.2004, 1♀, leg. JCH, det. VB.

Remarks. Very common, in pond margins, wet meadows and in floodplain forests.

***Tetragnatha nigrita* Lendl, 1886 [43]**

7065: Ivaň, 1♀, leg. et det. FM (KÚRKA in press).
 7165: VDNM II 29.7.1981, 1♀, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996); VDNM II - Pisky 30.4.2003, 2♀, leg. JCH, det. VB.
 7166: Bulhary 1.6.2003, 1♀, leg. JCH, det. VB; Křivé jezero 7.5.2003, 1♀, leg. JCH, det. VB; Lednice 25.6.1959, 3♀, leg. et det. E. Žďárková, 18.5., 1♂+1♀, leg. et det. FM (KÚRKA in press), 10.6., 1♂, leg. et det. FM (KÚRKA in press); Lednický park 23.5.2003, 1♀, leg. et det. ICH; Nejdek 17.7.1996, 1♂+1♀, leg. et det. VR.
 7266: Hlohovecký rybník 20.6.1995, 1♀, leg. T. Grim, det. VB (GRIM 1997); Mušlov - sand pit 21.5.2003, 1♂, leg. M. Jarab, det. JS; Nový rybník 24.5.2003, 1♂, leg. et det. VR; Prostřední rybník 3.8.2003, 1♂+1♀, leg. et det. VB; Slanisko u Nesytu 19.7.2003, 1♀, leg. JCH, det. VB.
 7267: Lanžhot - dead arms 28.5.2002, 1♀, leg. et det. VB.

Remarks. Scarce, in similar habitats to *T. extensa*.

***Tetragnatha obtusa* C. L. Koch, 1837 [59]**

7166: Horní les Y. 1971, 65 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 285 ex., leg. JK, det. FM (KŘÍSTEK 1980); Pastvisko 23.5.2003, 1♀, leg. et det. PK.
 7168: Mikulčice - willows 29.5.2002, 1♂, leg. J. Erhart, det. VB.
 7266: Nový rybník 25.5.2003, 1♀, leg. JCH, det. VB.

Remarks. Scarce, most abundant in Horní les floodplain forest.

***Tetragnatha pinicola* L. Koch, 1870 [142]**

7065: Kolby 12.6.2004, 1 juv., leg. SV, det. VB; Pouzdřanská step-Kolby 26.6.1959, 1♀, leg. et det. E. Žďárková, 10.6., 1♂+2♀+2 juv., leg. et det. FM (KÚRKA in press).
 7165: Dunajovické kopce 22.5.2003, 2 juv., leg. M. Jarab, det. JS, 22.5.2003, 1 juv., leg. E. Svatoňová, det. JS; Mikulov 6.9.2003, 1 juv., leg. JCH, det. VB; Svatý Kopeček 13.6.1970, 1♀, leg. VBu, det. VB.
 7166: Horní les Y. 1971, 49 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 8 ex., leg. JK, det. FM (KŘÍSTEK 1980); Křivé jezero 5.6.2003, 1♂, leg. JCH, det. VB, 1.8.2003, 1♀, leg. et det. JD; Lednický park 22.5.1999, 1♀, leg. et det. LK, 23.5.2003, 2♂+5 juv., leg. M. Jarab, det. JS, 23.5.2003, 2♂, leg. et det. VB; Milovická stráň 16.6.2004, 1 juv., leg. et det. JS; Pastvisko 2.8.2003, 2♂+1♀+1 juv., leg. et det. VB.
 7168: Mikulčice 29.5.2002, 1♀, leg. et det. JS.
 7266: Boří les - oaks 24.5.2003, 1♂, leg. et det. VB; Mušlovské rybníky 4.4.2004, 1 juv., leg. et det. VB; Randezvous 24.5.2003, 1 juv., leg. M. Jarab, det. JS; Skalky 30.4.2003, 1 juv., leg. et det. VB; Slanisko u Nesytu Y. 1988, 1♂, leg. Křen, det. M. Řezáč, 22.5.2003, 1♂+1♀, leg. et det. VB.
 7267: Boří les 24.5.2003, 1 juv., leg. M. Jarab, det. JS, 15.5.2004, 1♀+2 juv., leg. JCH, det. VB, 17.5.2004, 2 juv., leg. et det. JS; Boří les - pool 24.5.2003, 3 juv., leg. et det. VB; Lanžhot - dead arms 28.5.2002, 1♀, leg. et det. VB; Pohansko 25.5.2003, 1♂, leg. et det. VB.
 7367: Soutok 20.8.2003, 1♀, leg. JCH, det. VB; Soutok - hrúd Polínka 6.6.2003, 1♂, leg. JCH, det. VB, 20.8.2003, 1 juv., leg. JCH, det. VB.

Remarks. Very common, in meadows, steppes and forest edges.

***Tetragnatha shoshone* Levi, 1981 [4]**

7266: Lednické rybníky 30.5.1997, leg. et det. MH, 1.5.1996–1.5.1998, 12 ex., leg. et det. MH; Nesyt 16.7.1996, 1♀+1 juv., leg. et det. VR (RŮŽIČKA & HOLEC 1998), 18.7.1996, 1♂, leg. R. Lučan, det. VR (RŮŽIČKA & HOLEC 1998), 1.6.2003, 1♂, leg. JCH, det. VB, 16.7.2003, 1♂, leg. JCH, det. VB; Prostřední rybník 3.8.2003, 2♀, leg. et det. PK, 3.8.2003, 1♀, leg. et det. VB.
7268: Stibůrkovská jezera 29.5.2002, 1♂+1♀, leg. et det. VB.

Remarks. Probably scarce, but not often collected due to specific occurrence on the water-facing side of reed vegetation in pond littorals.

***Tetragnatha striata* L. Koch, 1862 [9]**

7166: Lednice Y. 1971, leg. et det. FM (MILLER 1971); Nejdek 17.7.1996, 2 juv., leg. et det. VR (RŮŽIČKA & HOLEC 1998).

7266: Lednické rybníky 1.5.1996–1.5.1998, 14 ex., leg. et det. MH; Nesyt 16.7.2003, 1♂+2♀, leg. JCH, det. VB; Prostřední rybník 1.6.1978, 1♂+1♀, leg. et det. JB, 3.8.2003, 1♀, leg. et det. VB.

Remarks. Probably scarce, but not often collected due to similar habitat preferences as *T. shoshone*.

Family Araneidae***Aculepeira armida* (Audouin, 1826) [0]**

7165: Děvín 29.5.1996–21.6.1996, 1♀, leg. JCH, det. JS, redet. Peter Gajdoš.

Remarks. Very rare, one female of this Mediterranean species was obtained by pitfall trapping in Děvín limestone rock steppe. NEW SPECIES FOR THE CZECH REPUBLIC.

***Aculepeira ceropegia* (Walckenaer, 1802) [126]**

7165: Dunajovické kopce 22.5.2003, 1♀, leg. E. Svatoňová, det. JS; Svatý Kopeček 23.8.2000, 1 juv., leg. P. Lauterer, det. VB.

7266: Mušlov - sand pit 21.5.2003, 1♀, leg. E. Svatoňová, det. JS.

7367: Soutok - hrúd Polínka 20.8.2003, 1 juv., leg. JCH, det. VB.

Remarks. Scarce, on grass.

***Agalenatea redii* (Scopoli, 1763) [27]**

7065: Pouzdřanská step 25.5.2004, 2♀, leg. SV, det. VB; Pouzdřanská step-Kolby Y. 1934, leg. Heyrovský & Hoffer, det. J. Baum (BAUM 1934)?, 2♂, leg. et det. FM (KŮRKA 2004), 23.4.2000, 1♀, leg. J. Erhart, det. VR.
7165: Děvín 11.5.2003, 1♀, leg. JCH, det. VB; Dunajovické kopce 22.5.2003, 2♀, leg. E. Svatoňová, det. JS, 23.5.2003, 1♀, leg. et det. ZM, 2.4.2004, 1 juv., leg. E. Svatoňová, det. JS, 2.4.2004, 1 juv., leg. et det. VB; Kotel 20.10.2002, 1 juv., leg. et det. VB; Pavlovské vrchy 1.5.1966, 1♂, leg. et det. FM (KŮRKA 2004); Svatý

Kopeček 13.5.2000, 1♀, leg. P. Kment & M. Horsák, det. VB, 27.6.2001, 1 juv., leg. P. Lauterer, det. VB;
 Tabulová 29.9.2003, 1 juv., leg. JCH, det. VB, 17.10.2003, 1 juv., leg. et det. VB.
 7166: Kinberk 20.3.2004–19.5.2004, 1♀, leg. JCH, det. VB; Milovická stráž 3.4.2004, 1 juv., leg. et det. JD.
 7168: Mikulčice 29.5.2002, 1♀, leg. et det. JS.
 7266: Mušlov - sand pit 24.4.2003, 2♀, leg. JCH, det. VB; Skalky 30.4.2003, 2♂+1♀, leg. et det. VB,
 22.5.2003, 1♀, leg. et det. JS, 22.5.2003, 1♀, leg. et det. VR, 3.4.2004, 5 juv., leg. E. Svatoňová, det. JS,
 8.5.2004, 3♀, leg. JCH, det. VB; Slanisko u Nesytu 15.5.2004, 1♀, leg. et det. JS.
 7267: Boří les 13.5.2003, 2♀, leg. JCH, det. VB; Boří les - pool 24.5.2003, 1♀, leg. et det. VB; Boří les - sand
 24.5.2003, 1♀, leg. et det. VB, 18.10.2003, 1 juv., leg. et det. VB; Lanžhot - Trny 27.5.2002, 1♀, leg. et det.
 JS.

Remarks. Common on herbs and bushes in xerothermic habitats.

Araneus alsine (Walckenaer, 1802) [42]

7266: Lednické rybníky 7.8.1978, 1♂, leg. et det. K. Absolon; Mušlov - sand pit 1.8.2003, 1♀, leg. et det. PK.

Remarks. Rare, obtained by beating of shrubs at the forest edge.

Araneus diadematus Clerck, 1757 [167]

7165: Děvín 23.8.1965–27.9.1965, 1♂, leg. et det. VBU (BUKVA 1969); Dunajovické kopce 17.10.2003, 1 juv.,
 leg. et det. I. Fenclová; Mikulov 1.9.2003–30.9.2003, 1♂, leg. JCH, det. VB; Soutěska 3.8.1995, 1 juv., leg. et
 det. VB.
 7166: Bulhary 10.8.2003, 1♀, leg. JCH, det. VB; Horní les Y. 1971, 6 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y.
 1972, 4 ex., leg. JK, det. FM (KŘÍSTEK 1980), 28.9.1996, 1♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ
 2002); Lednický park 2.8.2003, 1 juv., leg. et det. VB.
 7267: Kančí obora Y. 1969, 1 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975b).
 7367: Soutok Y. 1991, 1 ex., leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995).

Remarks. Quite common, in various habitats, often close to houses and on them.

Araneus marmoreus Clerck, 1757 [105]

7165: Kotel 12.9.2003, 1♀, leg. JCH, det. VB.
 7166: Horní les Y. 1971, 9 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 8 ex., leg. JK, det. FM (KŘÍSTEK
 1980); Lednice 15.8.1952, 2♀, leg. et det. FM (KŮRKA 2004); Pastvisko 18.10.2003, 1♀, leg. et det. VB.
 7266: Kameníky 28.5.2003, 2 juv., leg. JCH, det. VB; Lednické rybníky 7.8.1978, 1♀, leg. et det. K. Absolon;
 Nesyt 30.8.1988, 1♀, leg.?, det. VB.

Remarks. Rare, on trees and shrubs in various habitats.

Araneus quadratus Clerck, 1757 [132]

7165: Dunajovické kopce 11.8.2004, 1♀, leg. JCH, det. VB.
 7166: Pastvisko 2.8.2003, 1♀, leg. et det. PK.

Remarks. Rare, on grass of steppe and flooded meadow, in CR very common at higher altitudes.

***Araneus sturmi* (Hahn, 1831) [91]**

7065: Vranovice 1.5.1951, 1♂, leg. et det. FM (KÚRKA 2004).
 7165: Děvín 11.5.2003, 2♂, leg. JCH, det. VB; Svatý Kopeček 13.5.2000, 1♂+1♀, leg. P. Kment & M. Horsák, det. VB, 21.5.2003, 1♀, leg. et det. VB.
 7166: Horní les Y. 1971, 158 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 126 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, leg.?, det. FM (KŘÍSTEK 1985); Lednice 10.7., 1♀, leg. et det. FM (KÚRKA 2004).
 7266: Hlohovecký rybník 20.6.1995, 1♀, leg. T. Grim, det. VB (GRIM 1997).
 7367: Soutok 2.6.1997, 1♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002).

Remarks. Scarce, on shrubs in various habitats.

***Araneus triguttatus* (Fabricius, 1775) [36]**

7065: Pouzdřanská step-Kolby 11.4.1959, 1♀, leg. et det. FM (KÚRKA 2004).
 7165: Klentnický potok 22.4.2004, 1♂, leg. JCH, det. VB.
 7166: Horní les Y. 1971, 7 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 10 ex., leg. JK, det. FM (KŘÍSTEK 1980); Lednický park 23.5.2003, 1♀, leg. et det. PK.
 7267: Boří les 15.5.2004, 1♀, leg. JCH, det. VB.
 7367: Soutok 2.6.1997, 1♂, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002).

Remarks. Scarce, on trees and shrubs.

***Araniella cucurbitina* (Clerck, 1757) [169]**

7065: Kolby 12.6.2004, 1♀, leg. SV, det. VB; Pouzdřanská step-Kolby 18.5.1952, 1♂, leg. et det. FM (KÚRKA 2004).
 7165: Svatý Kopeček 13.6.1970, 1♂, leg. VBu, det. VB, 21.5.2003, 1♂, leg. et det. VB, 21.5.2003, 1♂, leg. et det. VB; VDNM II - Pisky 25.5.2004, 1♀, leg. JCH, det. VB.
 7166: Horní les Y. 1971, 291 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 220 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, leg.?, det. FM (KŘÍSTEK 1985), 27.7.1997, 1♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002); Křivé jezero 2.6.2003, 1♂, leg. JCH, det. VB, 27.5.2004, 1♀, leg. JCH, det. VB, 9.6.2004, 1♂, leg. JCH, det. VB; Lednice 25.6.1959, 2♀, leg. et det. E. Žďárková; Lednický park 25.5.1983, 3♂+3♀, leg. et det. K. Absolon, 23.5.2003, 2♂, leg. et det. VB, 23.5.2003, 1♂, leg. et det. ZM.
 7168: Mikulčice 29.5.2002, 1♂, leg. et det. JS.
 7266: Hlohovecký rybník 20.6.1995, 1♂, leg. T. Grim, det. VB (GRIM 1997), 28.6.1996, 1♀, leg. T. Grim, det. VB (GRIM 1997); Skalky 22.5.2003, 1♂, leg. et det. VR, 22.5.2003, 1♀, leg. et det. JS.
 7267: Boří les - sand 24.5.2003, 1♀, leg. et det. VB; Lanžhot 5.6.1996, 1♀, leg. et det. VR; Lanžhot - dead arms 2.6.2002, 1♀, leg. et det. PK; Lanžhot - Trnůvky 1.6.2002, 1♂, leg. et det. JS; Lanžhot - Trny 27.5.2002, 1♂, leg. et det. JS.

Remarks. Common, on leaves of trees and bushes.

***Araniella displicata* (Hentz, 1847) [9]**

7267: Boří les 24.5.2003, 1♀, leg. et det. PK.

Remarks. Very rare, one female obtained by beating young pines in open part of Boří les.

***Araniella opisthographa* (Kulczyński, 1905) [52]**

7065: Pouzdřanská step-Kolby 18.5.1952, 6♂, leg. et det. FM (KÚRKA 2004), 20.5., 1♂, leg. et det. FM (KÚRKA 2004).
 7165: Děvín 11.5.2003, 1♀, leg. JCH, det. VB; Děvín - north 23.5.2003, 1♀, leg. et det. JB; Pavlovské vrchy?, 1♂, leg. et det. FM (KÚRKA 2004); Soutěska 30.5.2003, 1♀, leg. JCH, det. VB; Svatý Kopeček 13.6.1970, 1♀, leg. VBU, det. VB, 13.5.2000, 1♂+1♀, leg. P. Kment & M. Horsák, det. VB, 29.5.2003, 1♀, leg. JCH, det. VB.
 7166: Lednice 20.5., 1♂, leg. et det. FM (KÚRKA 2004); Lednický park 23.5.2003, 1♂, leg. et det. VB.
 7168: Mikulčice 29.5.2002, 1♂, leg. et det. JS; Mikulčice - museum 29.5.2002, 1♂, leg. et det. VB.
 7266: Hlohovec 22.5.2004, 1♂, leg. JCH, det. VB; Skalky 22.5.2003, 1♀, leg. et det. JS, 22.5.2003, 1♀, leg. et det. PK; Slanisko u Nesytu 15.5.2004, 1♂, leg. et det. JS.
 7267: Boří les 13.5.2003, 1♂, leg. JCH, det. VB, 17.5.2004, 1♂+2 juv., leg. et det. JS.

Remarks. Quite common, in comparison with *A.cucurbitina* more fixed to dry habitats.

***Argiope bruennichi* (Scopoli, 1772) [166]**

7165: Mikulov 30.8.2003, 1♀, leg. et det. JCH; Děvín 18.8.2004, 1♀, leg. J. Matuška, det. JCH.
 7166: Křivé jezero 1.8.2003, 1♂, leg. et det. JD; Lednice Y. 1971, leg. et det. FM (MILLER 1971), 10.7., 1♂, leg. et det. FM (KÚRKA 2004); Nejdek 17.7.1996, 1 juv., leg. et det. VR.
 7266: Mušlov - sand pit 1.8.2003, 1♂, leg. et det. VB; Skalky 3.8.2003, 1♀, leg. et det. PK.
 7267: Břeclav 1.7.1952, 1♀, leg.?, det. JB.

Remarks. Quite common, in various open habitats including fields and close vicinity of houses.

***Cercidia prominens* (Westring, 1851) [36]**

7165: Děvín 4.5.2003, 1♂, leg. JCH, det. VB; Dunajovické kopce 24.3.2003, 1♂, leg. JCH, det. VB, 22.5.2003, 1♀, leg. et det. JS.
 7166: Lednice 1.6., 1♀, leg. et det. FM (KÚRKA 2004); Lednice-Podivín, doubrava 30.6.1958, 1♀, leg. et det. FM (MILLER 1959); Milovický les 3.4.2004, 1 juv., leg. E. Svatoňová, det. JS, 3.4.2004, 1♀, leg. et det. ZM.
 7266: Liščí vrch 4.4.2004, 1♂, leg. et det. VB; Rendezvous 24.5.2003, 1♀, leg. et det. PK.
 7267: Boří les 15.5.2004, 2♂, leg. JCH, det. VB; Pohansko 1.4.2004, 1♂+2♀, leg. JCH, det. VB.
 7367: Soutok - hrúd Polínka 20.8.2003, 1 juv., leg. JCH, det. VB.

Remarks. Scarce, in low vegetation of various but usually dry habitats.

***Cyclosa conica* (Pallas, 1772) [97]**

7165: Děvín 11.5.2003, 2♀, leg. JCH, det. VB, 23.5.2003, 1♀, leg. et det. ICH; Kotel 20.10.2002, 1 juv., leg. et det. VB; Svatý Kopeček 29.5.2003, 1♀, leg. JCH, det. VB.
 7166: Horní les Y. 1971, 25 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 18 ex., leg. JK, det. FM (KŘÍSTEK 1980); Kinberk - pool 4.4.2004, 2 juv., leg. SV, det. VB; Lednický park 2.8.2003, 1 juv., leg. et det. VB; Milovický les 14.5.2003, 1♀, leg. JCH, det. VB.
 7266: Boří les - oaks 18.10.2003, 1 juv., leg. et det. VB.
 7267: Boří les 13.5.2003, 2♀, leg. JCH, det. VB; Boří les - sand 24.5.2003, 1♀, leg. et det. VB; Lanžhot - dead arms 28.5.2002, 1♀, leg. et det. VB.

Remarks. Common, on bushes and trees in various habitats.

***Gibbaranea bituberculata* (Walckenaer, 1802) [27]**

7065: Pouzdřanská step-Kolby Y. 1934, leg. Heyrovský & Hoffer, det. J. Baum (BAUM 1934), 1.5., 7♂+15♀, leg. et det. FM (KŮRKA 2004), 23.4.2000, 1♀, leg. J. Erhart, det. VR.

7165: Děvín 28.5.1966–12.6.1966, 1♀, leg. et det. VBu (BUKVA 1969), 11.5.2003, 6♂+10♀, leg. JCH, det. VB, 5.5.2004, 1♂, leg. et det. V. Hula; Kočičí skála 17.10.2003, 1 juv., leg. et det. VB; Mikulov 14.4.2003, 3♂+1♀, leg. JCH, det. VB, 1.5.2003–31.5.2003, 1♀, leg. JCH, det. VB, 16.5.2004, 1♂, leg. JCH, det. VB; Pavlovské vrchy 1.5.1956, 3♀+1 juv., leg. et det. FM (KŮRKA 2004), 19.5., 3♂+1♀, leg. et det. FM (KŮRKA 2004), 1.6., 3♂, leg. et det. FM (KŮRKA 2004), 24.5.1999, 1♀, leg. et det. LK; Svatý Kopeček 13.5.2000, 1♂+1♀, leg. P. Kment & M. Horsák, det. VB; Svatý Kopeček - vineyards 22.5.2001–28.6.2001, 1♀, leg. MHI, det. VB.

7166: Kinberk 4.4.2004, 1 juv., leg. et det. VB; Milovická stráň 16.6.2004, 1♀, leg. et det. JS; Milovický les 14.5.2003, 4♀, leg. JCH, det. VB, 14.5.2004, 1♀, leg. JCH, det. VB; Pastvisko 18.10.2003, 1♂, leg. et det. JD.

7265: Šibeník 2.5.2004, 1♀, leg. JCH, det. VB.

7266: Mušlov - sand pit 21.5.2003, 1♀, leg. E. Svatoňová, det. JS; Skalky 30.4.2003, 1♀, leg. et det. VB; Slanisko u Nesytu 22.5.2003, 1♂, leg. E. Svatoňová, det. JS.

7267: Boří les 13.5.2003, 1♂+1♀, leg. JCH, det. VB, 24.5.2003, 1♀, leg. et det. PK, 24.5.2003, 1♀, leg. et det. ZM, 15.5.2004, 2♂, leg. JCH, det. VB, 17.5.2004, 4♂+7♀+1 juv., leg. et det. JS; Boří les - sand 24.5.2003, 1♀, leg. et det. VB; Lanžhot - Trnůvky 1.6.2002, 1♀, leg. et det. JS.

7367: Soutok - Sekulská Morava 15.5.2004, 1♂, leg. JCH, det. VB.

Remarks. Very common, in steppes and other dry habitats; in Mikulov seems almost synanthropic.

***Gibbaranea gibbosa* (Walckenaer, 1802) [19]**

7165: Svatý Kopeček 11.6.1999, 1♀, leg. P. Kment & M. Horsák, det. VB.

7166: Horní les Y. 1972, 2 ex., leg. JK, det. FM (KŘÍSTEK 1980), 31.5.1997, 1♂, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002).

Remarks. Rare, on shrubs and trees.

***Gibbaranea omoeda* (Thorell, 1870) [13]**

7165: Svatý Kopeček 21.5.2003, 1♂, leg. et det. VB.

7166: Horní les Y. 1971, 11 ex., leg. JK, det. FM (KŘÍSTEK 1980).

Remarks. Rare, in the canopy of trees in forests.

***Hypsosinga albovittata* (Westring, 1851) [30]**

7065: Pouzdřanská step-Kolby 8.5., 2♂, leg. et det. FM (KŮRKA 2004).

Remarks. Very rare, two males from Pouzdřanská step-Kolby NNR were found in the F. Miller collection. Not confirmed recently.

***Hypsosinga heri* (Hahn, 1831) [18]**

7166: Lednice-Podivín, doubrava 25.6.1959, 2♀, leg. et det. E. Žďárková; Pastvisko 30.5.1997, 1♂, leg. et det. VR.

7267: Lanžhot - dead arms 28.5.2002, 1♂+3♀, leg. et det. VB, 2.6.2002, 3♂+4♀, leg. et det. JS.

Remarks. Rare, in wet habitats.

***Hypsosinga pygmaea* (Sundevall, 1831) [31]**

7165: Dunajovické kopce 28.5.2004, 1♂, leg. SV, det. VB; Svatý Kopeček - vineyards 27.7.2001, 1♂, leg. P. Lauterer, det. VB.
7166: Křivé jezero 1.8.2003, 1♀, leg. et det. VB; Lednice 18.5., 3♀, leg. et det. FM (KÚRKA 2004); Lednický park 25.5.1983, 1♂, leg. et det. K. Absolon.
7266: Slanisko u Nesytu 22.5.2003, 1♀, leg. et det. PK, 22.5.2003, 2♀, leg. M. Jarab, det. JS, 15.5.2004, 1 juv., leg. et det. JS.
7267: Lanžhot - dead arms 2.6.2002, 1♀, leg. et det. PK; Pohansko 25.5.2003, 1♂+2♀, leg. et det. VB.

Remarks. Scarce, in open habitats.

***Hypsosinga sanguinea* (C. L. Koch, 1844) [81]**

7065: Betlém 8.6.1993, 1♀, leg. J. Bašta, det. VB, 12.6.1997, 3♀, leg. J. Bašta, det. VB; Pouzdřanská step 25.5.2004, 1♂, leg. SV, det. VB, 12.6.2004, 1♀, leg. SV, det. VB; Pouzdřanská step-Kolby 8.5., 1♂+1♀, leg. et det. FM (KÚRKA 2004), 25.5., 3♂+5♀, leg. et det. FM (KÚRKA 2004), 8.6., 2♀, leg. et det. FM (KÚRKA 2004), 10.6., 1♀, leg. et det. FM (KÚRKA 2004).
7165: Děvín 24.6.1970, 1♂+3♀, leg. VBu, det. VB; Dunajovické kopce 28.5.2004, 2♂, leg. SV, det. VB, 7.6.2004, 2♂, leg. et det. VB; Pavlovské vrchy 6.6., 3♀, leg. et det. FM (KÚRKA 2004); Svatý Kopeček 13.5.2000, 3♂+2♀, leg. P. Kment & M. Horsák, det. VB; Svatý Kopeček - vineyards 29.8.2001, 1♀, leg. P. Lauterer, det. VB.
7266: Mušlov - sand pit 21.5.2003, 5♂, leg. et det. JS, 21.5.2003, 2♀, leg. et det. PK; Rendezvous 23.5.2003, 1♀, leg. et det. ICH, 24.5.2003, 1♀, leg. et det. PK; Skalky 22.5.2003, 1♂+2♀, leg. et det. JS.
7267: Boří les 13.5.2003, 1♂, leg. JCH, det. VB, 15.5.2004, 1♂, leg. JCH, det. VB; Boří les - pool 24.5.2003, 1♂, leg. et det. ICH; Lanžhot - Bačovská 31.5.2002, 1♀, leg. et det. JS; Lanžhot - Trnůvky 1.6.2002, 1♀, leg. et det. JS; Lanžhot - Trny 27.5.2002, 1♂+1♀, leg. et det. JS; Pohansko 25.5.2003, 1♀, leg. et det. VB.

Remarks. Common, in meadows, steppes and forest edges.

***Larinioides folium* (Schränk, 1803) [76]**

7065: Betlém 8.6.1993, 2♂, leg. J. Bašta, det. VB, 7.5.1994, 3♂+2♀, leg. J. Bašta, det. VB; Pasohlávky 7.9.1994, 1♀, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996); VDNM II - Šmardův ostrov Y. 1996, 3 ex., leg. et det. IV (VALÍČKOVÁ 1998), Y. 1998, 5 ex., leg. et det. IV (VALÍČKOVÁ 1998).
7165: Dolní Věstonice - trench 3.6.2003, 1♀, leg. JCH, det. VB; Dunajovický potok 2.4.2004, 2♀, leg. et det. ZM, 2.4.2004, 4♂+1♀+10 juv., leg. E. Svatoňová, det. JS, 28.5.2004, 1 juv., leg. SV, det. VB; VDNM II 17.7.1981, 1♀, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996), 30.5.1984, 1♂, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996), 1.4.2004, 1♀, leg. JCH, det. VB, 18.5.2004, 3♂+8 juv., leg. JCH, det. VB; VDNM II - Písky 30.4.2003, 9♀+2 juv., leg. JCH, det. VB, 29.4.2004, 1♂, leg. JCH, det. VB, 25.5.2004, 2♂+2♀+9 juv., leg. JCH, det. VB.
7166: Křivé jezero 3.6.2003, 1♀, leg. JCH, det. VB; Květné jezero 6.5.2003, 1♂, leg. JCH, det. VB; Milovický les 14.5.2003, 1♂, leg. JCH, det. VB, 23.5.2003, 1♀, leg. et det. ZM; Nejdek 17.7.1996, 1♂+4♀, leg. et det. VR; Pastvisko 23.5.2003, 1♀, leg. et det. VR, 23.5.2003, 1♂+2♀, leg. et det. ZM, 23.5.2003, 3♀, leg. et det. ZM, 24.5.2003, 1♀, leg. et det. VB, 2.8.2003, 2 juv., leg. et det. VB; VDNM III - reedswamp 14.4.2003, 1♀, leg. JCH, det. VB.
7168: Moravská Nová Ves - old vineyard 29.5.2002, 1♂+2♀, leg. et det. JS.
7265: Šibeník 16.5.2003, 1♀, leg. JCH, det. VB, 30.3.2004, 3 juv., leg. JCH, det. VB.
7266: Hlohovec 22.5.2004, 1♂, leg. JCH, det. VB; Lednické rybníky 13.5.1999–14.11.1999, 3 ex., leg. et det.

MH; Mušlovské rybníky 25.4.2003, 8 juv., leg. JCH, det. VB; Nesyt 17.6.1987, 2♀, leg.?, det. VB, 9.6.1988, 1♀, leg.?, det. VB, 16.7.1996, 2♀, leg. et det. VR, 17.5.2003, 1♂+1♀, leg. JCH, det. VB, 25.6.2003, 2♀, leg. JCH, det. VB, 16.7.2003, 6♀, leg. JCH, det. VB, 22.8.2003, 1♂+2 juv., leg. JCH, det. VB, 22.6.2006, 4♀+1 juv., leg. JCH, det. VB; Nový rybník 23.5.2003, 1♂+1♀, leg. et det. ICH; Prostřední rybník 3.8.2003, 1♀, leg. et det. PK, 3.8.2003, 1♀, leg. et det. VB; Skalky 1.6.2003, 2♀, leg. JCH, det. VB; Slanisko u Nesytu 22.5.2003, 1♂+3♀, leg. E. Svatoňová, det. JS, 22.5.2003, 1♂+2♀, leg. et det. VB, 22.5.2003, 1♂, leg. et det. JS, 22.5.2003, 1♂+1♀, leg. et det. ZM, 8.5.2004, 2 juv., leg. JCH, det. VB; Výtopa 10.5.2003, 2♂+3♀, leg. JCH, det. VB. 7267: Lanžhot 5.6.1996, 1♀, leg. et det. VR; Pohansko 25.5.2003, 1♀, leg. et det. VB. 7367: Soutok 20.8.2003, 3 juv., leg. JCH, det. VB, 25.4.2004, 2 juv., leg. JCH, det. VB.

Remarks. Very common, most abundant in pond margins with reed and reedmace.

Larinioides ixobolus (Thorell, 1873) [17]

7165: Klentnice 20.7.2003, 1♂, leg. J. Matuška, det. VB; Mikulov 1.3.2003–30.9.2003, 2♀+12 juv., leg. JCH, det. VB; VDNM II 18.5.2004, 1♀, leg. JCH, det. VB.

7166: Bulhary 22.6.2003, 1♂, leg. JCH, det. VB, 1.9.2003, 6 juv., leg. K. Korberová, det. VB.

7266: Sedlec - Váhovna 20.7.2003, 1♂, leg. JCH, det. VB, 22.8.2003, 2♀+1 juv., leg. JCH, det. VB.

7267: Břeclav 10.9.1989, 1♀, leg. et det. JS.

Remarks. Quite common. In the Pálava region *L. ixobolus* was found only in the the close vicinity of buildings and seems to be synanthropic.

Larinioides patagiatus (Clerck, 1757) [57]

7065: Betlém 7.5.1994, 1♀, leg. J. Bašta, det. VB; Pouzdřanská step-Kolby 12.4.1953, 1♀, leg. et det. FM (KÚRKA 2004).

7165: Děvín 11.5.2003, 2♀, leg. JCH, det. VB; Dolní Věstonice - trench 3.6.2003, 1♀, leg. JCH, det. VB; Klentnický potok 22.4.2004, 1♀, leg. JCH, det. VB; Soutěska 17.6.2003, 1♂, leg. JCH, det. VB; VDNM II - Pisky 25.5.2004, 2♂+1♀, leg. JCH, det. VB.

7166: Horní les Y. 1971, 1 ex., leg. JK, det. FM (KRÍSTEK 1980), Y. 1972, 3 ex., leg. JK, det. FM (KRÍSTEK 1980); Křivé jezero 27.5.2004, 1♀, leg. JCH, det. VB; Květné jezero 6.5.2003, 1♂+4♀, leg. JCH, det. VB; Lednice 12.10.1952–1.8.1972, 2♂+6♀, leg. et det. FM (KÚRKA 2004).

7266: Hlohovecký rybník 23.5.1999, 2♂, leg. et det. LK; Lednické rybníky 7.8.1978, 1♀, leg. et det. K. Absolon; Výtopa 10.5.2003, 1♀, leg. JCH, det. VB.

Remarks. Quite common, in sunny exposed bushes and trees.

Larinioides sclopetarius (Clerck, 1757) [37]

7165: VDNM II 15.5.2003, 4♂+3♀+5 juv., leg. JCH, det. VB.

7166: Lednický park 23.5.2003, 2♀, leg. et det. VB.

Remarks. Rare, on water-gate of VDNM II and on a bridge in Lednický chateau park .

Mangora acalypha (Walckenaer, 1802) [162]

7065: Pouzdřanská step 25.5.2004, 9♂+9♀, leg. SV, det. VB, 12.6.2004, 1♀, leg. SV, det. VB; Pouzdřanská step-Kolby 20.6.1959, 1♀, leg. et det. E. Žďárková; VDNM II - Šmardův ostrov Y. 1997, 2 ex., leg. et det. IV (VALÍČKOVÁ 1998).

- 7165: Děvín 16.4.1966–30.4.1966, 1 juv., leg. et det. VBU (BUKVA 1969), 24.6.1970, 2♂+1♀, leg. VBU, det. VB, 3.8.1995, 1♀, leg. et det. VB, 4.5.2003, 1 juv., leg. JCH, det. VB, 11.5.2003, 1♀+1 juv., leg. JCH, det. VB, 23.5.2003, 1♂, leg. et det. ICH; Děvín - north 23.5.2003, 1♀, leg. et det. VB; Dunajovické kopce 24.3.2003, 2 juv., leg. JCH, det. VB, 22.5.2003, 1♂, leg. M. Jarab, det. JS, 2.4.2004, 1 juv., leg. et det. VB, 2.4.2004, 1 juv., leg. P. Vaňhara, det. VB, 28.5.2004, 1♂+3♀, leg. SV, det. VB, 28.5.2004, 3♂+1♀, leg. SV, det. VB, 28.5.2004, 2 juv., leg. SV, det. VB; Dunajovický potok 2.4.2004, 1 juv., leg. E. Svatoňová, det. JS; Klentnický potok 3.4.2004, 1 juv., leg. et det. VB; Kočičí skála 17.10.2003, 1 juv., leg. et det. VB; Mikulov 14.4.2003, 6 juv., leg. JCH, det. VB, 29.10.2003, 1 juv., leg. JCH, det. VB, 16.5.2004, 1♀+1 juv., leg. JCH, det. VB; Pavlovské vrchy 16.7.1955, 1♀, leg. et det. FM (KÚRKA 2004), 15.6.1956, 5♂+1♀, leg. et det. FM (KÚRKA 2004), 6.6., 1♀, leg. et det. FM (KÚRKA 2004); Svatý Kopeček 13.6.1970, 1♂+3♀+2 juv., leg. VBU, det. VB, 13.5.2000, 1♀+1 juv., leg. P. Kment & M. Horsák, det. VB, 2.4.2003, 1 juv., leg. P. Vaňhara, det. VB, 2.4.2004, 1 juv., leg. et det. JS; Svatý Kopeček - vineyards 27.9.2001, 15 juv., leg. P. Lauterer, det. VB; Tabulová 9.10.1965–30.10.1965, 1 juv., leg. et det. VBU (BUKVA 1969); Tuřold 1.5.2003, 2 juv., leg. JCH, det. VB.
- 7166: Horní les Y. 1971, 582 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 54 ex., leg. JK, det. FM (KŘÍSTEK 1980); Kinberk 1.8.2003, 1 juv., leg. et det. VB, 4.4.2004, 1♀, leg. et det. PK, 4.4.2004, 3 juv., leg. M. Jarab, det. JS, 20.3.2004–19.5.2004, 1 juv., leg. JCH, det. VB; Kinberk - pool 4.4.2004, 3 juv., leg. SV, det. VB; Křivé jezero 7.5.2003, 1♂+2 juv., leg. JCH, det. VB, 5.6.2003, 1♀, leg. JCH, det. VB; Lednice-Podivín, doubrava 25.6.1959, 1♂+1♀, leg. et det. E. Žďárková; Lednický park 25.5.1983, 2♀, leg. et det. K. Absolon, 23.5.2003, 1 juv., leg. M. Jarab, det. JS, 23.5.2003, 1♀, leg. et det. ICH; Milovice - trench 13.6.2003, 1♀, leg. JCH, det. VB; Milovická stráž 27.5.2004, 2♂+3♀+1 juv., leg. JCH, det. VB, 16.6.2004, 2♂+2 juv., leg. et det. JS; Milovický les 23.5.2003, 1♀, leg. et det. ZM, 3.4.2004, 1 juv., leg. et det. ZM, 3.4.2004, 1 juv., leg. M. Jarab, det. JS; Pastvisko 23.5.2003, 1♀, leg. et det. ZM, 23.5.2003, 1♀, leg. et det. ZM, 24.5.2003, 1♀, leg. et det. VB.
- 7168: Mikulčice 29.5.2002, 1♀, leg. et det. JS; Moravská Nová Ves - old vineyard 29.5.2002, 1♂, leg. et det. VB; Očovské louky 31.5.2002, 1♂+1♀, leg. et det. VB.
- 7266: Hlohovec 22.5.2004, 1♀+1 juv., leg. JCH, det. VB; Mušlov - sand pit 24.4.2003, 4 juv., leg. JCH, det. VB, 21.5.2003, 1♂+1♀+1 juv., leg. et det. JS, 21.5.2003, 1♀, leg. et det. VB; Nesyt 9.6.1988, 2♀, leg.?, det. VB; Rendezvous 24.5.2003, 1♂+1 juv., leg. M. Jarab, det. JS; Skalky 30.4.2003, 5 juv., leg. et det. VB, 22.5.2003, 1♀, leg. et det. VB, 22.5.2003, 2♀, leg. et det. ZM, 22.5.2003, 1♂, leg. et det. JB, 3.8.2003, 1 juv., leg. et det. VB, 3.4.2004, 1 juv., leg. et det. ZM, 3.4.2004, 4 juv., leg. E. Svatoňová, det. JS, 15.5.2004, 3 juv., leg. et det. JS; Slanisko u Nesytu 22.5.2003, 1♂+2♀, leg. et det. VB, 22.5.2003, 1♂+1♀, leg. E. Svatoňová, det. JS, 22.5.2003, 1♀, leg. et det. PK, 22.5.2003, 2♂, leg. et det. ZM, 1.4.2004, 1 juv., leg. et det. JS.
- 7267: Boří les 27.5.2003, 1♀, leg. JCH, det. VB, 15.5.2004, 3♂, leg. JCH, det. VB, 17.5.2004, 3♂+1 juv., leg. et det. JS; Boří les - pool 24.5.2003, 1♀, leg. et det. ICH; Boří les - sand 24.5.2003, 1 juv., leg. et det. VB, 20.8.2003, 1 juv., leg. JCH, det. VB; Lanžhot - Bačovská 31.5.2002, 1♀, leg. et det. JS; Lanžhot - Trnůvky 1.6.2002, 1♀, leg. et det. JS; Lanžhot - Trny 27.5.2002, 1♀, leg. et det. JS; Pohansko 25.5.2003, 2♀, leg. et det. VB.
- 7367: Raňšpurk 21.1.1997–28.2.1997, 1 juv., leg. JCH & HF, det. JS (FOJTOVÁ 2003); Soutok Y. 1991, 1 ex., leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995).

Remarks. Very common, in vegetation of open habitats.

Nuctenea umbratica (Clerck, 1757) [63]

- 7165: Děvín 2.8.2003, 1♀, leg. et det. VB; Děvín - north 23.5.2003, 1♀, leg. et det. VB; Děvín-Kotel-Soutěska 5.5.1973, 1♀, leg. et det. VR; Dunajovické kopce 2.4.2004, 1♀+1 juv., leg. et det. VB; Klentnický potok 22.4.2004, 1♀+1 juv., leg. JCH, det. VB; Mikulov 14.4.2003–4.10.2003, 1♂+4♀+21 juv., leg. JCH, det. VB; Soutěska 8.5.2003, 2♀+6 juv., leg. JCH, det. VB, 30.5.2003, 1 juv., leg. JCH, det. VB; Tuřold 23.5.2003, 1♀, leg. et det. ICH.
- 7166: Bulhary 30.12.2002, 1 juv., leg. JCH, det. VB, 20.3.2003–30.3.2003, 1♀, leg. JCH, det. VB, 1.9.2003, 1♂+1 juv., leg. K. Korberová, det. VB; Kinberk 18.6.2003, 1♀, leg. JCH, det. VB; Křivé jezero 5.6.2003, 3♀+2 juv., leg. JCH, det. VB; Lednice 25.6.1959, 1♂+1♀+1 juv., leg. et det. E. Žďárková; Lednický park 22.5.1999,

1♀+1 juv., leg. et det. LK, 2.8.2003, 1♀, leg. et det. VB; Nejdek 4.7.2003, 1 juv., leg. JCH, det. VB, 4.7.2003, 1 juv., leg. JCH, det. VB.

7168: Moravská Nová Ves - old vineyard 29.5.2002, 1♀, leg. et det. VB.

7266: Kameníky 28.5.2003, 1 juv., leg. JCH, det. VB; Mlýnský rybník 30.4.2004, 1 juv., leg. JCH, det. VB;

Sedlec - Váhovna 22.8.2003, 1♀, leg. JCH, det. VB.

7367: Cahnov 6.6.2003, 1♀, leg. JCH, det. VB.

Remarks. Common, webs on tree trunks and on buildings.

Singa hamata (Clerck, 1757) [57]

7065: Pouzdřanská step-Kolby?, 1♀, leg. et det. FM (KŮRKA 2004); VDNM II - Šmardův ostrov Y. 1997, 2 ex., leg. et det. IV (VALÍČKOVÁ 1998).

7165: Dunajovický potok 2.4.2004, 5 juv., leg. M. Jarab, det. JS, 2.4.2004, 1 juv., leg. E. Svatoňová, det. JS; Mikulov 1.9.2003–30.9.2003, 1 juv., leg. JCH, det. VB; Mušov 1.6.1962, 21♂+9♀, leg. et det. FM (KŮRKA 2004); Svatý Kopeček - vineyards 27.7.2001, 1 juv., leg. P. Lauterer, det. VB; VDNM II 19.3.2004, 1♂, leg. JCH, det. VB, 20.3.2004, 1 juv., leg. JCH, det. VB; VDNM II - Písky 30.4.2003, 1♀, leg. JCH, det. VB.

7166: Bulhary 10.12.2003, 1 juv., leg. JCH, det. VB; Horní les Y. 1972, 5 ex., leg. JK, det. FM (KŘÍSTEK 1980); Kinberk - pool 4.4.2004, 2 juv., leg. SV, det. VB; Křivé jezero 5.6.2003, 1♀, leg. JCH, det. VB, 1.8.2003, 1 juv., leg. et det. VB, 4.11.2003, 1♂+2 juv., leg. JCH, det. VB, 4.4.2004, 1 juv., leg. et det. VB; Pastvisko 24.5.2003, 2♂, leg. et det. VB; Šakvice 19.9.1955, 1 juv., leg. H. Hiršová, det. VB (HIRŠOVÁ 1996).

7167: Podivín 1.5.2003, 1♂+1♀, leg. JCH, det. VB.

7168: Mikulčice 29.5.2002, 1♂, leg. et det. JS; Moravská Nová Ves - old vineyard 29.5.2002, 2♂+1♀, leg. et det. VB, 29.5.2002, 1♂+2♀, leg. et det. JS.

7266: Hlohovec 22.5.2004, 2♂, leg. JCH, det. VB; Mušlov - sand pit 24.4.2003, 1♂+11♀+5 juv., leg. JCH, det. VB, 21.5.2003, 2 juv., leg. M. Jarab, det. JS, 21.5.2003, 1♂+3♀, leg. E. Svatoňová, det. JS, 21.5.2003, 2♀+1 juv., leg. et det. JS, 21.5.2003, 2♀, leg. et det. VB, 1.8.2003, 1♂, leg. et det. JD, 2.4.2004, 1 juv., leg. M. Jarab, det. JS; Nesyt 2.7.1987, 1 juv., leg.?, det. VB; Nový rybník 24.5.2003, 1 juv., leg. M. Jarab, det. JS; Rendezvous 24.5.2003, 1♂, leg. et det. VB; Slanisko u Nesytu Y. 1988, 1♂, leg. Křen, det. M. Řezáč, 22.5.2003, 2♂, leg. et det. VB, 22.5.2003, 2♀, leg. E. Svatoňová, det. JS, 22.5.2003, 1♀, leg. et det. ZM, 8.5.2004, 1 juv., leg. JCH, det. VB, 15.5.2004, 2♂+1♀, leg. et det. JS; Výtopa 10.5.2003, 1♂, leg. JCH, det. VB.

7267: Boří les 24.5.2003, 1♀, leg. et det. ZM; Boří les - sand 24.5.2003, 1♂, leg. et det. ICH; Lanžhot - Trny 27.5.2002, 1♀, leg. et det. JS; Pohansko 1.4.2004, 5 juv., leg. JCH, det. VB.

7268: Týnecký les 29.5.2002, 3♀, leg. et det. JS.

7367: Soutok 30.3.2004, 1 juv., leg. JCH, det. VB; Soutok - Sekulská Morava 15.5.2004, 12♂+2♀, leg. JCH, det. VB.

Remarks. Very common, in various open habitats.

Singa nitidula C. L. Koch, 1844 [38]

7065: Betlém 8.6.1993, 1♂+4♀, leg. J. Bašta, det. VB, 7.5.1994, 1♂+1♀, leg. J. Bašta, det. VB, 12.6.1997, 1♂+1♀, leg. J. Bašta, det. VB; VDNM II - Šmardův ostrov Y. 1998, 1 ex., leg. et det. IV (VALÍČKOVÁ 1998).

7165: Dunajovický potok 28.5.2004, 2♂+1♀, leg. SV, det. VB; VDNM II 13.6.1983, 1♀, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996), 18.5.2004, 1♂+1♀, leg. JCH, det. VB; VDNM II - Písky 25.5.2004, 2♂+3♀, leg. JCH, det. VB.

7166: Horní les Y. 1971, 3 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 6 ex., leg. JK, det. FM (KŘÍSTEK 1980); Křivé jezero 2.6.2003, 1♀, leg. JCH, det. VB; Květné jezero 10.6.2003, 1♀, leg. JCH, det. VB; Lednice Y. 1929, leg. J. Baum, det. J. Baum (BAUM 1929), 12.10.1952–10.7.?, 5♂+11♀+1 juv., leg. et det. FM (KŮRKA 2004); Pastvisko 23.5.2003, 1♀, leg. et det. PK, 23.5.2003, 1♂, leg. et det. JB, 2.8.2003, 1 juv., leg. et det. VB; Šakvice Y. 1894, leg. et det. A. Nosek (NOSEK 1895).

Spiders of the Lower Morava

7168: Mikulčice 29.5.2002, 1♀, leg. et det. JS; Očovské louky 31.5.2002, 1♀, leg. et det. VB, 31.5.2002, 1♀, leg. et det. VB, 31.5.2002, 2♂+1♀, leg. et det. VB.
7266: Hlohovecký rybník 23.5.1999, 1♀, leg. et det. LK; Mušlov - sand pit 21.5.2003, 2♂+1♀, leg. et det. PK, 1.8.2003, 3♀, leg. et det. PK; Nový rybník 24.5.2003, 1♀, leg. et det. VR; Rendezvous - fishpond 24.5.2003, 1♀, leg. et det. VB.
7267: Lanžhot - Bačovská 31.5.2002, 1♀, leg. et det. JS; Lanžhot - dead arms 28.5.2002, 2♂+1♀, leg. et det. VB, 2.6.2002, 1♀, leg. et det. JS, 2.6.2002, 1♀, leg. et det. PK; Lanžhot - Trnůvky 1.6.2002, 1♀, leg. et det. JS.
7268: Stibůrkovská jezera 29.5.2002, 1♂, leg. et det. VB, 29.5.2002, 2♀, leg. et det. JS.
7367: Košárské louky 15.5.2004, 1♀, leg. JCH, det. VB.

Remarks. Very common, in marshes, wet meadows and pond margins.

Zilla diodia (Walckenaer, 1802) [33]

7065: Pouzdřanská step-Kolby 18.5.1952, 1♂+2♀, leg. et det. FM (KÚRKA 2004).
7165: Děvín 23.5.2003, 1♀, leg. E. Svatoňová, det. JS; Svatý Kopeček 21.5.2003, 1♂, leg. et det. VB.
7166: Horní les Y. 1971, 4 ex., leg. JK, det. FM (KRÍSTEK 1980); Kinberk - pool 4.4.2004, 1 juv., leg. SV, det. VB; Křivé jezero 7.5.2003, 1♀, leg. JCH, det. VB, 29.5.2003, 1♀, leg. JCH, det. VB; Květné jezero 10.6.2003, 1♀, leg. JCH, det. VB; Lednice 24.5.1974, 1♂+1♀, leg. et det. FM (KÚRKA 2004), 24.5., 1♂, leg. et det. FM (KÚRKA 2004), 13.6.2003, 1♀, leg. JCH, det. VB; Lednický park 23.5.2003, 1♀, leg. M. Jarab, det. JS.
7266: Mušlov - sand pit 21.5.2003, 1♀, leg. E. Svatoňová, det. JS.
7267: Boří les 13.5.2003, 2♀, leg. JCH, det. VB.

Remarks. Quite common, in higher vegetation and shrubs, most typically at forest edges.

Zygiella stroemi (Thorell, 1870) [6]

7165: Klentnický potok 22.4.2004, 1♂+2 juv., leg. JCH, det. VB.
7166: Horní les 19.4.2004, 1♀, leg. JCH, det. VB; Lednice 18.5., 1♂, leg. et det. FM (KÚRKA 2004).

Remarks. Rare, webs on tree trunks in shaded forest and dense edging of streams.

Zygiella thorelli (Ausserer, 1871) [0]

7165: Klentnický potok 22.4.2004, 5 juv., leg. JCH, det. VB, redet. M. Řezáč.
7166: Křivé jezero 2.5.2003, 1 juv., leg. JCH, det. VB, redet. M. Řezáč.
7367: Cahnov 6.6.2003, 1 juv., leg. JCH, det. VB, redet. M. Řezáč.

Remarks. Rare, webs on old oaks, poplar and willows in similar habitats to those of *Z. stroemi*. Thermophilous species known also from Germany, Austria, Slovakia and Hungary. NEW SPECIES FOR THE CZECH REPUBLIC.

Family Lycosidae

Alopecosa accentuata (Latreille, 1817) [65]

7065: Pouzdřanská step 16.5.2004–12.6.2004, 2♀, leg. SV, det. VB; Pouzdřanská step-Kolby Y. 1929, leg. et det. J. Kratochvíl (KRATOCHVÍL 1933).

7165: Děvín 1.5.1965–8.8.1966, 132 juv., leg. et det. VBU (BUKVA 1969), 24.6.1970, 1♀, leg. VBU, det. VB, 13.5.1993–19.10.1996, 54♂+12♀+25 juv., leg. JCH, det. JS & ZM, 24.5.2003, 1♀, leg. et det. ZM, 3.12.2003, 3 juv., leg. JCH, det. VB, 5.5.2004, 2♂, leg. et det. V. Hula; Dunajovické kopce 24.3.2003, 3♂+5♀, leg. JCH, det. VB, 17.10.2003, 1 juv., leg. et det. VB, 2.4.2004, 1♂+4♀, leg. et det. VB, 2.4.2004, 1♀, leg. P. Vaňhara, det. VB, 2.4.2004, 1♀, leg. et det. VB, 2.4.2004, 1♂+1♀, leg. et det. JD, 2.4.2004, 2♂+2♀, leg. E. Svatoňová, det. JS, 9.5.2004, 1♂, leg. SV, det. VB, 9.5.2004–16.5.2004, 1♀, leg. SV, det. VB, 16.5.2004–7.6.2004, 1♀, leg. SV, det. VB; Kočičí skála 17.10.2003, 1♂, leg. et det. I. Fenclová, 17.10.2003, 1 juv., leg. et det. VB, 17.10.2003, 2 juv., leg. A. Konečný, det. VB; Pavlovské vrchy Y. 1929, leg. et det. J. Kratochvíl (KRATOCHVÍL 1933); Svatý Kopeček 12.7.1965–30.10.1965, 8 juv., leg. et det. VBU (BUKVA 1969), 20.4.2001–16.8.2001, 16♂+13♀, leg. MHL, det. VB, 2.4.2003, 1♀, leg. P. Vaňhara, det. VB, 16.10.2003, 3 juv., leg. et det. VB, 2.4.2004, 1♂+1♀, leg. J. Erhart, det. VB, 2.4.2004, 2♀, leg. et det. JD, 2.4.2004, 1♂+2♀, leg. et det. VB, 2.4.2004, 1♀, leg. et det. ZM, 2.4.2004, 1♂+2 juv., leg. et det. JS; Svatý Kopeček - vineyards 20.4.2001–22.5.2001, 17♂+3♀, leg. MHL, det. VB, 28.6.2001–16.8.2001, 1♀, leg. MHL, det. VB; Tabulová 1.5.1965–28.5.1966, 15♂+8♀+4 juv., leg. et det. VBU (BUKVA 1969), 17.10.2003, 2 juv., leg. et det. VB, 7166: Bulhary 1.6.2003, 1♀, leg. JCH, det. VB; Kinberk 1.8.2003, 3 juv., leg. et det. VB, 30.9.2003–23.6.2004, 1♂+3♀+1 juv., leg. JCH, det. VB; Křivé jezero 4.11.2003, 2 juv., leg. JCH, det. VB; Milovická stráň 3.4.2004, 1♂, leg. et det. VB, 3.4.2004, 1♂, leg. et det. PK, 3.4.2004, 1♀, leg. et det. JS, 3.4.2004, 1♀, leg. et det. ZM, 3.4.2004, 1♀, leg. A. Konečný, det. VB; Milovický les 3.4.2004, 1♀, leg. et det. JS. 7266: Mušlov - sand pit 15.4.2003–26.5.2003, 5♂+2♀, leg. JCH, det. VB, 19.10.2003, 1 juv., leg. et det. VB, 2.4.2004, 1♀, leg. et det. JD; Mušlovské rybníky 19.10.2003, 1 juv., leg. et det. I. Fenclová; Skalky 5.4.2003–5.5.2003, 2♂, leg. JCH, det. VB, 22.5.2003, 1♀, leg. et det. VB, 22.5.2003, 1 juv., leg. M. Jarab, det. JS, 16.10.2003, 1 juv., leg. et det. I. Fenclová, 3.4.2004, 2♂+2♀, leg. et det. ZM, 3.4.2004, 2♂, leg. M. Jarab, det. JS. 7267: Boří les - sand 27.5.2003–28.6.2003, 1♀, leg. JCH, det. VB, 28.6.2003–24.7.2003, 1♀, leg. JCH, det. VB.

Remarks. Common on dry, xerothermic habitats.

Alopecosa aculeata (Clerck, 1757) [14]

7266: Slanisko u Nesytu 20.5.1993, 1♀, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 22.5.2003, 1♀, leg. et det. PK.

Remarks. Very rare, only in Slanisko u Nesytu saltmarsh.

Alopecosa cuneata (Clerck, 1757) [121]

7065: Pouzdřanská step-Kolby Y. 1929, leg. et det. J. Kratochvíl (KRATOCHVÍL 1933), 23.4.2000, 1♂, leg. J. Erhart, det. VR.

7165: Děvín 1.5.1965–8.8.1966, 39♂+11♀+17 juv., leg. et det. VBU (BUKVA 1969), 7.5.1996–29.5.1996, 3♂, leg. JCH, det. JS; Pavlovské vrchy Y. 1929, leg. et det. J. Kratochvíl (KRATOCHVÍL 1933); Svatý Kopeček 31.5.1965–16.4.1966, 2♂+2♀+29 juv., leg. et det. VBU (BUKVA 1969), 14.5.2004, 1♀, leg. et det. JS; Svatý Kopeček - vineyards 20.4.2001–22.5.2001, 6♂+1♀, leg. MHL, det. VB, 22.5.2001–28.6.2001, 1♀, leg. MHL, det. VB; Tabulová 1.5.1965–8.8.1966, 78♂+19♀+27 juv., leg. et det. VBU (BUKVA 1969).

7166: Kinberk 4.4.2004, 1♂+2 juv., leg. et det. JS, 20.3.2004–20.5.2004, 9♂+1♀, leg. JCH, det. VB; Milovická stráň 3.4.2004, 1♂+1♀+1 juv., leg. E. Svatoňová, det. JS, 3.4.2004, 2♀, leg. et det. ZM, 3.4.2004, 2♂, leg. et det. PK.

7266: Liščí vrch 4.4.2004, 1♂+2 juv., leg. et det. VB; Mušlov - sand pit 15.4.2003–26.5.2003, 1♂, leg. JCH, det. VB; Skalky 30.4.2003, 2♂, leg. et det. VB, 5.4.2003–5.5.2003, 9♂+3♀, leg. JCH, det. VB, 22.5.2003, 1♀, leg. et det. ZM, 5.5.2003–26.5.2003, 1♂, leg. JCH, det. VB; Slanisko u Nesytu 20.5.1993, 2♂, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995).

7267: Boří les - sand 27.5.2003–24.7.2003, 4♀, leg. JCH, det. VB.

Remarks. Common, mainly on steppes and dry meadows.

***Alopecosa cursor* (Hahn, 1831) [7]**

7065: Pouzdřanská step-Kolby Y. 1929, leg. et det. J. Kratochvíl (KRATOCHVÍL 1933), 23.4.2000, 1♂, leg. J. Erhart, det. VR.

7165: Děvín 10.6.1962, 1♀, leg. et det. JB, 30.4.1966–14.5.1966, 3♂, leg. et det. VBU (BUKVA 1969), 13.9.1993–13.10.1993, 1♂, leg. JCH, det. JS, 13.10.1993, 1♂, leg. JCH, det. JS; Mikulov Y. 1929, leg. Banks, det. J. Baum (BAUM 1929); Pavlovské vrchy Y. 1929, leg. et det. J. Kratochvíl (KRATOCHVÍL 1933); Svatý Kopeček 1.5.1965–17.5.1965, 3♂, leg. et det. VBU (BUKVA 1969), 22.5.2001–28.6.2001, 2♀, leg. MHL, det. VB, 16.10.2003, 1♂, leg. et det. JD, 14.5.2004, 1♂+1♀, leg. et det. JS; Tabulová 31.5.1965–28.6.1965, 1♂+1♀, leg. et det. VBU (BUKVA 1969), 30.4.1966–14.5.1966, 1♂, leg. et det. VBU (BUKVA 1969).

Remarks. Rare, recently confirmed only in Děvín and Svatý Kopeček limestone steppes.

***Alopecosa fabrilis* (Clerck, 1757) [5]**

7165: Klentnice Y. 1929, leg.?, det. J. Baum (BAUM 1929).

Remarks. The occurrence of this rare species in the Pálava region was recorded by Baum from Klentnice (BAUM 1929). However, the occurrence has not been confirmed in the last 50 years and thus we do not consider this species to be part of the arachnofauna of the Pálava region.

***Alopecosa mariae* (Dahl, 1908) [1]**

7165: Děvín-Kotel-Soutěska 16.5.1962, 1♀, leg. et det. JB, 5.5.1974, 1♀, leg. et det. JB.

Remarks. Two females from Děvín-Kotel-Soutěska NNR (BUCHAR & RŮŽIČKA 2002) were shown to be misidentified and are now included sub. *A. schmidtii* (BUCHAR & THALER 2004).

***Alopecosa pulverulenta* (Clerck, 1757) [168]**

7065: Pouzdřanská step-Kolby 23.4.2000, 1♀, leg. J. Erhart, det. VR.

7165: Dunajovické kopce 22.5.2003, 1♂, leg. M. Jarab, det. JS, 22.5.2003, 1♂, leg. et det. JS, 9.5.2004–7.6.2004, 3♂, leg. SV, det. VB; Svatý Kopeček - vineyards 20.4.2001–22.5.2001, 1♀, leg. MHL, det. VB.

7166: Kinberk 20.3.2004–20.5.2004, 9♂, leg. JCH, det. VB, 19.5.2004–23.6.2004, 1♂+1♀, leg. JCH, det. VB; Křivé jezero 23.3.1998–18.6.1998, 1♂+1♀, leg. JCH & HF, det. VB.

7266: Mušlov - sand pit 15.4.2003–26.5.2003, 2♂, leg. JCH, det. VB; Nesyt Y. 1969, 8 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975a), 5.5.1974, 1♀, leg. et det. VR; Slanisko u Nesytu 20.5.1993–3.6.1993, 276♂+18♀, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 23.5.2003, 1♀, leg. et det. VR.

7367: Ranšpurk 25.6.1993–9.7.1993, 7♀+1 juv., leg. JCH, det. JS (MAJKUS & SVATOŇ 1995).

Remarks. Scarce, on both dry and wet habitats.

***Alopecosa schmidtii* (Hahn, 1835) [19]**

7165: Děvín 31.5.1965–9.7.1966, 13♂+1 juv., leg. et det. VBu (BUKVA 1969), 19.4.1970, 1♀, leg. et det. JB, 30.3.1995–7.5.1996, 6♂, leg. JCH, det. JS; Kotel 20.10.2002, 1♀, leg. et det. VB; Svatý Kopeček 26.7.1965–30.4.1966, 2♂+1♀+2juv., leg. et det. VBu (BUKVA 1969), 3.9.1998, 1♂, leg. et det. JB, 22.5.2001–22.10.2001, 10♂+4♀, leg. MHI, det. VB; Svatý Kopeček - vineyards 20.4.2001–22.5.2001, 1♂, leg. MHI, det. VB; Tabulová 1.5.1965–14.5.1966, 21♂+3♀+4 juv., leg. et det. VBu (BUKVA 1969).
7266: Skalky 3.4.2004, 1♂, leg. et det. VB.

Remarks. Restricted to limestone rock steppes, where it is quite common.

***Alopecosa solitaria* (Herman, 1879) [6]**

7165: Děvín 3.6.1970, 2♀, leg. et det. JB, 20.6.1995–14.11.1996, 6♂+1 juv., leg. JCH, det. ZM & JS; Dunajovické kopce 24.3.2003, 4♂, leg. JCH, det. VB, 2.4.2004, 2♀, leg. et det. JD, 2.4.2004, 1♀, leg. J. Erhart, det. VB; Svatý Kopeček 22.5.2001–28.6.2001, 2♀, leg. MHI, det. VB, 14.9.2001–22.10.2001, 26♂+2♀, leg. MHI, det. VB; Svatý Kopeček - vineyards 20.4.2001–22.10.2001, 14♂+2♀, leg. MHI, det. VB.
7166: Kinberk 28.11.2003–20.3.2004, 1♂, leg. JCH, det. VB.

Remarks. Scarce, on xerothermic habitats and surrounding vineyards.

***Alopecosa striatipes* (C. L. Koch, 1837) [4]**

7165: Dunajovické kopce 24.3.2003, 1♀, leg. JCH, det. VB, 7.6.2004–6.8.2004, 1♀, leg. SV, det. VB.

Remarks. Very rare, only in Dunajovické kopce NNM.

***Alopecosa sulzeri* (Pavesi, 1873) [27]**

7165: Děvín 1.5.1965–8.8.1966, 58♂+7♀+16 juv., leg. et det. VBu (BUKVA 1969), 26.5.1993–8.6.1993, 1♂, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 20.6.1995, 1♂, leg. JCH, det. ZM, 7.5.1996–29.5.1996, 3, leg. JCH, det. JS, 11.5.2003, 1♂, leg. JCH, det. VB, 9.5.2004, 1♂, leg. JCH, det. VB; Mikulov Y. 1929, leg. Banks, det. J. Baum (BAUM 1929).

7166: Milovický les 7.6.1994, 7♂, leg. JCH, det. JS.

Remarks. Rare, in limestone rock steppe and the southern edge of oak forest.

***Alopecosa trabalis* (Clerck, 1757) [62]**

7065: Kolby 12.6.2004–25.8.2004, 2 juv., leg. SV, det. VB.

7165: Děvín 7.5.1996–29.5.1996, 1♂, leg. JCH, det. JS; Kotel 12.9.2003, 1 juv., leg. JCH, det. VB.

7166: Bulhary 29.5.1957, 1♂, leg. J. Růžička, det. JB, 25.5.1968, 1♂, leg. J. Růžička, det. JB; Kinberk 19.5.2004–23.6.2004, 2♂, leg. JCH, det. VB; Milovická stráň 3.4.2004, 1♂+1♀, leg. M. Jarab, det. JS, 16.6.2004, 3 juv., leg. et det. JS; Milovický les 14.5.2003, 1♂, leg. JCH, det. VB.

7266: Mušlov - sand pit 15.4.2003–26.5.2003, 1♀, leg. JCH, det. VB; Skalky 5.4.2003–26.5.2003, 6♂+1♀+1 juv., leg. JCH, det. VB, 22.5.2003, 1♀, leg. et det. VB, 22.5.2003, 1♂, leg. et det. JS; Slanisko u Nesytu 1.10.1993, 19 juv., leg. JCH, det. JS.

7267: Boří les - sand 27.5.2003–28.6.2003, 9♂+1♀, leg. JCH, det. VB, 28.6.2003–21.7.2003, 1♀, leg. JCH, det. VB.

Remarks. Scarce, on various xerothermic habitats, often at forest edges.

***Arctosa figurata* (Simon, 1876) [28]**

7267: Boří les - sand 27.5.2003–28.6.2003, 1♀, leg. JCH, det. VB, 28.6.2003–24.7.2003, 1♂+1♀, leg. JCH, det. VB.

Remarks. Rare, only in sandy, open part of Boří les in pitfall traps.

***Arctosa leopardus* (Sundevall, 1833) [40]**

7166: Bulhary 1.6.1968, 1♂, leg. J. Růžička, det. JB; Křivé jezero 25.4.1997–15.8.2001, 6♂+1♀+1 juv., leg. JCH & HF, det. VB, 4.4.2004, 1 juv., leg. P. Vaňhara, det. VB; Lednický park 23.5.2003, 1♂, leg. et det. ZM; VDNM III - reedswamp 19.3.2004, 1 juv., leg. JCH, det. VB.

7168: Očovské louky 31.5.2002, 1♀, leg. et det. VB.

7265: Šibeník 30.3.2004, 2 juv., leg. JCH, det. VB.

7266: Lednické rybníky 13.5.1999–14.11.1999, 1 ex., leg. et det. MH; Mušlovské rybníky 25.4.2003, 1 juv., leg. JCH, det. VB; Nesyt 13.6.1961, 1♂+2♀, leg. et det. JB, Y. 1969, 33 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975a); Prostřední rybník 30.6.1961, 6♀, leg. et det. JB, 3.8.2003, 1 juv., leg. et det. VB; Rendezvous - fishpond 24.5.2003, 1♂+1♀, leg. M. Jarab, det. JS; Slanisko u Nesytu 20.5.1993–3.6.1993, 4♂+6♀+1 juv., leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 20.3.2003–24.4.2003, 5 juv., leg. JCH, det. VB, 22.5.2003, 1♂, leg. et det. VB, 22.5.2003, 1♀, leg. et det. PK.

7267: Boří les 15.5.2004, 1 juv., leg. JCH, det. VB.

7367: Soutok 25.4.2004, 1♀, leg. JCH, det. VB.

Remarks. Quite common, in open, very wet and flooded habitats.

***Arctosa perita* (Latreille, 1799) [9]**

7168: Mikulčice - museum 29.5.2002, 1♀, leg. et det. VB.

7266: Mušlov - sand pit 19.10.2003, 1 juv., leg. et det. JD.

Remarks. Rare, only in two open sandy habitats.

***Aulonia albimana* (Walckenaer, 1805) [146]**

7065: Kolby 16.5.2004–12.6.2004, 4♂+1♀, leg. SV, det. VB.

7165: Děvín 28.5.1966–12.6.1966, 1♂, leg. et det. VBU (BUKVA 1969); Dolní Věstonice - Kalendář věků 14.6.2003, 1♂, leg. JCH, det. VB; Dolní Věstonice - trench 24.6.2003, 1 juv., leg. JCH, det. VB; Dunajovické kopce 24.3.2003, 1 juv., leg. JCH, det. VB, 22.5.2003, 1 juv., leg. et det. VB, 22.5.2003, 1♂+1♀, leg. et det. JS, 2.4.2004, 1 juv., leg. et det. ZM, 2.4.2004, 1 juv., leg. et det. VB, 2.4.2004, 1 juv., leg. P. Vaňhara, det. VB, 16.5.2004–28.5.2004, 1♂, leg. SV, det. VB; Kočičí skála 6.6.1996–11.6.1996, 3♂, leg. J. Matuška, det. VB (ŘEZÁČ & BRYJA 2002), 17.10.2003, 3 juv., leg. et det. VB; Mikulov 15.8.2003, 1♂, leg. JCH, det. VB; Pavlovské vrchy Y. 1929, leg. et det. J. Kratochvíl (KRATOCHVÍL 1933); Svatý Kopeček 22.5.2001–16.8.2001, 1♂+3♀, leg. MHI, det. VB; Svatý Kopeček - vineyards 22.5.2001–28.6.2001, 1♂, leg. MHI, det. VB; Tabulová 29.9.2003, 1 juv., leg. JCH, det. VB; VDNM II 1.4.2004, 1 juv., leg. JCH, det. VB.

7166: Kinberk 5.8.2003–23.6.2004, 5♂+5 juv., leg. JCH, det. VB; Křivé jezero 9.8.1998–31.8.1998, 1♀, leg. JCH & HF, det. VB; Lednice-Podivín, doubrava 20.5.1958, 1♂+1♀, leg. et det. FM (MILLER 1959), 15.8.1958, 1♀, leg. et det. FM (MILLER 1959); Milovice - trench 13.6.2003, 2♀, leg. JCH, det. VB, 15.6.2003, 2♂+2♀,

leg. JCH, det. VB, 20.6.2003, 1♀, leg. JCH, det. VB; Milovická stráň 1.8.2003, 1 juv., leg. et det. VB, 3.4.2004, 1 juv., leg. A. Konečný, det. VB, 3.4.2004, 1 juv., leg. P. Vaňhara, det. VB, 3.4.2004, 2♂, leg. M. Jarab, det. JS, 16.6.2004, 1♀+1 juv., leg. et det. JS; Milovický les 7.6.1994–21.6.1994, 1♀, leg. JCH, det. JS.
 7266: Kameníky 28.5.2003, 1♀, leg. JCH, det. VB; Mušlov - sand pit 15.4.2003–26.5.2003, 2♂, leg. JCH, det. VB, 1.8.2003, 1♂, leg. et det. VB, 19.10.2003, 1 juv., leg. et det. VB; Skalky 30.4.2003, 2 juv., leg. et det. VB, 5.4.2003–5.5.2003, 1 juv., leg. JCH, det. VB, 22.5.2003, 2♀, leg. et det. VB, 22.5.2003, 1♀, leg. et det. VR, 22.5.2003, 1♂+1♀, leg. et det. JS, 22.5.2003, 2♀, leg. et det. ZM, 5.5.2003–26.5.2003, 6♂, leg. JCH, det. VB, 1.6.2003, 1♀, leg. JCH, det. VB, 3.8.2003, 1♀, leg. et det. PK, 16.10.2003, 1 juv., leg. et det. VB, 3.4.2004, 1 juv., leg. M. Jarab, det. JS, 3.4.2004, 1 juv., leg. P. Vaňhara, det. VB, 3.4.2004, 1 juv., leg. et det. ZM, 3.4.2004, 3 juv., leg. E. Svatoňová, det. JS, 15.5.2004, 1 juv., leg. et det. JS; Slanisko u Nesytu 20.5.1993–3.6.1993, 95♂+17♀+4 juv., leg. JCH, det. JS (MAJKUS & SVATOŇ 1995).
 7267: Boří les 13.5.2003, 2♂, leg. JCH, det. VB, 17.5.2004, 3♂+3♀, leg. et det. JS; Boří les - sand 8.6.2003–24.7.2003, 22♂+7♀, leg. JCH, det. VB; Lanžhot - Bačovská 31.5.2002, 1♀, leg. et det. JS.
 7367: Ranšpurk 25.6.1993, 24.5.1994, 9♂+3♀, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 24.5.1995–19.6.1995, 1♂, leg. JCH, det. JS (FOJTOVÁ 2003).

Remarks. Very common, in various habitats.

Hygrolycosa rubrofasciata (Ohlert, 1865) [20]

7168: Očovské louky 31.5.2002, 1 juv., leg. et det. VB.
 7367: Ranšpurk 12.4.1996–3.5.1996, 1♀, leg. JCH & HF, det. JS (FOJTOVÁ 2003).

Remarks. Very rare, only two specimens found – one in Očovské louky wet meadow and one in Ranšpurk floodplain forest.

Lycosa singoriensis (Laxmann, 1770) [23]

7167: Podivín Y. 1931, leg. F. Valoušek, det. J. Kratochvíl (KRATOCHVÍL 1932b).
 7267: Břeclav Y. 1924, leg.?, det. J. Kratochvíl (KRATOCHVÍL 1951), Y. 1930, leg. Dočkal, det. J. Kratochvíl (KRATOCHVÍL 1932b).

Remarks. Extinct; this species expanded in Moravia in the 1930's, when it was also found near Podivín and Břeclav (KRATOCHVÍL 1932); it then disappeared from all localities in the 1950's. This leads us to believe that *Lycosa singoriensis* is extinct in the Pálava region. However, it has recently been reported that, in a few southern Moravia localities, *Lycosa radiata*, a thoroughgoing and closely related wolf spider, has occurred.. It is possible that *L. radiata* has recently expanded, in a similar fashion to *L. singoriensis* in the 1930's. The occurrence of *L. radiata* in Pálava region thus cannot be completely excluded.

Pardosa agrestis (Westring, 1861) [70]

7165: Kočičí skála 6.6.1996–11.6.1996, 1♂+1♀, leg. J. Matuška, det. VB (ŘEZÁČ & BRYJA 2002); Mikulov 15.8.2003, 1♂, leg. JCH, det. VB; Soutěska 3.8.1995, 1♀, leg. et det. VB; Svatý Kopeček - vineyards 20.4.2001–16.8.2001, 8♂+11♀, leg. MHL, det. VB; Tabulová 29.9.2003, 1♀, leg. JCH, det. JB; VDNM II 27.7.1976, 1♂, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996).
 7166: Křivé jezero 25.4.1997–15.8.2001, 138♂+64♀+13 juv., leg. JCH & HF, det. VB & JS, 1.8.2003, 1♂, leg. et det. VB; Lednice 25.6.1959, 1♂, leg. et det. E. Žďárková, 26.7.1960, 1♀, leg. et det. JB; Pastvisko 2.8.2003,

1♀, leg. et det. PK, 2.8.2003, 1♂+1♀, leg. VB, det. JB.
 7266: Rendezvous 24.5.2003, 1♂, leg. M. Jarab, det. JS; Slanisko u Nesytu 22.5.2003, 1♀, leg. M. Jarab, det. JS, 22.5.2003, 1♂, leg. E. Svatoňová, det. JS, 22.5.2003, 1♀, leg. et det. PK, 22.5.2003, 1♀, leg. M. Jarab, det. JS, 22.5.2003, 2♂+2♀, leg. et det. ZM, 22.5.2003, 1♂+1♀, leg. et det. JB; Výtopa 10.5.2003, 1♂+1♀, leg. JCH, det. VB.
 7267: Boří les - sand 27.5.2003–28.6.2003, 1♂, leg. JCH, det. VB, 27.5.2003–28.6.2003, 3♀, leg. JCH, det. JB, 28.6.2003–21.7.2003, 1♂, leg. JCH, det. VB; Pohansko 25.5.2003, 1♂, leg. et det. VB.

Remarks. Common, in various open habitats (meadows, vineyards, steppes).

***Pardosa agricola* (Thorell, 1856) [0]**

7065: VDNM II - Šmardův ostrov Y. 1996, 200 ex., leg. et det. IV (VALÍČKOVÁ 1998), Y. 1998, 3 ex., leg. et det. IV (VALÍČKOVÁ 1998).

Remarks. *P. agricola*, until now not known from the Czech Republic (BUCHAR & RŮŽIČKA 2002), was reported by I. Valíčková (VALÍČKOVÁ 1998) from the banks of VDNM II reservoir. Because voucher material is not available and members of *P. agrestis* group (to which *P. agricola* belongs) are often confused, we consider this species probably misidentified.

***Pardosa alacris* (C. L. Koch, 1833) [57]**

7065: Kolby 16.5.2004–12.6.2004, 10♂+15♀, leg. SV, det. VB.
 7165: Děvín 20.6.1995–21.6.1996, 6♂, leg. JCH, det. JS, 23.5.2003, 1♂+4♀, leg. E. Svatoňová, det. JS, 24.5.2003, 1♂, leg. et det. ZM; Děvín-Kotel-Soutěska 5.5.1974, 1♂, leg. et det. VR; Dunajovické kopce 9.5.2004, 1♂+1♀, leg. SV, det. VB; Svatý Kopeček 20.4.2001–16.8.2001, 8♂+2♀, leg. MHL, det. VB; Svatý Kopeček - vineyards 20.4.2001–22.5.2001, 2♂+1♀, leg. MHL, det. VB, 22.5.2001–28.6.2001, 2♂+1♀, leg. MHL, det. VB; Tabulová 4.4.1998–29.5.1998, 3♂, leg. VR & P. Antuš, det. VR; Turold 1.5.2003, 2♂, leg. JCH, det. VB; VDNM II - Pisky 25.5.2004, 2♂+1♀, leg. JCH, det. VB.
 7166: Bulhary 20.5.1968, 8♂, leg. J. Růžička, det. JB; Kinberk 20.3.2004–20.5.2004, 1♂, leg. JCH, det. VB, 19.5.2004–23.6.2004, 3♂, leg. JCH, det. VB; Lednický park 23.5.2003, 1♂+1♀, leg. E. Svatoňová, det. JS; Milovický les 7.6.1994–29.10.1994, 53♂+70♀+76 juv., leg. JCH, det. JS, 16.4.2004, 1♂, leg. JCH, det. VB.
 7266: Hlohovecký rybník 23.5.1999, 1♂, leg. et det. LK; Rendezvous 13.6.2004–23.6.2004, 6♂+17♀+8 juv., leg. JCH, det. VB; Slanisko u Nesytu 22.5.2003, 1♀, leg. et det. JS.
 7267: Boří les 24.5.2003, 1♂, leg. et det. ZM, 15.5.2004, 1♂, leg. JCH, det. VB; Boří les - pool 24.5.2003, 1♂, leg. et det. VB; Boří les - sand 24.5.2003, 1♂+1♀, leg. et det. VB, 27.5.2003–28.9.2003, 16♂+3♀, leg. JCH, det. VB.
 7367: Ranšpurk 19.4.1995–24.5.1995, 1♂, leg. JCH, det. JS (FOJTOVÁ 2003).

Remarks. Common, in open and usually dry habitats.

***Pardosa amentata* (Clerck, 1757) [259]**

7065: confluence of Svatka and Jihlava 30.5.1980, 1♂, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996); Pasohlávky 7.9.1994, 1 juv., leg. H. Hiršová, det. VB (HIRŠOVÁ 1996); VDNM II - Šmardův ostrov Y. 1996, 2 ex., leg. et det. IV (VALÍČKOVÁ 1998), Y. 1998, 3 ex., leg. et det. IV (VALÍČKOVÁ 1998); Vranovice Y. 1929, leg. et det. J. Kratochvíl (KRATOCHVÍL 1933).
 7165: Děvín - north 23.5.2003, 1♀, leg. et det. VB; Dunajovický potok 2.4.2004, 1 juv., leg. et det. JS; Mikulov 14.4.2003, 6♂, leg. JCH, det. VB.

7166: Křivé jezero 28.9.1993–12.9.2001, 259♂+123♀+5 juv., leg. JCH & HF, det. VB & JS; Lednický park 25.5.1983, 2♀, leg. et det. K. Absolon; Milovický les 3.4.2004, 2 juv., leg. E. Svatoňová, det. JS; Pastvisko 25.8.1976, 1 juv., leg. H. Híršová, det. VB (HÍRŠOVÁ 1996).
 7266: Hlohovecký rybník Y. 1996, 1 ex., leg. T. Grim, det. VB (GRIM 1997); Mušlovské rybníky 4.4.2004, 1 juv., leg. et det. VB; Slanisko u Nesytu 20.5.1993–3.6.1993, 1♂, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 1.4.2004, 3 juv., leg. et det. JS.
 7267: Boří les - pool 24.5.2003, 2♀, leg. et det. VB; Břeclav Y. 1929, leg. et det. J. Kratochvíl (KRATOCHVÍL 1933); Lanžhot - dead arms 2.6.2002, 3♀, leg. et det. PK.
 7367: Soutok - Sekulská Morava 15.5.2004, 1♂+1♀, leg. JCH, det. VB.

Remarks. Common, in wet meadows, gardens and pond banks.

***Pardosa bifasciata* (C. L. Koch, 1834) [37]**

7165: Tabulová 28.5.1966–12.6.1966, 2♂, leg. et det. VBU (BUKVA 1969), 12.6.1966–9.7.1966, 1♂, leg. et det. VBU (BUKVA 1969).
 7166: Milovická stráň 1.8.2003, 1♀, leg. et det. VB.
 7266: Mušlov - sand pit 15.4.2003–26.5.2003, 1♂, leg. JCH, det. VB; Skalky 22.5.2003, 1♂, leg. et det. VB, 22.5.2003, 1♂, leg. et det. JS, 22.5.2003, 2♂, leg. et det. ZM, 22.5.2003, 2♂, leg. et det. JB, 5.5.2003–26.5.2003, 2 juv., leg. JCH, det. VB, 1.6.2003, 1 juv., leg. JCH, det. VB, 3.8.2003, 1♀, leg. et det. PK, 3.8.2003, 1♀, leg. et det. VB.
 7267: Boří les - sand 27.5.2003–20.8.2003, 34♂+10♀, leg. JCH, det. VB.

Remarks. Quite common, in grass of steppes.

***Pardosa fulvipes* (Collett, 1876) [0]**

7268: Stibůrkovská jezera 29.5.2002, 1♀, leg. et det. JS, redet. Peter Gajdoš.

Remarks. Very rare, one female found by J. Svatoň in meadow of Stibůrkovská jezírka NR. The determination was confirmed by comparison with females provided by T. Kronstedt. NEW SPECIES FOR THE CZECH REPUBLIC.

***Pardosa hortensis* (Thorell, 1872) [37]**

7065: Pouzdřanská step-Kolby Y. 1929, leg. et det. J. Kratochvíl (KRATOCHVÍL 1933).
 7165: Děvín 11.5.2003, 1♂, leg. JCH, det. VB; Mikulov 17.4.2004, 1♂, leg. JCH, det. VB, 16.5.2004, 3♂, leg. JCH, det. VB; Svatý Kopeček 20.4.2001–22.5.2001, 3♂+1♀, leg. MHL, det. VB, 28.6.2001–16.8.2001, 1♀, leg. MHL, det. VB; Svatý Kopeček - vineyards 20.4.2001–16.8.2001, 191♂+85♀, leg. MHL, det. VB; Tuřold 23.5.2003, 1♂, leg. et det. ICH.
 7166: Bulhary 31.5.1968, 3♂, leg. J. Růžička, det. JB; Kinberk 3.9.2003, 1♀, leg. JCH, det. VB, 4.4.2004, 1♂, leg. et det. PK, 20.3.2004–20.5.2004, 27♂+8♀, leg. JCH, det. VB, 19.5.2004–23.6.2004, 2♀, leg. JCH, det. VB; Lednický park 23.5.2003, 1♂, leg. et det. ICH; Milovický les 14.5.2003, 1♀, leg. JCH, det. VB, 23.5.2003, 1♀, leg. et det. ZM.
 7168: Moravská Nová Ves - old vineyard 29.5.2002, 1♀, leg. et det. JS, 29.5.2002, 1♀, leg. et det. VB.
 7266: Mušlov - sand pit 21.5.2003, 1♀, leg. M. Jarab, det. JS, 21.5.2003, 2♀, leg. et det. VB; Rendezvous 24.5.2003, 3♀, leg. M. Jarab, det. JS.
 7267: Boří les 24.5.2003, 2♀, leg. et det. ZM; Boří les - sand 27.5.2003–24.7.2003, 1♂+3♀, leg. JCH, det. VB.

Remarks. Common, in dry open habitats, often in vineyards.

***Pardosa lugubris* (Walckenaer, 1802) [234]**

7065: VDNM II - Šmardův ostrov Y. 1996, 4 ex., leg. et det. IV (VALÍČKOVÁ 1998), Y. 1998, 3 ex., leg. et det. IV (VALÍČKOVÁ 1998).
 7165: Děvín 13.5.1993–8.6.1993, 2♂, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995); Dunajovické kopce 9.5.2004–28.5.2004, 8♂+3♀, leg. SV, det. VB, 28.5.2004–7.6.2004, 42♂+3♀, leg. SV, det. VB; Klentnický potok 22.4.2004, 1♂+1♀, leg. JCH, det. VB; Kočičí skála 6.6.1996–11.6.1996, 20♂+12♀, leg. J. Matuška, det. VB (ŘEZÁČ & BRYJA 2002); Svatý Kopeček 14.5.2004, 1♂, leg. et det. JS; Tabulová 1.6.1997–10.7.1997, 1♂, leg. VR & P. Antuš, det. VR.
 7166: Bulhary 20.5.1968, 3♂, leg. J. Růžička, det. JB; Horní les Y. 1971, 1 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 1 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1991, leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995); Kinberk 19.5.2004–23.6.2004, 6♂, leg. JCH, det. VB; Krivé jezero 25.4.1997–18.6.2001, 18♂+3♀, leg. JCH & HF, det. VB & JS, 3.6.2003, 1♂, leg. JCH, det. VB; Lednice 25.6.1959, 3♀, leg. et det. E. Žďárková; Lednice-Podivín, doubrava 20.5.1958, 4♂+6♀, leg. et det. FM (MILLER 1959), 30.6.1958, 7♂+4♀, leg. et det. FM (MILLER 1959); Lednický park 25.5.1983, 1♂+3♀, leg. et det. K. Absolon, 23.5.2003, 1♂+2♀, leg. et det. VB, 23.5.2003, 3♂, leg. et det. JB, 23.5.2003, 1♂+1♀, leg. et det. ZM, 23.5.2003, 1♂, leg. et det. ICH; Milovická stráň 16.6.2004, 1♂, leg. et det. JS; Milovický les 23.5.2003, 7♀, leg. et det. ZM.
 7168: Mikulčice - museum 29.5.2002, 1♀, leg. et det. VB.
 7266: Mušlov 1.10.1997, 3♀, leg. J. Matuška, det. VB; Mušlov - sand pit 21.5.2003, 1♀, leg. et det. PK; Rendezvous 2.6.2002, 1♀, leg. et det. PK; Skalky 5.4.2003–5.5.2003, 1♂, leg. JCH, det. VB, 22.5.2003, 1♀, leg. et det. ZM; Slanisko u Nesytu 20.5.1993–3.6.1993, 2♂, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 1.10.1993, 3♀, leg. JCH, det. JS.
 7267: Boří les 24.5.2003, 1♂+1♀, leg. M. Jarab, det. JS, 24.5.2003, 1♂, leg. et det. ICH, 24.5.2003, 2♀, leg. et det. ZM, 17.5.2004, 5♂+3 juv., leg. et det. JS; Boří les - sand 27.5.2003–28.6.2003, 1♂, leg. JCH, det. VB; Kančí obora Y. 1969, 15 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975b); Lanžhot - Bačovská 31.5.2002, 1♀, leg. et det. JS, 27.5.2003–2.6.2003, 1♂+21♀, leg. et det. JS.
 7268: Stibůrkovská jezera 29.5.2002, 1♀, leg. et det. JS.
 7367: Ranšpurk 25.6.1993–12.9.2001, 485♂+248♀+38 juv., leg. JCH & HF, det. VB (FOJTOVÁ 2003); Soutok Y. 1991, 18 ex., leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995).

Remarks. Very common, in various habitats, but usually in forests. Older material can also include sibling species *P. alacris*. Recently some specimens from floodplain forest (Ranšpurk) were redetermined to exclude the occurrence of *P. baehrorum* Kronstedt, 1994 that had been described from floodplain forests near Vienna in Austria. Unfortunately, all specimens examined were *P. lugubris*.

***Pardosa maisa* Hippa et Mannila, 1982 [1]**

7266: Lednické rybníky 1.5.1996–1.5.1998, 1 ex., leg. et det. MH; Nesyt 12.8.1969, 1♂+3 juv., leg. R. Obrtel, det. JB (MILLER & OBRTEL 1975a, sub. *Pardosa* sp., MILASOWSKY et al 1999); Slanisko u Nesytu 20.5.1993, 10♂, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 20.3.2003–24.4.2003, 1♀, leg. JCH, det. VB, 22.5.2003, 1♀, leg. et det. JB.

Remarks. Very rare, found in the CR in only one locality that takes in Slanisko u Nesytu salt marsh and reed vegetation surrounding the Nesyt pond. Despite the fact that many individuals were obtained by pitfall trapping in 1993, *P. maisa* now appears very rare at this locality; in May 2003 twelve leading Czech arachnologists took more than two hours to capture one female.

***Pardosa monticola* (Clerck, 1757) [56]**

7165: Děvín 20.6.1995, 1♂, leg. JCH, det. JS.

7267: Boří les 24.5.2003, 1♀, leg. et det. PK; Boří les - pool 24.5.2003, 1♀, leg. et det. ICH.

Remarks. Very rare, in open habitats.

***Pardosa nebulosa* (Thorell, 1872) [0]**

7065: VDNM II - Šmardův ostrov Y. 1996, 5 ex., leg. et det. IV (VALÍČKOVÁ 1998).

Remarks. *P. nebulosa* occurs in south-eastern Europe and has been found in nearby Slovakia. Although its occurrence in the Pálava region cannot be excluded, without voucher material we cannot accept the finding of I. Valíčková (VALÍČKOVÁ 1998) from the banks of VDNM II. At this stage, we therefore consider *P. nebulosa* problematic and not a member of arachnofauna of the Pálava region.

***Pardosa nigriceps* (Thorell, 1856) [30]**

7166: Křivé jezero 23.3.1998–3.5.1998, 1♂, leg. JCH & HF, det. VB.

7266: Nesyt 6.5.1987, 1♀, leg.?, det. VB.

7267: Kančí obora Y. 1969, 2 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975b).

Remarks. Rare, in the Pálava region in open wet habitats.

***Pardosa paludicola* (Clerck, 1757) [47]**

7065: Vranovice Y. 1929, leg. et det. J. Kratochvíl (KRATOCHVÍL 1933).

7166: Bulhary 31.5.1968, 1♀, leg. J. Růžička, det. JB.

7266: Nesyt 15.6.1962, 1♀, leg. et det. JB, Y. 1969, 37 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975a), 7.5.1987, 1♂+3♀, leg.?, det. VB; Prostřední rybník 26.6.1959, 3♀, leg. et det. JB; Slanisko u Nesytu 20.5.1993–3.6.1993, 20♂+17♀, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 13.4.2003, 3♂+6♀, leg. JCH, det. VB, 20.3.2003–24.4.2003, 3♀, leg. JCH, det. VB, 22.5.2003, 1♀, leg. et det. VB, 22.5.2003, 4♀, leg. E. Svatoňová, det. JS, 22.5.2003, 1♀, leg. M. Jarab, det. JS, 22.5.2003, 2♀, leg. et det. PK, 22.5.2003, 4♀, leg. et det. ZM, 22.5.2003, 1♀, leg. et det. JB, 22.5.2003, 1♀, leg. et det. ZM, 15.5.2004, 3♀, leg. et det. JS.

7267: Boří les - sand 28.6.2003–24.7.2003, 1♀, leg. JCH, det. VB; Břeclav Y. 1929, leg. et det. J. Kratochvíl (KRATOCHVÍL 1933); Pohansko 25.5.2003, 1♀, leg. et det. VB.

7268: Stibůrkovská jezera 29.5.2002, 2♀, leg. et det. VB.

7367: Košárské louky 23.4.2004, 1♀, leg. JCH, det. VB; Soutok 10.4.2003, 1♀, leg. JCH, det. VB.

Remarks. Quite common, in wet meadows and marshy pond margins.

***Pardosa palustris* (Linné, 1758) [157]**

7165: Tabulová 1.5.1965–23.7.1966, 60♂+18♀+10 juv., leg. et det. VBu (BUKVA 1969).

7166: Křivé jezero 3.5.1998–18.6.1998, 2♂+2♀, leg. JCH & HF, det. VB; Lednice-Podivín, doubrava 25.6.1959, 1♂, leg. et det. E. Žďárková; Lednický park 25.5.1983, 3♂+1♀, leg. et det. K. Absolon, 23.5.2003, 1♂, leg. et det. ICH.

7168: Mikulčice - museum 29.5.2002, 1♀, leg. et det. VB.
7266: Slanisko u Nesytu 22.5.2003, 1♂+1♀, leg. et det. VB, 22.5.2003, 3♂, leg. et det. JB, 5.5.2004, 1♂+1 juv., leg. et det. V. Hula.

Remarks. Scarce, in meadows.

***Pardosa prativaga* (L. Koch, 1870) [115]**

7065: Betlém 12.6.1997, 1♀, leg. J. Bašta, det. VB; confluence of Svratka and Jihlava 30.5.1980, 1♂, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996), 30.5.1980, 2♂, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996); VDNM II - Šmardův ostrov Y. 1998, 1 ex., leg. et det. IV (VALÍČKOVÁ 1998).
7165: Děvín 23.8.1965–27.9.1965, 1♀, leg. et det. VBu (BUKVA 1969); Tabulová 28.6.1965–12.7.1965, 1♂+1♀, leg. et det. VBu (BUKVA 1969), 14.5.1966–28.5.1966, 1♀, leg. et det. VBu (BUKVA 1969); VDNM II 9.6.1980, 1♀, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996).
7166: Horní les Y. 1972, 9 ex., leg. JK, det. FM (KŘÍSTEK 1980); Křivé jezero 28.9.1993–12.9.2001, 568♂+148♀+1 juv., leg. JCH & HF, det. VB & JS, 1.8.2003, 2♀, leg. et det. JD; Květné jezero 10.6.2003, 1♀, leg. JCH, det. VB; Lednický park 23.5.2003, 1♀, leg. M. Jarab, det. JS; Nejde 17.7.1996, 1♀, leg. et det. VR; Pastvisko 30.5.1997, 1♀, leg. et det. MH, 24.5.2003, 1♂, leg. et det. VB.
7266: Hlohovecký rybník Y. 1996, 1 ex., leg. T. Grim, det. VB (GRIM 1997), 3.6.2003, 1♂, leg. JCH, det. VB; Lednické rybníky 1.5.1996–1.5.1998, 28 ex., leg. et det. MH; Nesyt Y. 1969, 91 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975a), Y. 1969, 250 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975a), Y. 1969, 250 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975a), 9.6.1988, 1♀, leg.?, det. VB, 1.6.2003, 1♀, leg. JCH, det. VB, 22.5.2004, 1♀, leg. JCH, det. VB, 22.6.2004, 2♀, leg. JCH, det. VB; Rendezvous - fishpond 24.5.2003, 1♂+1♀, leg. et det. VB; Slanisko u Nesytu 20.5.1993–3.6.1993, 35♂+11♀+2 juv., leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 20.3.2003–24.4.2003, 1♀, leg. JCH, det. VB, 22.5.2003, 4♂+2♀, leg. et det. PK, 22.5.2003, 3♂+4♀, leg. et det. VB, 22.5.2003, 2♂+3♀, leg. et det. JS, 22.5.2003, 1♀, leg. M. Jarab, det. JS, 22.5.2003, 11♀, leg. et det. JB, 22.5.2003, 2♂+13♀, leg. et det. ZM, 3.8.2003, 1♀, leg. et det. PK, 15.5.2004, 3♀, leg. et det. JS; Výtopa 10.5.2003, 2♂+1♀, leg. JCH, det. VB.
7267: Boří les 24.5.2003, 1♂+1♀, leg. et det. PK; Boří les - pool 24.5.2003, 3♂+1♀, leg. et det. VB, 24.5.2003, 2♀, leg. et det. ICH; Boří les - sand 27.5.2003–28.6.2003, 1♂, leg. JCH, det. VB, 28.6.2003–24.7.2003, 1♀, leg. JCH, det. VB; Kančí obora Y. 1969, 1 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975b); Lanžhot - dead arms 28.5.2002, 2♂, leg. et det. VB.
7268: Stibůrkovská jezera 29.5.2002, 1♂+2♀, leg. et det. VB, 29.5.2002, 1♂, leg. et det. JS.
7367: Ranšpurk 25.6.1993–9.7.1993, 12♂+4♀, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995); Soutok 26.8.1997, 1♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002).

Remarks. Very common, in wet habitats.

***Pardosa pullata* (Clerck, 1757) [227]**

7166: Horní les Y. 1972, 1 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1991, leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995); Křivé jezero 8.7.1998–9.8.1998, 1♂, leg. JCH & HF, det. VB; Pastvisko 23.5.2003, 1♀, leg. et det. ICH.
7266: Lednické rybníky 1.5.1996–1.5.1998, 2 ex., leg. et det. MH; Nesyt 9.6.1988, 1♀, leg.?, det. VB; Rendezvous - fishpond 24.5.2003, 1♂+1♀, leg. M. Jarab, det. JS; Slanisko u Nesytu 22.5.2003, 1♂, leg. et det. VB, 22.5.2003, 3♂+1♀, leg. et det. ZM, 5.5.2004, 4♂, leg. et det. V. Hula.
7267: Kančí obora Y. 1969, 1 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975b).

Remarks. Scarce, in wet meadows and marshy pond margins.

***Pardosa riparia* (C. L. Koch, 1833) [82]**

7165: Děvín 17.5.1965–28.5.1966, 2♂+2 juv., leg. et det. VBU (BUKVA 1969).
 7166: Bulhary 17.6.1957, 1♂, leg. et det. JB; Kinberk 18.6.2003, 1♀, leg. JCH, det. VB.
 7267: Boří les - sand 27.5.2003–28.6.2003, 5♂, leg. JCH, det. VB, 28.6.2003–24.7.2003, 1♂+1♀, leg. JCH, det. VB, 24.7.2003–20.8.2003, 1♀, leg. JCH, det. VB.

Remarks. Rare, in grassy steppes.

***Pirata hygrophilus* Thorell, 1872 [192]**

7065: Pasohlávky 7.9.1994, 1♀, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996); VDNM II - Šmardův ostrov Y. 1997, 2 ex., leg. et det. IV (VALÍČKOVÁ 1998), Y. 1998, 1 ex., leg. et det. IV (VALÍČKOVÁ 1998).
 7165: Dunajovický potok 2.4.2004, 2 juv., leg. P. Vaňhara, det. VB; Klentnický potok 3.4.2004, 1 juv., leg. M. Jarab, det. JS, 23.4.2004, 1 juv., leg. JCH, det. VB.
 7166: Horní les Y. 1971, 8 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1991, leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995); Křivé jezero 25.4.1997–19.10.2001, 147♂+43♀+14 juv., leg. JCH & HF, det. VB, 29.5.2003, 1♀, leg. JCH, det. VB, 2.6.2003, 1♂, leg. JCH, det. VB, 1.8.2003, 1♀, leg. et det. VB; Pastvisko 23.5.2003, 1♀, leg. et det. PK.
 7266: Hlohovec 23.8.2002, 1♀, leg. et det. JD; Hlohovecký rybník Y. 1996, 1 ex., leg. T. Grim, det. VB (GRIM 1997); Lednické rybníky 1.5.1996–1.5.1998, 31 ex., leg. et det. MH; Mušlovské rybníky 19.10.2003, 1♀, leg. J. Erhart, det. VR; Nesyt 22.8.2003, 1♀, leg. JCH, det. VB; Slanisko u Nesytu 20.5.1993, 1♂+1 juv., leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 22.5.2003, 1♀, leg. et det. VB.
 7267: Kančí obora Y. 1969, 250 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975b), Y. 1969, 24 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975b); Lanžhot 5.6.1996, 1♀, leg. et det. VR; Lanžhot - Bačovská 27.5.2003–2.6.2003, 1♂, leg. et det. JS; Lanžhot - dead arms 28.5.2002, 2♀, leg. et det. VB.
 7268: Stibůrkovská jezera 29.5.2002, 1♂+4 juv., leg. et det. JS; Týnecký les 29.5.2002, 3 juv., leg. et det. JS.
 7367: Ranšpurk 25.6.1993–10.12.2001, 944♂+353♀+351 juv., leg. JCH & HF, det. VB & JS (FOJTOVÁ 2003); Soutok Y. 1991, 698 ex., leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995), 26.8.1997, 5♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002); Soutok - Sekulská Morava 15.5.2004, 1♂+1♀, leg. JCH, det. VB.

Remarks. Very common, in various wet habitats; for example, very abundant in floodplain forests.

***Pirata latitans* (Blackwall, 1841) [117]**

7166: Horní les Y. 1971, 2 ex., leg. JK, det. FM (KŘÍSTEK 1980); Křivé jezero 22.5.1997–18.6.2001, 5♂, leg. JCH & HF, det. VB; Lednice-Podivín, doubrava 25.6.1959, 1♀, leg. et det. E. Žďárková, 25.6.1959, 1♂, leg. et det. E. Žďárková.
 7266: Lednické rybníky 1.5.1996–1.5.1998, 6 ex., leg. et det. MH; Nesyt Y. 1969, 133 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975a), Y. 1969, 200 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975a), 22.5.2004, 2♂, leg. JCH, det. VB; Slanisko u Nesytu 20.5.1993–3.6.1993, 13♂+6♀+1 juv., leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 22.5.2003, 1♀, leg. et det. VB, 22.5.2003, 1♀, leg. M. Jarab, det. JS, 22.5.2003, 1♀, leg. et det. JS, 22.5.2003, 2♀, leg. et det. PK, 22.5.2003, 1♀, leg. et det. PK, 22.5.2003, 1♀, leg. et det. JB.
 7267: Boří les - pool 24.5.2003, 1♀, leg. et det. VB.
 7268: Stibůrkovská jezera 29.5.2002, 1♀, leg. et det. VB.
 7367: Ranšpurk 25.6.1993–9.7.1993, 4♂, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995).

Remarks. Common, in wet meadows and pond margins.

***Pirata piraticus* (Clerck, 1757) [118]**

7065: confluence of Svratka and Jihlava 30.5.1980, 1♂, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996); VDNM II - Šmardův ostrov Y. 1996, 1 ex., leg. et det. IV (VALÍČKOVÁ 1998), Y. 1998, 4 ex., leg. et det. IV (VALÍČKOVÁ 1998).

7165: VDNM II 22.6.1983, 1♂, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996); VDNM II - Písky 18.5.1976, 1♂, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996).

7166: Horní les Y. 1971, 12 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 1 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1991, leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995); Křivé jezero 25.4.1997–15.8.2001, 208♂+96♀+16 juv., leg. JCH & HF, det. VB, 1.8.2003, 1♀, leg. et det. VB; Lednický park 25.5.1983, 1♀, leg. et det. K. Absolon; Nejdeč 17.7.1996, 1♀, leg. et det. VR; Pastvisko 30.5.1997, 1♀, leg. et det. VR, 30.5.1997, 1♂+1♀, leg. et det. MH; Šakvice 19.8.1955, 1♂, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996).

7266: Hlohovecký rybník 20.6.1995, 2♀, leg. T. Grim, det. VB (GRIM 1997); Lednické rybníky 1.5.1996–1.5.1998, 250 ex., leg. et det. MH; Nesyt 16.7.1996, 1♂+1♀, leg. et det. VR, 22.5.2004, 3♂+5♀, leg. JCH, det. VB, 22.6.2006, 3♂+3♀, leg. JCH, det. VB; Nový rybník 30.5.1997, 1♀, leg. et det. MH; Výtopa 9.7.2003, 1♀, leg. JCH, det. VB.

7267: Lanžhot 5.6.1996, 1 juv., leg. et det. VR; Lanžhot - dead arms 28.5.2002, 1♂, leg. et det. VB.

Remarks. Very common, in pond margins and wet meadows.

***Pirata piscatorius* (Clerck, 1757) [69]**

7166: Pastvisko 30.5.1997, 1♂, leg. et det. MH.

7266: Nový rybník 23.5.2003, 1♂, leg. et det. ICH.

7367: Raňšpurk 4.7.1996–13.8.1996, 2♂, leg. JCH & HF, det. JS (FOJTOVÁ 2003).

Remarks. Rare, found in very wet places; in all well-studied localities *P. piscatorius* occurs only sporadically.

***Pirata tenuitarsis* Simon, 1876 [41]**

7166: Křivé jezero 22.5.2000–18.6.2000, 1♂, leg. JCH & HF, det. VB.

7266: Lednické rybníky 30.5.1997, 1♀, leg. et det. MH, 1.5.1996–1.5.1998, 2 ex., leg. et det. MH; Nesyt Y. 1969, 54 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975a).

7268: Stibůrkovská jezera 29.5.2002, 1♀, leg. et det. VB.

Remarks. Rare, found at margins of ponds and other water basins. *P. tenuitarsis* is often confused with *P. piraticus* and we thus suppose that some older *P. piraticus* material may in fact represent *P. tenuitarsis*.

***Tricca lutetiana* (Simon, 1876) [20]**

7165: Děvín 12.6.1966–9.7.1966, 1♂, leg. et det. VBu (BUKVA 1969).

Remarks. Very rare, one male caught by pitfall trapping in a grassy part of Děvín by V. Bukva in 1966. Not confirmed recently.

***Trochosa robusta* (Simon, 1876) [44]**

7065: Pouzdřanská step 16.5.2004–12.6.2004, 1♂, leg. SV, det. VB, 16.5.2004–12.6.2004, 2♂, leg. SV, det. VB; Pouzdřanská step-Kolby Y. 1934, leg. Heyrovský & Hoffer, det. J. Baum (BAUM 1934).
 7165: Děvín 1.5.1965–9.7.1966, 27♂+30♀, leg. et det. VBU (BUKVA 1969), 23.5.2003, 1♀, leg. E. Svatoňová, det. JS; Dunajovické kopce 16.5.2004–7.6.2004, 1♂, leg. SV, det. VB; Svatý Kopeček 1.5.1965–16.4.1966, 2♂+1♀, leg. et det. VBU (BUKVA 1969); Tabulová 2.4.1966–12.6.1966, 4♂+1♀, leg. et det. VBU (BUKVA 1969).
 7166: Kinberk 18.10.2003, 1♂, leg. et det. JD, 20.3.2004–20.5.2004, 3♂+1♀, leg. JCH, det. VB, 19.5.2004–23.6.2004, 2♀, leg. JCH, det. VB.
 7266: Skalky 5.4.2003–5.5.2003, 2♂, leg. JCH, det. VB, 22.5.2003, 1♀, leg. et det. ZM.

Remarks. Quite common, in steppes.

***Trochosa ruricola* (De Geer, 1778) [124]**

7065: confluence of Svratka and Jihlava 30.5.1980, 1♂, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996); VDNM II - Šmardův ostrov Y. 1998, 8 ex., leg. et det. IV (VALÍČKOVÁ 1998).
 7165: Děvín 13.5.1993–21.6.1996, 4♂+2♀, leg. JCH, det. JS; Klentnický potok 3.4.2004, 1♂, leg. P. Vaňhara, det. VB; Mikulov 14.4.2003, 5♀, leg. JCH, det. VB, 1.3.2003–15.4.2003, 1♂+1♀+2 juv., leg. JCH, det. VB, 15.4.2003–30.4.2003, 1♂, leg. JCH, det. VB, 16.5.2004, 1♂+1♀, leg. JCH, det. VB; Svatý Kopeček - vineyards 20.4.2001–16.8.2001, 4♂+8♀, leg. MHL, det. VB; VDNM II 24.6.1976–14.6.1984, 4♂+1♀, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996), 1.4.2004, 3♂, leg. JCH, det. VB.
 7166: Křivé jezero 28.9.1993–19.10.2001, 140♂+78♀+30 juv., leg. JCH & HF, det. VB; Mušlov - frog traps 14.4.2003, 6♂, leg. JCH, det. VB.
 7266: Lednické rybníky 13.5.1999–14.11.1999, 1 ex., leg. et det. MH; Mušlov - sand pit 15.4.2003–26.5.2003, 1♂+2♀, leg. JCH, det. VB; Nesyt Y. 1969, 78 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975a); Skalky 30.4.2003, 1♂+1♀, leg. et det. VB; Slanisko u Nesytu 20.5.1993–3.6.1993, 37♂+5♀, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 1.10.1993, 2♂+4♀, leg. JCH, det. JS, 20.3.2003–24.4.2003, 15♂+5♀, leg. JCH, det. VB, 22.5.2003, 1♂, leg. et det. VB, 22.5.2003, 2♀, leg. et det. JS.
 7267: Boří les 24.5.2003, 1♀, leg. et det. ZM; Boří les - pool 24.5.2003, 1♂, leg. et det. VB; Boří les - sand 27.5.2003–24.7.2003, 11♂+8♀, leg. JCH, det. VB.
 7268: Stibůrkovská jezera 29.5.2002, 1♀, leg. et det. VB.
 7367: Ranšpurk 25.6.1993–9.7.1993, 6♂+6♀, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 28.2.2001–6.4.2001, 1♂, leg. JCH & HF, det. VB (FOJTOVÁ 2003), 26.4.2001–23.5.2001, 1♂, leg. JCH & HF, det. VB (FOJTOVÁ 2003); Soutok Y. 1991, 10 ex., leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995).

Remarks. Very common, in wet meadows, pond margins and marshes.

***Trochosa spinipalpis* (F. O. P.-Cambridge, 1895) [98]**

7065: confluence of Svratka and Jihlava 30.5.1980, 1♀, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996).
 7165: VDNM II 4.6.1982, 1♂, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996); VDNM II - Písky 4.5.1982, 1♀, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996).
 7166: Horní les Y. 1991, leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995); Křivé jezero 25.4.1997–15.8.2001, 47♂+15♀, leg. JCH & HF, det. VB.
 7266: Boří les - oaks 24.5.2003, 1♀, leg. et det. PK; Slanisko u Nesytu 20.5.1993, 4♂+1♀, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 1.4.2004, 1♀, leg. et det. JS.
 7267: Kančí obora Y. 1969, 10 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975b); Lanžhot - Bačovská 27.5.2003–2.6.2003, 2♂, leg. et det. JS.
 7367: Ranšpurk 25.6.1993–12.9.2001, 138♂+42♀+3 juv., leg. JCH & HF, det. VB & JS (FOJTOVÁ 2003); Soutok Y. 1991, 71 ex., leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995); Soutok - Sekulská Morava 15.5.2004, 1♂+2♀, leg. JCH, det. VB.

Remarks. Common, in wet places, most abundant in floodplain forests.

***Trochosa terricola* Thorell, 1856 [206]**

7065: Pouzdřanská step-Kolby 23.4.2000, 2♂+1♀, leg. J. Erhart, det. VR; VDNM II - Šmardův ostrov Y. 1997, 1 ex., leg. et det. IV (VALÍČKOVÁ 1998).
 7165: Děvín 1.5.1965–12.6.1966, 48♂+4♀, leg. et det. VBU (BUKVA 1969), 7.5.1996, 1♂, leg. JCH, det. JS; Klentnický potok 22.4.2004, 1♂, leg. JCH, det. VB; Svatý Kopeček - vineyards 20.4.2001–22.5.2001, 1♂, leg. MHI, det. VB; Tabulová 2.4.1966–14.5.1966, 3♂, leg. et det. VBU (BUKVA 1969), 3.10.1997–4.4.1998, 1♀, leg. VR & P. Antuš, det. VR, 4.4.1998–29.5.1998, 1♂, leg. VR & P. Antuš, det. VR.
 7166: Kinberk 4.4.2004, 1♀, leg. M. Jarab, det. JS, 20.3.2004–20.5.2004, 3♂, leg. JCH, det. VB; Krivé jezero 25.4.1997–22.5.1997, 1♂+1♀, leg. JCH, det. JS, 22.5.1997–12.6.1997, 3♂, leg. JCH, det. JS, 12.6.1997–18.9.1997, 2♂+1♀, leg. JCH, det. JS; Lednice Y. 1929, leg. J. Baum, det. J. Baum (BAUM 1929); Milovický les 7.6.1994–21.6.1994, 1♂, leg. JCH, det. JS, 13.9.1994, 1♂+1♀, leg. JCH, det. JS, 13.9.1994–29.10.1994, 1♂+1 juv., leg. JCH, det. JS, 23.5.2003, 1♂, leg. et det. ZM; Mušlov - frog traps 14.4.2003, 15♂, leg. JCH, det. VB; Pastvisko 23.5.2003, 1♂+2♀, leg. et det. ICH.
 7266: Rendezvous 13.6.2004–23.6.2004, 2♂+3♀, leg. JCH, det. VB; Skalky 5.4.2003–5.5.2003, 4♂+1♀, leg. JCH, det. VB, 22.5.2003, 1♀, leg. et det. JB.
 7267: Boří les 10.12.2003–22.3.2004, 2♂, leg. JCH, det. VB; Boří les - sand 20.8.2003–28.9.2003, 2♂+1♀, leg. JCH, det. VB; Kančí obora Y. 1969, 6 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975b).
 7367: Cahnov 5.6.1996, 1♀, leg. et det. VR; Ranšpurk 28.2.2001–6.4.2001, 1♂, leg. JCH & HF, det. VB (FOJTOVÁ 2003).

Remarks. Common, in steppe edges and forests.

***Xerolycosa miniata* (C. L. Koch, 1834) [50]**

7065: Pouzdřanská step-Kolby 26.6.1959, 1♀, leg. et det. E. Žďárková.
 7165: Kočičí skála 6.6.1996–11.6.1996, 1♂, leg. J. Matuška, det. VB (ŘEZÁČ & BRYJA 2002); Tabulová 4.4.1998–29.5.1998, 6♂, leg. VR & P. Antuš, det. VR.
 7168: Mikulčice - museum 29.5.2002, 1♂+2♀, leg. et det. VB; Moravská Nová Ves - old vineyard 29.5.2002, 2♂+2♀, leg. et det. VB.
 7266: Mušlov - sand pit 21.5.2003, 2♂, leg. et det. JS, 21.5.2003, 1♀, leg. et det. VB, 21.5.2003, 1♂+1♀, leg. et det. PK, 21.5.2003, 1♂, leg. et det. JB, 15.4.2003–26.5.2003, 1♂, leg. JCH, det. VB; Rendezvous 13.6.2004–23.6.2004, 1♂+1♀, leg. JCH, det. VB.
 7267: Boří les 24.5.2003, 3♂+1♀, leg. et det. ZM; Boří les - sand 27.5.2003–20.8.2003, 94♂+12♀, leg. JCH, det. VB; Pohansko 25.5.2003, 1♀, leg. et det. VB.

Remarks. Common, in dry open habitats – most abundant in sandy habitats (Mušlov sandpit, Boří les, Mikulčice).

***Xerolycosa nemoralis* (Westring, 1861) [199]**

7165: VDNM II 9.6.1980, 1♂, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996).
 7166: Milovice - trench 13.6.2003, 1♂+1♀, leg. JCH, det. VB.
 7267: Boří les 27.5.2003, 1♀, leg. JCH, det. VB; Boří les - sand 27.5.2003–24.7.2003, 44♂+6♀, leg. JCH, det. VB.
 7367: Ranšpurk 25.6.1993–9.7.1993, 1♂, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995).

Remarks. Quite common, in similar habitats to *X. miniata* but less abundant.

Family Pisauridae

Pisaura mirabilis (Clerck, 1757) [189]

7065: Betlém 8.6.1993, 2♂+1♀, leg. J. Bašta, det. VB, 7.5.1994, 2 juv., leg. J. Bašta, det. VB; confluence of Svratka and Jihlava 30.5.1980, 1♂, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996); Kolby 12.6.2004, 1 juv., leg. SV, det. VB; Pouzdřanská step-Kolby 18.5.1952, 1♂, leg. et det. FM (KÚRKA 2000); Vranovice Y. 1952, 3♂+1♀, leg. et det. FM (KÚRKA 2000).

7165: Děvín 11.5.2003, 1 juv., leg. JCH, det. VB; Dunajovické kopce 24.3.2003, 3 juv., leg. JCH, det. VB, 17.10.2003, 1 juv., leg. et det. I. Fenclová, 2.4.2004, 2 juv., leg. et det. VB; Kočičí skála 17.10.2003, 1 juv., leg. et det. VB; Kotel 12.9.2003, 1 juv., leg. JCH, det. VB; Mikulov 17.4.2004, 1 juv., leg. JCH, det. VB, 16.5.2004, 1♂, leg. JCH, det. VB; Perná 16.1.2003, 1 juv., leg. JCH, det. VB; Soutěska 8.5.2003, 1♂+1♀, leg. JCH, det. VB; Svatý Kopeček 16.10.2003, 1 juv., leg. et det. VB; Svatý Kopeček - vineyards 27.9.2001, 4 juv., leg. P. Lauterer, det. VB; Tabulová 14.5.1966–28.5.1966, 1♂, leg. et det. VBU (BUKVA 1969), 29.9.2003, 2 juv., leg. JCH, det. VB; Tuřold 24.5.2003, 1 juv., leg. et det. VB; VDNM II 19.3.2004, 1 juv., leg. JCH, det. VB, 20.3.2004, 1 juv., leg. JCH, det. VB, 1.4.2004, 1 juv., leg. JCH, det. VB; VDNM II - Pisky 30.4.2003, 3 juv., leg. JCH, det. VB.

7166: Horní les Y. 1972, 1 ex., leg. JK, det. FM (KRÍSTEK 1980); Kinberk 1.8.2003, 2 juv., leg. et det. VB, 3.9.2003, 1 juv., leg. JCH, det. VB, 2.9.2003–30.9.2003, 10 juv., leg. JCH, det. VB, 4.4.2004, 7 juv., leg. E. Svatoňová, det. JS; Křivé jezero 11.10.1998–30.11.1998, 1 juv., leg. JCH & HF, det. VB, 1.8.2003, 1 juv., leg. et det. VB, 4.11.2003, 1 juv., leg. JCH, det. VB; Květné jezero 10.6.2003, 1♀, leg. JCH, det. VB; Lednice 25.6.1958, 1♂+1♀, leg. et det. FM (KÚRKA 2000), 25.6.1959, 1♂, leg. et det. E. Žďárková; Lednický park 2.8.2003, 2 juv., leg. et det. VB; Milovická stráň 3.4.2004, 10 juv., leg. E. Svatoňová, det. JS, 3.4.2004, 3 juv., leg. et det. ZM, 3.4.2004, 1♀, leg. et det. PK, 16.6.2004, 1 juv., leg. et det. JS; Milovický les 13.9.1994, 1 juv., leg. JCH, det. JS, 13.9.1994–29.10.1994, 1 juv., leg. JCH, det. JS, 3.4.2004, 1 juv., leg. et det. ZM, 3.4.2004, 1 juv., leg. et det. VB, 3.4.2004, 3 juv., leg. et det. JS, 3.4.2004, 2 juv., leg. P. Vaňhara, det. VB; Mušlov - frog traps 14.4.2003, 2 juv., leg. JCH, det. VB, 19.4.2004, 2 juv., leg. JCH, det. VB; Pastvisko 23.5.2003, 1♀, leg. et det. ZM, 23.5.2003, 1♀, leg. et det. ZM, 2.8.2003, 1 juv., leg. et det. VB.

7265: Šibeničník 20.3.2004, 2 juv., leg. JCH, det. VB.

7266: Boří les - oaks 18.10.2003, 1 juv., leg. et det. VB; Hlohovecký rybník 23.5.1999, 1♀, leg. et det. LK; Liščí vrch 4.4.2004, 1 juv., leg. et det. VB; Mlýnský rybník 13.6.2003, 1♀, leg. JCH, det. VB; Mušlovské rybníky 19.10.2003, 1 juv., leg. et det. VB; Nesyt 7.5.1987, 1 juv., leg.?, det. VB; Rendezvous 24.5.2003, 1♀, leg. et det. PK; Sedlec - Váhovna 20.7.2003, 1 juv., leg. JCH, det. VB; Skalky 30.4.2003, 1♂, leg. et det. VB, 5.4.2003–5.5.2003, 1 juv., leg. JCH, det. VB, 22.5.2003, 1 juv., leg. et det. JS, 22.5.2003, 1♂, leg. et det. ZM, 16.10.2003, 2 juv., leg. et det. VB, 16.10.2003, 1 juv., leg. A. Konečný, det. VB, 3.4.2004, 6 juv., leg. et det. JS, 3.4.2004, 1 juv., leg. et det. ZM, 3.4.2004, 3 juv., leg. A. Konečný, det. VB; Slanisko u Nesytu 19.7.2003, 1 juv., leg. JCH, det. VB, 1.4.2004, 6 juv., leg. M. Jarab, det. JS.

7267: Boří les 13.5.2003, 1♀+1 juv., leg. JCH, det. VB, 24.5.2003, 1 juv., leg. M. Jarab, det. JS, 24.5.2003, 1♀, leg. et det. ICH, 24.5.2003, 4♀, leg. et det. ZM, 10.12.2003–22.3.2004, 5 juv., leg. JCH, det. VB, 17.5.2004, 1♀+1 juv., leg. et det. JS; Boří les - sand 24.5.2003, 1♀, leg. et det. VR; Lanžhot - Trnůvky 1.6.2002, 1♀, leg. et det. JS; Pohansko 25.5.2003, 1♀, leg. et det. VB, 1.4.2004, 1 juv., leg. JCH, det. VB.

7268: Týnecký les 29.5.2002, 1 juv., leg. et det. JS.

7367: Ranšpurk 28.5.1993–10.6.1993, 1♂, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 20.12.1995–11.1.1996, 1 juv., leg. JCH & HF, det. JS (FOJTOVÁ 2003); Soutok 20.8.2003, 1 juv., leg. JCH, det. VB, 30.3.2004, 1 juv., leg. JCH, det. VB; Soutok - hrúd Polínka 6.6.2003, 1♂+1♀, leg. JCH, det. VB, 20.8.2003, 5 juv., leg. JCH, det. VB; Soutok - Sekulská Morava 15.5.2004, 2♂, leg. JCH, det. VB.

Remarks. Very common, in steppes, meadows and forests.

Family Oxyopidae

Oxyopes ramosus (Martini et Goeze, 1778) [31]

7166: Horní les Y. 1972, 2 ex., leg. JK, det. FM (KŘÍSTEK 1980).
7267: Boří les 24.5.2003, 1♂+2♀, leg. et det. PK, 24.5.2003, 1♂, leg. M. Jarab, det. JS, 15.5.2004, 1 juv., leg. JCH, det. VB, 17.5.2004, 1♂, leg. et det. JS; Boří les - pool 24.5.2003, 1♂, leg. M. Jarab, det. JS, 24.5.2003, 2♀, leg. et det. ICH; Boří les - sand 7.6.2003, 1♀, leg. JCH, det. VB, 20.8.2003, 2 juv., leg. JCH, det. VB; Lanžhot - Bačovská 31.5.2002, 1♂+1 juv., leg. et det. JS; Lanžhot - Trnůvky 1.6.2002, 1♀+1 juv., leg. et det. JS.
7367: Soutok - hrúd Polínka 20.8.2003, 1 juv., leg. JCH, det. VB.

Remarks. Quite common, most abundant in young pines in Boří les forest.

Family Agelenidae

Agelena gracilens C. L. Koch, 1841 [57]

7065: Pasohlávky 7.9.1994, 1♂, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996).
7165: Mikulov 27.7.2003, 1♂, leg. JCH, det. VB.
7166: Křivé jezero 1.8.2003, 1♀, leg. et det. VB; Lednice 12.10.1952, 1♀, leg. et det. FM (KŮRKA 2000); Milovický les 7.6.2003, 6 juv., leg. JCH, det. VB; Nejdek 17.7.1996, 2 juv., leg. et det. VR; Pastvisko 2.8.2003, 1♀, leg. et det. VB, 2.8.2003, 1♀, leg. et det. PK.
7266: Sedlec - Váhovna 20.7.2003, 1♂, leg. JCH, det. VB.
7267: Boří les - sand 7.6.2003, 3 juv., leg. JCH, det. VB; Břeclav 19.8.2002, 2♀, leg. et det. JD.

Remarks. Very common, adults in late summer.

Agelena labyrinthica (Clerck, 1757) [68]

7065: VDNM II - Šmardův ostrov Y. 1996, 1 ex., leg. et det. IV (VALÍČKOVÁ 1998).
7166: Lednice 25.6.1959, 1♂+1♀+1 juv., leg. et det. E. Žďárková.
7168: Mikulčice 29.5.2002, 1 juv., leg. et det. JS.
7267: Lanžhot - Trnůvky 1.6.2002, 6 juv., leg. et det. JS.
7268: Týnecký les 29.5.2002, 4 juv., leg. et det. JS.

Remarks. Scarce, but with more restricted distribution than *A. gracilens*.

Tegenaria agrestis (Walckenaer, 1802) [31]

7065: Pouzdřanská step-Kolby 20.9.1966–13.10.1970, 25♂+22♀+1 juv., leg. et det. FM (KŮRKA 2000).
7165: Kočičí skála 17.10.2003, 1♀, leg. et det. JD, 17.10.2003, 1♀, leg. et det. I. Fenclová; Kotel 20.10.2002, 1♀, leg. et det. VB, 9.11.2003, 1♀, leg. JCH, det. VB; Mikulov 4.9.2003, 1♀, leg. JCH, det. VB; Svatý Kopeček 28.6.2001–22.10.2001, 8♂+2♀, leg. MHI, det. VB; Svatý Kopeček - vineyards 16.8.2001–14.9.2001, 9♂+3♀, leg. MHI, det. VB, 14.9.2001–22.10.2001, 3♂+4♀, leg. MHI, det. VB; Tabulová 29.9.2003, 1♀, leg. JCH, det. VB, 17.10.2003, 1♀, leg. J. Erhart, det. VR.
7166: Bulhary 1.9.2003, 1♂, leg. K. Korberová, det. VB; Kinberk 2.9.2003–28.11.2003, 1♂+2♀, leg. JCH, det. VB.

7266: Skalky 3.8.2003, 1♀, leg. et det. PK, 3.8.2003, 1♂, leg. et det. JD, 3.8.2003, 1♂, leg. et det. VB, 16.10.2003, 1♀, leg. et det. JD, 16.10.2003, 1♀, leg. et det. VB, 3.4.2004, 1♀, leg. A. Konečný, det. VB.
7267: Boří les - sand 20.8.2003–28.9.2003, 1♂+1♀, leg. JCH, det. VB, 28.9.2003–10.12.2003, 6♀, leg. JCH, det. VB.

Remarks. Common, adults in late summer and autumn in grass of various open habitats.

***Tegenaria atrica* C. L. Koch, 1843 [42]**

7165: Dolní Dunajovice?, 1♂, leg. et det. FM (KŮRKA 2000); Klentnice 10.1.2003, 1♀, leg. I. Martínek, det. VB; Mikulov 10.9.2000–31.5.2003, 1♂+3♀, leg. JCH, det. VB; Perná 16.1.2003, 7♀+18 juv., leg. JCH, det. VB.

Remarks. Scarce, synanthropic species found in houses and cellars.

***Tegenaria campestris* C. L. Koch, 1834 [39]**

7065: Pouzdřanská step-Kolby 29.3.1953–5.5.1969, 15♂+1♀, leg. et det. FM (KŮRKA 2000).
7165: Dunajovické kopce 24.3.2003, 1♂, leg. JCH, det. VB; Klentnický potok 3.4.2004, 1♀, leg. et det. ZM, 3.4.2004, 1♀, leg. E. Svatoňová, det. JS, 23.4.2004, 1♀, leg. JCH, det. VB; Kotel 12.9.2003, 1♂, leg. JCH, det. VB.
7166: Horní les 6.11.1996, 1♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002), 7.11.1997, 1♂, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002), 19.4.2004, 1♂, leg. JCH, det. VB; Kinberk 18.10.2003, 1♂, leg. et det. JD, 20.3.2004–20.5.2004, 2♂, leg. JCH, det. VB, 19.5.2004–23.6.2004, 1♂, leg. JCH, det. VB; Lednice 20.5., 1♀, leg. et det. FM (KŮRKA 2000); Lednický park 23.5.2003, 1♀, leg. et det. VR; Milovice - trench 13.6.2003, 1♀, leg. JCH, det. VB; Milovický les 3.4.2004, 1♂+1♀, leg. M. Jarab, det. JS, 3.4.2004, 1♂, leg. P. Vaňhara, det. VB, 3.4.2004, 1♀, leg. et det. VB; Mušlov - frog traps 19.4.2004, 1♂+1♀, leg. JCH, det. VB.
7168: Očovské louky 31.5.2002, 1♀, leg. et det. VB.
7266: Mušlov - sand pit 19.10.2003, 1 juv., leg. et det. VB; Prostřední rybník 3.8.2003, 1 juv., leg. et det. VB; Rendezvous - fishpond 24.5.2003, 2♀, leg. et det. VB; Skalky 22.5.2003, 1♀, leg. et det. VR, 16.10.2003, 1♂, leg. et det. I. Fenclová, 16.10.2003, 1♂, leg. et det. JD, 16.10.2003, 1♂+1♀, leg. et det. VB, 3.4.2004, 2♀, leg. et det. VB; Slanisko u Nesytu 20.5.1993, 1♂, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 23.5.2003, 1♀, leg. et det. VR.
7267: Boří les 13.5.2003, 1♀, leg. JCH, det. VB.

Remarks. Common, in various habitats (floodplain forest, grass steppe).

***Tegenaria domestica* (Clerck, 1757) [53]**

7165: Mikulov 20.12.2002, 1♂, leg. JCH, det. VB, 13.4.2003, 1♀, leg. JCH, det. VB, 1.4.2003–15.4.2003, 1♀+2 juv., leg. JCH, det. VB; Tuřold 24.5.2003, 1♀, leg. et det. VB.
7166: Kinberk 30.9.2003–28.11.2003, 1♀, leg. JCH, det. VB; Lednický park 15.1.2004, 1♀, leg. JCH, det. VB.
7267: Pohansko 25.5.2003, 1♀, leg. et det. VB.

Remarks. Scarce, in cellars but also outside houses on rocks (Tuřold, Kinberk).

***Tegenaria ferruginea* (Panzer, 1804) [97]**

7165: Děvín - north 23.5.2003, 1♂, leg. et det. VB; Dolní Věstonice - Kalendář věků 14.6.2003, 1 juv., leg. JCH, det. VB; Klentnice 10.1.2003, 2 juv., leg. I. Martínek, det. VB; Klentnický potok 22.4.2004, 1♂, leg. JCH,

det. VB, 23.4.2004, 1♂, leg. JCH, det. VB; Kotel 20.10.2002, 1 juv., leg. et det. VB; Mikulov 8.5.2000, 1♂, leg. JCH, det. VB, 13.4.2003, 3 juv., leg. JCH, det. VB, 1.3.2003–15.4.2003, 1♂, leg. JCH, det. VB; Soutěska 8.5.2003, 2♀+6 juv., leg. JCH, det. VB, 18.5.2003, 3 juv., leg. JCH, det. VB, 30.5.2003, 1♀+4 juv., leg. JCH, det. VB, 17.6.2003, 1♀, leg. JCH, det. VB, 12.8.2003, 1♀, leg. JCH, det. VB, 9.4.2004, 3 juv., leg. JCH, det. VB; Tuřold 1.5.2003, 1♂+2♀, leg. JCH, det. VB.
7166: Bulhary 10.8.2003, 1 juv., leg. JCH, det. VB, 10.12.2003, 1♀, leg. JCH, det. VB, 16.1.2004, 1♀, leg. JCH, det. VB, 10.2.2004, 1♀, leg. JCH, det. VB, 30.3.2004, 1♂, leg. K. Korberová, det. VB; Kinberk 18.6.2003, 1♂, leg. JCH, det. VB; Křivé jezero 5.6.2003, 1 juv., leg. JCH, det. VB, 4.11.2003, 1♀, leg. JCH, det. VB, 27.5.2004, 2♀, leg. JCH, det. VB; Lednice 10.4.1961, 1♀, leg. et det. FM (KÚRKA 2000), 25.4., 1♀+2 juv., leg. et det. FM (KÚRKA 2000); Lednický park 22.5.1999, 1♀, leg. et det. LK, 23.5.2003, 2♀, leg. et det. VR, 23.5.2003, 1♂, leg. et det. VB, 2.8.2003, 1 juv., leg. et det. VB.
7266: Boří les - oaks 24.5.2003, 1 juv., leg. et det. VB, 24.6.2003, 3 juv., leg. JCH, det. VB, 18.10.2003, 1♂+2 juv., leg. JCH, det. VB; Nesyt 6.5.1987, 1♀, leg.?, det. VB.
7367: Cahnov 5.6.1996, 1 juv., leg. et det. VR, 6.6.2003, 1♀, leg. JCH, det. VB; Ranšpurk 14.5.1993, 1♂, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 14.5.1993–28.5.1993, 1♂, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 28.5.1993–10.6.1993, 1 juv., leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 5.6.1996, 2 juv., leg. et det. VR.

Remarks. Common, in houses, cellars, hollow trees, nesting boxes and on shaded rocks.

Tegenaria silvestris L. Koch, 1872 [102]

7166: Horní les Y. 1991, leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995), 6.11.1996, 1♂, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002).

Remarks. Rare, only in Horní les floodplain forest. In CR quite abundant at higher altitudes (BUCHAR & RŮŽIČKA 2002).

Textrix denticulata (Olivier, 1789) [25]

7165: Děvín - north 23.5.2003, 1♀+2 juv., leg. et det. VR, 23.5.2003, 1♂+3♀+2 juv., leg. et det. VB, 23.5.2003, 1 juv., leg. et det. JB; Děvín-Kotel-Soutěska 5.5.1974, 1♀, leg. et det. VR; Soutěska 8.5.2003, 3♀, leg. JCH, det. VB; Tabulová 1.6.1997–10.7.1997, 2♂+1 juv., leg. VR & P. Antuš, det. VR, 10.7.1997–3.10.1997, 21♂+3♀, leg. VR & P. Antuš, det. VR, 4.4.1998–29.5.1998, 2 juv., leg. VR & P. Antuš, det. VR.

Remarks. Rare, on rocks and tree trunks. *T. denticulata* is most abundant at the boundary of rocks and forest in the northern part of Děvín.

Family Cybaeidae

Argyroneta aquatica (Clerck, 1757) [35]

7266: Hlohovecký rybník 18.6.1996, 1♂, leg. T. Grim, det. VB (BRYJA 1999, GRIM 1997), 4.7.1996, 1♀, leg. T. Grim, det. VB (BRYJA 1999, GRIM 1997); Lednické rybníky 13.5.1999–14.11.1999, 1 ex., leg. et det. MH.

Remarks. Rare, known only from Lednické rybníky fishponds NNR.

Family Hahniidae

Antistea elegans (Blackwall, 1841) [85]

7065: VDNM II - Šmardův ostrov Y. 1996, 1 ex., leg. et det. IV (VALÍČKOVÁ 1998).
 7165: VDNM II 9.6.1980, 1♀, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996).
 7166: Pastvisko 30.5.1997, 1♀, leg. et det. MH.
 7266: Lednické rybníky 13.5.1999–14.11.1999, 7 ex., leg. et det. MH; Nesyt Y. 1969, 32 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975a), Y. 1969, 250 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975a).
 7267: Břeclav 30.7.1969, 8♀, leg. et det. FM (KŮRKA 2000).

Remarks. Scarce, in detritus of wet meadows and reeds.

Hahnia nava (Blackwall, 1841) [50]

7065: Pouzdřanská step 16.5.2004–12.6.2004, 1♂, leg. SV, det. VB; Pouzdřanská step-Kolby 15.4.1961–1.10.?, 11♂+17♀, leg. et det. FM (KŮRKA 2000).
 7165: Děvín 16.4.1966–30.4.1966, 1♀, leg. et det. VBU (BUKVA 1969), 30.3.1995–17.4.1995, 3♂, leg. JCH, det. JS, 7.5.1996–29.5.1996, 1♀, leg. JCH, det. JS, 29.5.1996, 1♂, leg. JCH, det. JS; Dunajovické kopce 9.5.2004–16.5.2004, 1♀, leg. SV, det. VB, 16.5.2004–28.5.2004, 1♂, leg. SV, det. VB, 16.5.2004–7.6.2004, 1♂, leg. SV, det. VB; Kotel 20.10.2002, 1♂, leg. et det. VB; Pavlovské vrchy 10.7.1956, 3♀, leg. et det. FM (KŮRKA 2000), 1.9.1956, 1♀, leg. et det. FM (KŮRKA 2000), 1.5., 1♂, leg. et det. FM (KŮRKA 2000), 30.5., 2♀, leg. et det. FM (KŮRKA 2000); Svatý Kopeček 20.4.2001–22.5.2001, 3♂+1♀, leg. MHI, det. VB, 16.10.2003, 1♀, leg. A. Konečný, det. VB; Svatý Kopeček - vineyards 20.4.2001–22.5.2001, 10♂+2♀, leg. MHI, det. VB, 14.9.2001–22.10.2001, 1♀, leg. MHI, det. VB; Tabulová 16.4.1966–28.5.1966, 3♂, leg. et det. VBU (BUKVA 1969); VDNM II - Písky 29.4.2004, 1♂, leg. JCH, det. VB.
 7166: Kinberk 4.4.2004, 1♀, leg. et det. VB, 4.4.2004, 2♀, leg. et det. PK; Křivé jezero 18.5.1993–1.6.1993, 1♂, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995); Milovická stráň 3.4.2004, 1♂, leg. et det. VB.
 7266: Skalky 5.4.2003–5.5.2003, 1♂, leg. JCH, det. VB, 8.5.2004, 1♀, leg. JCH, det. VB; Slanisko u Nesytu 20.5.1993–17.6.1993, 5♂+1♀, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995).
 7267: Pohansko 23.5.2003, 1♂, leg. et det. VR.

Remarks. Common, usually in steppes and in surrounding vineyards.

Hahnia ononidum Simon, 1875 [19]

7165: Dunajovický potok 2.4.2004, 1♂, leg. VB, det. JB.
 7166: Lednice 20.6., 2♀+3 juv., leg. et det. FM (KŮRKA 2000), 20.8., 3♂+7♀, leg. et det. FM (KŮRKA 2000); Lednice-Podivín, doubrava 20.5.1958–15.3.1959, 4♂+8♀, leg. et det. FM (MILLER 1959).

Remarks. Rare, in detritus of forest between Lednice and Podivín, recently only in detritus of the group of trees and shrubs close to the entry of Dunajovický potok stream into VDNM I.

Hahnia picta Kulczyński, 1897 [1]

7166: Lednice 4.9.1961, 7♂+4♀, leg. et det. FM (KŮRKA 2000), Y. 1971, leg. et det. FM (MILLER 1971), 27.3., 4♂+3♀+1 juv., leg. et det. FM (KŮRKA 2000), 30.4., 1♂+4♀, leg. et det. FM (KŮRKA 2000), 5.5., 4♀, leg. et det. FM (KŮRKA 2000); Lednický park 22.5.1999, 1♂, leg. et det. LK.

7266: Rendezvous 24.5.2003, 1 ♀, leg. et det. VR.

7267: Boří les 15.5.2004, 1 ♀, leg. JCH, det. VB.

Remarks. Rare, under bark of old trees. This species occurs in CR only in Pálava region.

***Hahnia pusilla* C. L. Koch, 1841 [80]**

7166: Horní les Y. 1971, 46 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, leg.?, det. FM (KŘÍSTEK 1985), Y. 1991, leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995), 2.7.1996, 1 ♂, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002), 31.5.1997, 1 ♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002); Lednice 3.5.1968–15.6.1972, 6 ♂+18 ♀, leg. et det. FM (KŮRKA 2000); Lednice-Podivín, doubrava 20.5.1958, 2 ♂+9 ♀, leg. et det. FM (MILLER 1959), 30.6.1958, 7 ♀, leg. et det. FM (MILLER 1959), 20.2.1959, 1 ♂+3 ♀, leg. et det. FM (MILLER 1959), 15.3.1959, 4 ♂+8 ♀, leg. et det. FM (MILLER 1959).

7267: Břeclav?, 5 ♂, leg. et det. FM (KŮRKA 2000); Kančí obora Y. 1969, 19 ♂+7 ♀, leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975b), 3 ♂+2 ♀, leg. et det. FM (KŮRKA 2000).

7367: Ranšpurk 23.5.2001–18.6.2001, 1 ♂, leg. JCH & HF, det. VB (FOJTOVÁ 2003); Soutok Y. 1991, 1 ex., leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995).

Remarks. Quite common, often in lowland forests.

Family Dictynidae

***Altella biuncata* (Miller, 1949) [15]**

7065: Pouzdřanská step-Kolby Y. 1966, leg. et det. FM (MILLER 1966).

7165: Pavlovské vrchy 6.5., 1 ♀, leg. et det. FM (KŮRKA 1994).

Remarks. Very rare, on xerothermic habitats, not confirmed recently.

***Argenna patula* (Simon, 1874) [1]**

7166: Lednice 20.6.1958, 1 ♀, leg. et det. FM (MILLER 1971, KŮRKA 1994).

Remarks. *A. patula* was reported by F. Miller from detritus on pond banks in Lednický chateau park and a voucher specimen (female) was found in the F. Miller collection. Another female with the characters of *A. patula* (large size, colouration of abdomen and vulva *sensu* WIEHLE 1953) was found recently in Pastvisko. However, closer comparison with females of *A. subnigra* (from a population from which males were also collected) showed that the structure of vulva of *A. subnigra* is identical with that presumed to be of *A. patula* (*sensu* WIEHLE 1953). Both species are very closely related and our finding suggests that data and drawings of female copulatory organs in literature could be confused in some cases. The surroundings of Lednice are the only known localities for this species in the CR.

***Argenna subnigra* (O. P.-Cambridge, 1861) [25]**

7065: Kolby 12.6.2004, 1 ♂, leg. SV, det. VB; Pouzdřanská step 16.5.2004–12.6.2004, 1 ♂, leg. SV, det. VB; Pouzdřanská step-Kolby 25.5., 2 ♀, leg. et det. FM (KŮRKA 1994), 20.6., 1 ♀, leg. et det. FM (KŮRKA 1994);

VDNM II - Šmardův ostrov Y. 1996, 5 ex., leg. et det. IV (VALÍČKOVÁ 1998).
 7165: Děvín 13.5.1993–26.5.1993, 1♂, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995); Svatý Kopeček - vineyards 20.4.2001–28.6.2001, 10♂, leg. MHL, det. VB; Tabulová 30.4.1966–14.5.1966, 1♂, leg. et det. VBU (BUKVA 1969), 12.6.1966–9.7.1966, 1♂, leg. et det. VBU (BUKVA 1969).
 7166: Horní les Y. 1971, 1 ex., leg. JK, det. FM (KŘÍSTEK 1980); Křivé jezero 2.6.2003, 1♀, leg. JCH, det. VB; Lednice 18.5., 1♂, leg. et det. FM (KŮRKA 1994).
 7168: Očovské louky 31.5.2002, 1♀, leg. et det. VB.
 7266: Slanisko u Nesytu 3.6.1993–17.6.1993, 3♂, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995).

Remarks. Scarce, in wide range of habitats including flooded meadows and steppes.

Archaeodictyna consecuta (O. P.-Cambridge, 1872) [2]

7065: Pouzdřanská step-Kolby Y. 1966, leg. et det. FM (MILLER 1966), 7.5., 1♂+4♀, leg. et det. FM (KŮRKA 1994), 8.6., 1♀, leg. et det. FM (KŮRKA 1994), 1.7., 1♀, leg. et det. FM (KŮRKA 1994).

Remarks. Very rare, collected only in Pouzdřanská step-Kolby NNR, not confirmed recently.

Archaeodictyna minutissima (Miller, 1958) [6]

7065: Pouzdřanská step-Kolby 15.4.1961–25.5.?, 4♂+36♀, leg. et det. FM (MILLER 1966, KŮRKA 1994).
 7165: Pavlovské vrchy 6.6.1958, 1♀, leg. et det. FM (MILLER 1958b).

Remarks. Very rare, collected only by Prof. F. Miller, not confirmed recently.

Cicurina cicur (Fabricius, 1793) [141]

7065: Pouzdřanská step-Kolby 31.3.1969–1.12.1968, 1♂+1♀, leg. et det. FM (KŮRKA in press), 16.11., 3♂, leg. et det. FM (KŮRKA in press), 1.12., 6♂, leg. et det. FM (KŮRKA in press).
 7165: Děvín 30.10.1965–12.3.1966, 8♂, leg. et det. VBU (BUKVA 1969), 25.11.2003, 2♀, leg. JCH, det. VB; Děvín - north 26.10.1992–14.5.1994, 1♂, leg. et det. VR; Pavlovské vrchy 1.9.1956, 1♂+1♀, leg. et det. FM (KŮRKA in press); Svatý Kopeček 20.12.1965–23.2.1966, 1♂, leg. et det. VBU (BUKVA 1969); Tuřold 3.11.2003, 1♀, leg. JCH, det. VB.
 7166: Horní les Y. 1991, leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995); Kinberk 30.9.2003–28.11.2003, 5♂, leg. JCH, det. VB, 28.11.2003–20.3.2004, 6♂+1♀, leg. JCH, det. VB; Křivé jezero 18.11.1997–8.1.1998, 1♂, leg. JCH, det. JS, 19.2.1998, 1♂, leg. JCH & HF, det. VB; Lednice?, 1♂, leg. et det. FM (KŮRKA in press); Milovice - trench 13.6.2003, 2 juv., leg. JCH, det. VB; Milovický les 3.4.2004, 1♀, leg. et det. VB; Pastvisko 20.10.2003–28.11.2003, 1♂, leg. JCH, det. VB.
 7266: Boří les - oaks 18.10.2003, 2♀, leg. et det. VB.
 7367: Cahnov 5.6.1996, 1♀, leg. et det. VR; Raňšpurk 19.6.1995–10.12.2001, 5♂+4♀+4 juv., leg. JCH & HF, det. VB & JS (FOJTOVÁ 2003).

Remarks. Common, in various habitats (floodplain forest, rock steppe), adults in winter.

Dictyna arundinacea (Linné, 1758) [109]

7065: Betlém 8.6.1993, 1♀, leg. J. Bašta, det. VB, 7.5.1994, 1♀, leg. J. Bašta, det. VB; Pouzdřanská step-Kolby 15.4.1961, 1♂+3♀, leg. et det. FM (KŮRKA 1994); Vranovice 15.5.1951, 1♂, leg. et det. FM (KŮRKA 1994).

7165: Dunajovické kopce 28.5.2004, 2♀, leg. SV, det. VB, 28.5.2004, 1♀, leg. SV, det. VB; Pavlovské vrchy 1.5., 1♂+1♀, leg. et det. FM (KŮRKA 1994).
 7166: Horní les Y. 1971, 15 ex., leg. JK, det. FM (KŘÍSTEK 1980); Kinberk 20.3.2004–19.5.2004, 1♀, leg. JCH, det. VB; Lednice-Podivín, doubrava 25.6.1960, 1♀, leg. et det. E. Žďárková; Lednický park 23.5.2003, 1♀, leg. et det. VB; Milovická stráň 27.5.2004, 1♀, leg. JCH, det. VB; Milovický les 14.5.2003, 4♀, leg. JCH, det. VB; Pastvíska 23.5.2003, 1♀, leg. M. Jarab, det. JS.
 7168: Mikulčice 29.5.2002, 3♀, leg. et det. JS; Moravská Nová Ves - old vineyard 29.5.2002, 1♂+5♀, leg. et det. VB.
 7266: Mušlov - sand pit 21.5.2003, 1♂, leg. M. Jarab, det. JS, 21.5.2003, 1♂, leg. et det. VB; Skalky 22.5.2003, 1♀, leg. et det. PK, 8.5.2004, 2♀, leg. JCH, det. VB, 15.5.2004, 1♀, leg. et det. JS; Slanisko u Nesytu 19.7.2003, 2♀, leg. JCH, det. VB, 3.8.2003, 1♀, leg. et det. PK; Výtopa 10.5.2003, 3♀, leg. JCH, det. VB.
 7267: Boří les 13.5.2003, 1♂+4♀, leg. JCH, det. VB, 24.5.2003, 1♀, leg. M. Jarab, det. JS, 24.5.2003, 2♂, leg. et det. ZM; Boří les - pool 24.5.2003, 1♀, leg. et det. VB, 24.5.2003, 3♀, leg. et det. ICH; Boří les - sand 24.5.2003, 2♀, leg. et det. VB; Lanžhot - Bačovská 31.5.2002, 4♀, leg. et det. JS; Lanžhot - dead arms 28.5.2002, 1♂+1♀, leg. et det. VB, 2.6.2002, 1♂+1♀, leg. et det. PK; Lanžhot - Trnůvky 1.6.2002, 3♀, leg. et det. JS; Lanžhot - Trny 27.5.2002, 1♀, leg. et det. JS.

Remarks. Very common, on low vegetation in various habitats.

Dictyna civica (Lucas, 1850) [6]

7165: Mikulov 1.3.2003–15.4.2003, 1♀, leg. JCH, det. VB, 1.7.2003–31.7.2003, 1♂, leg. JCH, det. VB, 19.8.2003, 1♀+1 juv., leg. JCH, det. VB.
 7166: Bulhary 1.6.2003, 1♂+2 juv., leg. JCH, det. VB; Lednice 19.8.2002, 1♀, leg. et det. JD, 23.5.2003, 1♂+1♀, leg. et det. VB, 23.5.2003, 2♀+4 juv., leg. E. Svatoňová, det. JS, 23.5.2003, 1♂+2♀, leg. et det. ZM; Pastvíska 23.5.2003, 1♂+1♀, leg. et det. PK.
 7266: Skalky 16.10.2003, 1♀, leg. A. Konečný, det. VB; Valtice 28.5.1998, 1♂+2♀+4 juv., leg. et det. VR.

Remarks. Common, on outer walls of buildings, exceptionally in natural habitats (Skalky, Pastvíska).

Dictyna pusilla Thorell, 1856 [76]

7165: Děvín 11.5.2003, 2♀, leg. JCH, det. VB.
 7166: Horní les Y. 1972, 3 ex., leg. JK, det. FM (KŘÍSTEK 1980); Lednice 18.5., 1♂, leg. et det. FM (KŮRKA 1994); Milovický les 23.5.2003, 1♀, leg. et det. ZM.
 7266: Mušlov - sand pit 24.4.2003, 1♀, leg. JCH, det. VB.
 7367: Soutok - hrád Polínka 6.6.2003, 1♀, leg. JCH, det. VB.

Remarks. Scarce, in various habitats.

Dictyna uncinata Thorell, 1856 [84]

7065: Kolby 12.6.2004, 1♀, leg. SV, det. VB; Pouzdřanská step 25.5.2004, 1♀, leg. SV, det. VB; Pouzdřanská step-Kolby 5.6.1976, 1♂, leg. et det. FM (KŮRKA 1994), 8.5., 2♂, leg. et det. FM (KŮRKA 1994); Vranovice 15.5.1951, 1♂, leg. et det. FM (KŮRKA 1994).
 7165: Děvín 11.5.2003, 2♂, leg. JCH, det. VB; Děvín - north 23.5.2003, 1♂, leg. et det. VB; Dunajovický potok 28.5.2004, 2♂+2♀, leg. SV, det. VB; Mušov 10.5.1966, 13♂+9♀, leg. et det. FM (KŮRKA 1994), 25.4., 3♂, leg. et det. FM (KŮRKA 1994); Pavlovské vrchy 10.7., 1♂+1♀, leg. et det. FM (KŮRKA 1994); VDNM II 18.5.2004, 1♂, leg. JCH, det. VB; VDNM II - Písky 29.4.2004, 1♂, leg. JCH, det. VB.

7166: Horní les Y. 1972, leg.?, det. FM (KŘÍSTEK 1985); Křivé jezero 2.5.2003–27.5.2004, 6♂+1♀, leg. JCH, det. VB; Květné jezero 6.5.2003, 1♂, leg. JCH, det. VB; Lednice 24.5.1957, 5♂+4♀, leg. et det. FM (KŮRKA 1994), 10.4.1961, 1♂, leg. et det. FM (KŮRKA 1994), 10.5., 18♂+7♀, leg. et det. FM (KŮRKA 1994), 1.6., 1♂+4♀, leg. et det. FM (KŮRKA 1994); Lednice-Podivín, doubrava 25.6.1960, 1♀, leg. et det. E. Žďárková; Lednický park 23.5.2003, 1♀, leg. et det. VB, 23.5.2003, 1♂, leg. et det. ZM; Pastvisko 23.5.2003, 1♀, leg. et det. PK, 18.10.2003, 1♂, leg. et det. JD.

7168: Očovské louky 31.5.2002, 1♂, leg. et det. VB.

7266: Hlohovec 22.5.2004, 1♂+2♀, leg. JCH, det. VB; Mušlov - sand pit 21.5.2003, 2♀, leg. E. Svatoňová, det. JS, 21.5.2003, 2♂+2♀, leg. et det. JS; Nesyt 7.5.1987, 1♂, leg.?, det. VB; Skalky 22.5.2003, 1♀, leg. et det. VR, 22.5.2003, 1♀, leg. et det. JS; Slanisko u Nesytu 22.5.2003, 1♀, leg. et det. VB, 22.5.2003, 1♂, leg. E. Svatoňová, det. JS, 22.5.2003, 1♀, leg. et det. JS, 15.5.2004, 3♂+5♀, leg. et det. JS; Výtopa 10.5.2003, 3♂+3♀, leg. JCH, det. VB.

7267: Boří les 13.5.2003, 1♀, leg. JCH, det. VB; Lanžhot - dead arms 28.5.2002, 1♂+1♀, leg. et det. VB, 2.6.2002, 1♀, leg. et det. PK.

7367: Soutok 2.6.1997, 1♂, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002), 30.6.1997, 2♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002).

Remarks. Very common, on bushes and trees (very often oak) in various habitats.

Dictyna vicina Simon, 1873 [0]

7065: Kolby 12.6.2004, 1♂, leg. SV, det. VB, redet. VR.

Remarks. Very rare; the only male was obtained by S. Vinkler using sweeping with a net on herb vegetation in downy oak forest. NEW SPECIES FOR THE CZECH REPUBLIC. *D. vicina* is distributed from the Mediterranean to Central Asia (PLATNICK 2004). The most northern findings were previously from Slovakia (GAJDOŠ et al. 1999) and Hungary (LOKSA 1969).

Emblyna annulipes (Blackwall, 1846) [6]

7165: Mikulov 9.3.2003, 1♀, leg. JCH, det. VB.

7166: Lednice Y. 1971, leg. et det. FM (MILLER 1971), 18.5., 1♂, leg. et det. FM (KŮRKA 1994), 23.5.2003, 1♂+1♀, leg. M. Jarab, det. JS.

Remarks. Rare, on walls of houses in Lednice and Mikulov.

Lathys humilis (Blackwall, 1855) [10]

7065: Pouzdřanská step-Kolby 1.4., 2♂+1♀, leg. et det. FM (KŮRKA 1994).

7165: Děvín - north 23.5.2003, 1♀, leg. et det. VB; Dunajovické kopce 28.5.2004, 1♀, leg. SV, det. VB; Klentnický potok 14.4.2004, 1 juv., leg. JCH, det. VB.

7166: Horní les Y. 1971, 37 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 3 ex., leg. JK, det. FM (KŘÍSTEK 1980), 31.5.1997, 1♂+1♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002); Křivé jezero 2.5.2003, 1♀, leg. JCH, det. VB; Lednice 24.5.1951, 1♂, leg. et det. FM (KŮRKA 1994); Lednice-Podivín, doubrava 20.5.1958, 1♂, leg. et det. FM (MILLER 1959), 15.3.1959, 1♀, leg. et det. FM (MILLER 1959); Lednický park 23.5.2003, 1♀, leg. et det. VB.

7267: Boří les 13.5.2003, 1♂, leg. JCH, det. VB, 17.5.2004, 2♂, leg. et det. JS.

7367: Raňšpurk 28.4.1998–18.6.1998, 1♂, leg. JCH & HF, det. VB (FOJTOVÁ 2003); Soutok

4.7.1996–26.8.1997, 2♂+6♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002); Soutok - Sekulská Morava 15.5.2004, 1♂+1♀, leg. JCH, det. VB.

Remarks. Quite common, on bushes and trees.

***Lathys stigmatisata* (Menge, 1869) [11]**

7065: Pouzdřanská step-Kolby 15.4.1961–10.5.1974, 8♂+12♀, leg. et det. FM (MILLER 1966, KÚRKA 1994).
7165: Děvín 1.5.1965–17.5.1965, 1♂, leg. et det. VBu (BUKVA 1969), 30.3.1995–17.4.1995, 3♂+1♀, leg. JCH, det. JS, 7.5.1995–21.6.1996, 4♂, leg. JCH, det. JS, 23.5.2003, 1♀, leg. et det. JS; Pavlovské vrchy 8.6.1955, 2♀, leg. et det. FM (KÚRKA 1994), 1.5.1966, 1♂, leg. et det. FM (KÚRKA 1994), 31.5., 7♀, leg. et det. FM (KÚRKA 1994), 14.10., 1♀, leg. et det. FM (KÚRKA 1994); Svatý Kopeček 13.6.1970, 1♀, leg. VBu, det. VB, 2.4.2004, 1♂, leg. et det. VB; Tabulová 4.4.1998–29.5.1998, 1♂, leg. VR & P. Antuš, det. VR.

Remarks. Scarce, in grass and under small stones in steppes.

***Nigma flavescens* (Walckenaer, 1830) [70]**

7065: Kolby 12.6.2004, 1♀, leg. SV, det. VB; Pouzdřanská step 25.5.2004, 1♂, leg. SV, det. VB.
7165: Děvín - north 23.5.2003, 1♂, leg. et det. VB; Svatý Kopeček 13.6.1970, 1♂+1♀, leg. VBu, det. VB, 21.5.2003, 2♀, leg. et det. VB, 21.5.2003, 1♂+1♀, leg. M. Jarab, det. JS, 14.5.2004, 1 juv., leg. et det. JS.
7166: Horní les Y. 1971, 3 ex., leg. JK, det. FM (KŘÍSTEK 1980); Lednice 20.5., 6♂+1♀, leg. et det. FM (KÚRKA 1994), 20.6., 4♂+1♀, leg. et det. FM (KÚRKA 1994); Lednice-Podivín, doubrava 25.6.1960, 1♂, leg. et det. E. Žďárková.
7266: Liščí vrch 4.4.2004, 1 juv., leg. P. Vaňhara, det. VB; Skalky 15.5.2004, 1♀, leg. et det. JS.
7267: Boří les - sand 24.5.2003, 1♂, leg. et det. VB.

Remarks. Quite common, on shrubs and trees at forest edges.

***Nigma walckenaeri* (Roewer, 1951) [17]**

7165: Mikulov 13.4.2003, 2♀, leg. JCH, det. VB.
7166: Lednice 16.9.1961, 1♀, leg. et det. FM (KÚRKA 1994).

Remarks. Rare, collected by F. Miller in Lednice (without closer specification). Recently two females were found at the entrance of wine cellars in Mikulov. Our data support synanthropic occurrence of *N. walckenaeri*.

Family Amaurobiidae

***Amaurobius erberi* (Keyserling, 1863) [0]**

7165: Svatý Kopeček 16.10.2003, 1♂, leg. et det. VB, 2.4.2004, 1♂+1♀, leg. VB, det. JD, 2.4.2004, 3♂+2♀, leg. et det. VB.

Remarks. Very rare; a few specimens were collected between autumn 2003 and spring 2004 in Svatý Kopeček NR. *A. erberi* seems to inhabit shaded scree slopes in this locality, where can be collected together with *A. ferox*. NEW SPECIES FOR THE CZECH REPUBLIC.

***Amaurobius fenestralis* (Ström, 1768) [126]**

7165: Dunajovický potok 2.4.2004, 1 juv., leg. E. Svatoňová, det. JS.

Remarks. Very rare, one juvenile of this species (at higher altitudes very common) was found under tree bark at the entry of Dunajovický potok stream into VDNM I.

***Amaurobius ferox* (Walckenaer, 1830) [29]**

7165: Děvín - north 9.4.2004, 1 ♀, leg. JCH, det. VB, 9.4.2004, 1 ♀, leg. JCH, det. VB; Mikulov 14.4.2003, 1 ♂+1 ♀, leg. JCH, det. VB, 1.3.2003–15.4.2003, 1 ♂, leg. JCH, det. VB, 27.4.2003, 1 ♀+1 juv., leg. JCH, det. VB, 22.5.2003, 1 ♀, leg. et det. VB; Pavlovské vrchy 22.4.2000, 1 ♀, leg. J. Erhart, det. VR; Perná 16.1.2003, 6 ♂+4 ♀+6 juv., leg. JCH, det. VB; Svatý Kopeček 2.4.2004, 1 ♂+3 ♀, leg. et det. VB; Turolď 1.5.2003, 6 ♂+3 ♀, leg. JCH, det. VB, 23.5.2003, 1 ♀, leg. et det. ICH, 24.5.2003, 1 ♂, leg. et det. VB.

7166: Lednický park 30.4.2003, 1 ♂+2 ♀, leg. et det. VB; Nejdek 4.7.2003, 1 ♀, leg. JCH, det. VB.

7266: Skalky 5.4.2003–5.5.2003, 1 ♂, leg. JCH, det. VB, 5.5.2003–26.5.2003, 1 ♂, leg. JCH, det. VB; Valtice 17.1.2003, 2 ♂+1 ♀+2 juv., leg. JCH, det. VB, 27.2.2004, 1 ♀, leg. JCH, det. VB.

Remarks. Common in cellars, wine cellars, scree slopes and in cave niches (Turolď, Skalky).

***Amaurobius jugorum* L. Koch, 1868 [32]**

7165: Děvín 1.5.1965–9.7.1966, 7 ♂+2 juv., leg. et det. VBu (BUKVA 1969), 23.6.1993–7.7.1993, 1 juv., leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 4.5.2003, 1 ♀, leg. JCH, det. VB; Děvín - north 23.5.2003, 2 ♀, leg. et det. VB, 23.5.2003, 1 ♀, leg. et det. JB, 9.4.2004, 2 ♀, leg. JCH, det. VB; Pavlovské vrchy 10.6.1956, 1 ♀, leg. et det. FM (KŮRKA 1994), 10.6.1958, 1 ♀, leg. et det. FM (KŮRKA 1994), 26.4.1973, 1 ♀, leg. et det. FM (KŮRKA 1994); Svatý Kopeček 29.5.2003, 1 ♀, leg. JCH, det. VB.

7266: Skalky 22.5.2003, 1 ♀, leg. et det. VR.

Remarks. Scarce, in xerothermic habitats.

***Callobius claustrarius* (Hahn, 1833) [145]**

7165: Děvín - north 7.5.1996–25.5.1996, 1 juv., leg. JCH, det. JS.

Remarks. Very rare, this relatively psychrophilous species was found only in forest on the northern part of Děvín hill.

Family Titanocidae***Titanoeca schineri* L. Koch, 1872 [18]**

7065: Pouzdřanská step-Kolby 13.6.1968–10.7.?, 14 ♂+4 ♀+1 juv., leg. et det. FM (KŮRKA 1994).

7165: Bavory Y. 1932, leg. et det. J. Kratochvíl (KRATOCHVÍL 1932a); Děvín 31.5.1965–28.6.1965, 1 ♂, leg. et det. VBu (BUKVA 1969); Dolní Věstonice - Kalendář věků 14.6.2003, 2 juv., leg. JCH, det. VB; Kotel 12.9.2003, 1 ♀, leg. JCH, det. VB, 9.11.2003, 1 juv., leg. JCH, det. VB; Pavlovské vrchy Y. 1932, leg.?, det. J. Kratochvíl (KRATOCHVÍL 1932a); Svatý Kopeček 20.4.2001–14.9.2001, 8 ♂+1 ♀+3 juv., leg. MHL, det. VB, 21.5.2003, 1 juv., leg. et det. VB, 5.6.2003, 1 juv., leg. JCH, det. VB, 2.4.2004, 4 juv., leg. et det. JS.

7266: Mušlov - sand pit 21.5.2003, 3 juv., leg. et det. VB; Skalky 22.5.2003, 1 juv., leg. et det. VB, 3.8.2003, 1♀, leg. et det. PK, 16.10.2003, 1 juv., leg. P. Vaňhara, det. VB, 3.4.2004, 1 juv., leg. et det. VB.
7267: Boří les 17.5.2004, 7 juv., leg. et det. JS; Boří les - sand 28.6.2003–21.7.2003, 1♂, leg. JCH, det. VB.

Remarks. Common, among stones and grass tussocks in steppes (stone, sand, loess). Interestingly, very common and thermophilous *T. quadriguttata* has not been recorded from the Pálava region.

Titanoeca tristis L. Koch, 1872 [1]

7165: Svatý Kopeček 15.5.1932, 1♀, leg. et det. J. Kratochvíl (KRATOCHVÍL 1932a).

Remarks. One female of *T. tristis* was reported by J. Kratochvíl from Svatý Kopeček NR (KRATOCHVÍL 1932a). Because the determination of females of the genus *Titanoeca* is complicated, voucher material is not available, and the occurrence of *T. tristis* has never been confirmed despite intensive arachnological research, we do not consider *T. tristis* to be a member of the arachnofauna of the Pálava region.

Family Anyphaenidae

Anyphaena accentuata (Walckenaer, 1802) [69]

7065: Vranovice 15.5.1958, 1♂, leg. et det. FM (KÚRKA 1994), 25.5., 3♂+1♀, leg. et det. FM (KÚRKA 1994).
7165: Klentnický potok 3.4.2004, 1 juv., leg. et det. VB, 3.4.2004, 2 juv., leg. P. Vaňhara, det. VB, 3.4.2004, 1 juv., leg. E. Svatoňová, det. JS, 14.4.2004, 1 juv., leg. JCH, det. VB, 22.4.2004, 1 juv., leg. JCH, det. VB; Mikulov 1.9.2003–30.9.2003, 1 juv., leg. JCH, det. VB, 2.2.2004–21.4.2004, 1 juv., leg. JCH, det. VB; Pavlovské vrchy?, 1♂, leg. et det. FM (KÚRKA 1994); Soutěska 30.5.2003, 1♂, leg. JCH, det. VB, 9.4.2004, 3 juv., leg. JCH, det. VB; Svatý Kopeček 14.5.2004, 1♂+3♀, leg. et det. JS; Tuřold 1.5.2003, 1♂+1♀, leg. JCH, det. VB.
7166: Horní les Y. 1971, 168 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 89 ex., leg. JK, det. FM (KŘÍSTEK 1980), 2.7.1996–31.5.1997, 3♂+1♀+1 juv., leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002), 19.4.2004, 10 juv., leg. JCH, det. VB; Kinberk - pool 4.4.2004, 5 juv., leg. SV, det. VB; Křivé jezero 1.8.2003, 1 juv., leg. et det. VB; Lednice 12.10.1952, 5 juv., leg. et det. FM (KÚRKA 1994), 24.5.1957, 4♂+3♀, leg. et det. FM (KÚRKA 1994), 5.5.1974, 1♀, leg. J. Boháč, det. VR; Lednice-Podivín, doubrava 20.5.1958–20.2.1959, 2♂+3♀+18 juv., leg. et det. FM (MILLER 1959); Lednický park 25.5.1983, 1♀, leg. et det. K. Absolon, 22.5.1999, 1♀, leg. et det. LK, 23.5.2003, 1♂+1♀, leg. et det. PK, 23.5.2003, 2♂, leg. et det. VB, 2.8.2003, 2 juv., leg. et det. VB; Milovický les 3.4.2004, 3 juv., leg. et det. ZM, 3.4.2004, 2 juv., leg. et det. JS, 3.4.2004, 1 juv., leg. et det. VB, 23.4.2004, 2♀, leg. JCH, det. VB.
7266: Boří les - oaks 18.10.2003, 1 juv., leg. JCH, det. VB; Hlohovecký rybník 23.5.1999, 1♀, leg. et det. LK; Mušlov - sand pit 21.5.2003, 1♀, leg. et det. PK; Skalky 15.5.2004, 1♀, leg. et det. JS.
7267: Boří les 18.10.2003, 1 juv., leg. et det. JD, 18.10.2003, 1 juv., leg. et det. I. Fenclová, 17.5.2004, 1♀+4 juv., leg. et det. JS.
7367: Ranšpurk 30.9.1993–14.10.1993, 1 juv., leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 28.4.2000–20.5.2000, 1♂, leg. JCH & HF, det. VB (FOJTOVÁ 2003), 10.1.2001–28.2.2001, 1 juv., leg. JCH & HF, det. VB (FOJTOVÁ 2003); Soutok 2.8.1996–9.11.1996, 1♀+2 juv., leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002).

Remarks. Common, on leaf of trees and bushes.

Family Liocranidae

Agraecina striata (Kulczyński, 1882) [12]

7166: Horní les Y. 1971, 9 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1991, leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995).

7168: Očovské louky 31.5.2002, 1♀, leg. et det. VB.

7266: Lednické rybníky 13.5.1999–14.11.1999, 3 ex., leg. et det. MH; Slanisko u Nesytu 1.4.2004, 1 juv., leg. et det. JS.

7267: Lanžhot - Bačovská 27.5.2003–2.6.2003, 7♂, leg. et det. JS.

7268: Stibůrkovská jezera 29.5.2002, 2♀, leg. et det. JS; Týnecký les 29.5.2002, 1 ex., leg. et det. JS.

7367: Ranšpurk 14.10.1993–13.7.2001, 39♂+4♀+1 juv., leg. JCH & HF, det. VB & JS (part in MAJKUS & SVATOŇ 1995, FOJTOVÁ 2003); Soutok Y. 1991, 1 ex., leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995).

Remarks. Scarce, in the Palava region restricted to floodplain forests and flooded meadows, where it lives among detritus.

Agroeca brunnea (Blackwall, 1833) [128]

7065: Kolby (outside NNR) 16.5.2004–12.6.2004, 2♀, leg. SV, det. VB; Pouzdřanská step-Kolby 5.5.1969, 2♂, leg. et det. FM (KÚRKA 1996), 20.4., 2♂, leg. et det. FM (KÚRKA 1996), 5.10., 2♂+1♀, leg. et det. FM (KÚRKA 1996); VDNM II - Šmardův ostrov Y. 1998, 6 ex., leg. et det. IV (VALÍČKOVÁ 1998).

7165: Děvín 26.10.1992–14.5.1994, 1♀, leg. et det. VR; Kotel 9.11.2003, 1♂, leg. JCH, det. VB; Pavlovské vrchy 6.5.1956, 1♀, leg. et det. FM (KÚRKA 1996), 1.9.1956, 1♀, leg. et det. FM (KÚRKA 1996); Tabulová 22.12.2003, 1♂, leg. JCH, det. VB; Turolď 1.5.2003, 1♀, leg. JCH, det. VB.

7166: Horní les Y. 1991, leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995), 29.6.1997, 1♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002), 19.4.2004, 1♂, leg. JCH, det. VB; Kinberk 19.5.2004–23.6.2004, 1♀, leg. JCH, det. VB; Lednice Y. 1929, leg. J. Baum, det. J. Baum (BAUM 1929), 5.4.1958, 1♂+3♀, leg. et det. FM (KÚRKA 1996), 3.5.1958, 2♀, leg. et det. FM (KÚRKA 1996); Lednice-Podivín, doubrava 20.5.1958, 2 juv., leg. et det. FM (MILLER 1959), 30.6.1958, 3♂+2♀+3 juv., leg. et det. FM (MILLER 1959), 15.3.1959, 1♂+2 juv., leg. et det. FM (MILLER 1959); Milovice - trench 15.6.2003, 1♀, leg. JCH, det. VB; Milovický les 3.4.2004, 1♀, leg. et det. JD; Mušlov - frog traps 14.4.2003, 1♂+1♀, leg. JCH, det. VB.

7265: Šibeník 2.5.2004, 1♀, leg. JCH, det. VB.

7266: Hlohovecký rybník 23.5.1999, 1♀, leg. et det. LK; Rendezvous 13.6.2004–23.6.2004, 1♀, leg. JCH, det. VB; Slanisko u Nesytu 1.10.1993, 1♂, leg. JCH, det. JS.

7267: Boří les - sand 27.5.2003–28.6.2003, 1♀, leg. JCH, det. VB, 28.9.2003–10.12.2003, 1♂+1♀, leg. JCH, det. VB; Břeclav 22.4.1969, 6♂+1♀, leg. et det. FM (KÚRKA 1994); Kančí obora Y. 1969, 25 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975b).

7268: Stibůrkovská jezera 29.5.2002, 1 juv., leg. et det. JS.

7367: Ranšpurk 25.6.1993–10.12.2001, 124♂+40♀+19 juv., leg. JCH & HF, det. VB (part in MAJKUS & SVATOŇ 1995, FOJTOVÁ 2003), 20.8.2003, 2♀, leg. JCH, det. VB, 1.4.2004, 1♀, leg. JCH, det. VB.

Remarks. Very common, on a wide range of habitats.

Agroeca cuprea Menge, 1873 [40]

7065: Kolby 16.5.2004–12.6.2004, 2♀, leg. SV, det. VB; Kolby (outside NNR) 16.5.2004–12.6.2004, 1♀, leg. SV, det. VB; Pouzdřanská step 16.5.2004–12.6.2004, 3♀, leg. SV, det. VB; Pouzdřanská step-Kolby 15.4.1961–15.12.?, 98♂+21♀, leg. et det. FM (KÚRKA 1996); Vranovice 15.5.1951, 1♀, leg. et det. FM (KÚRKA 1996).

7165: Děvín 1.5.1965–8.8.1966, 79♂+35♀+6 juv., leg. et det. VBu (BUKVA 1969), 16.10.1995–14.1.1997, 10♂,

Spiders of the Lower Morava

leg. JCH, det. ZM & JS; Dunajovické kopce 22.5.2003, 1♀, leg. et det. JS; Svatý Kopeček 12.7.1965–23.2.1966, 5♂+4♀, leg. et det. VBU (BUKVA 1969), 20.4.2001–16.8.2001, 1♂+3♀, leg. MHI, det. VB; Svatý Kopeček - vineyards 20.4.2001–22.5.2001, 2♂, leg. MHI, det. VB; Tabulová 31.5.1965–28.6.1965, 1♀, leg. et det. VBU (BUKVA 1969), 30.10.1965–13.11.1965, 1♂, leg. et det. VBU (BUKVA 1969), 4.4.1998–29.5.1998, 1♀, leg. VR & P. Antuš, det. VR, 17.10.2003, 1♀, leg. et det. VB, 17.10.2003, 1♀, leg. J. Erhart, det. VR.

7166: Kinberk 30.9.2003–28.11.2003, 1♂, leg. JCH, det. VB, 19.5.2004–23.6.2004, 1♀, leg. JCH, det. VB; Lednice 5.4.1958, 1♂+1♀, leg. et det. FM (KŮRKA 1996); Milovická stráž 3.4.2004, 1♀, leg. P. Vaňhara, det. VB, 3.4.2004, 1♂, leg. et det. JD; Milovický les 7.6.2003, 1♀, leg. JCH, det. VB, 3.4.2004, 1♀, leg. et det. JD. 7266: Liščí vrch 4.4.2004, 1♀, leg. et det. VB; Skalky 22.5.2003, 1♀, leg. et det. VB.

Remarks. Common in xerothermic habitats.

Agroeca lusatica (L. Koch, 1875) [7]

7065: Pouzdřanská step-Kolby 10.3.?-15.12.?, 50♂+1♀, leg. et det. FM (KŮRKA 1996).

7165: Svatý Kopeček - vineyards 20.4.2001–22.5.2001, 2♂+1♀, leg. MHI, det. VB.

7166: Kinberk 30.9.2003–28.11.2003, 1♂, leg. JCH, det. VB, 28.11.2003–20.3.2004, 2♂, leg. JCH, det. VB.

7267: Boří les - sand 28.6.2003–22.3.2004, 2♂+2♀, leg. JCH, det. VB.

Remarks. Rare in sandy (Boří les) and loess (Pouzďřanská step) xerothermic habitats, adult males in autumn and winter.

Apostenus fuscus Westring, 1851 [58]

7165: Děvín 1.5.1965–30.4.1966, 3♂, leg. et det. VBU (BUKVA 1969); Děvín - north 26.10.1992–14.5.1994, 18♂+2♀, leg. et det. VR, 7.5.1996–25.5.1996, 75♂+4♀, leg. JCH, det. JS, 9.4.2004, 2♂, leg. JCH, det. VB; Pavlovské vrchy 1.5., 1♂, leg. et det. FM (KŮRKA 1996); Svatý Kopeček 14.5.2004–17.5.2004, 6♂, leg. et det. JS; Svatý Kopeček - vineyards 14.9.2001–22.10.2001, 1♂, leg. MHI, det. VB.

7266: Boří les - oaks 18.10.2003, 3 juv., leg. et det. VB.

Remarks. Rare, in detritus of oak woods.

Liocranum rupicola (Walckenaer, 1830) [54]

7165: Děvín 2.8.2003, 1♀, leg. et det. VB; Dolní Věstonice - Kalendář věků 14.6.2003, 1 juv., leg. JCH, det. VB; Mikulov 1.5.2003–31.5.2003, 1♂, leg. JCH, det. VB; Pavlovské vrchy 5.5.1935, 1♂, leg. et det. FM (KŮRKA 1996); Soutěska 8.5.2003, 1♂+2♀+1 juv., leg. JCH, det. VB, 30.5.2003, 1♀, leg. JCH, det. VB; Svatý Kopeček 29.5.2003, 1♂, leg. JCH, det. VB, 2.4.2004, 1 juv., leg. et det. VB; Tabulová 4.4.1998–29.5.1998, 1♀, leg. VR & P. Antuš, det. VR; Turolď 1.5.2003, 2♂+1♀, leg. JCH, det. VB, 23.5.2003, 1♂+1♀, leg. et det. ICH, 24.5.2003, 1♂+3♀, leg. et det. VB.

7166: Kinberk 5.8.2003–23.6.2004, 5♂+3♀+3 juv., leg. JCH, det. VB; Lednický park 30.4.2003, 1 juv., leg. et det. VB; Nejdeč 4.7.2003, 4 juv., leg. JCH, det. VB.

7266: Prostřední rybník 3.8.2003, 1♀, leg. et det. VB; Sedlec 21.12.2002, 1 juv., leg. J. Pivoda, det. VB.

Remarks. Common, on rocks, scree slopes and in houses. In contrast to other, colder parts of the CR this species is more abundant in natural habitats than in artificial ones in the Pálava region.

***Phrurolithus festinus* (C. L. Koch, 1835) [143]**

7065: Pouzdřanská step-Kolby 5.5., 1♂, leg. et det. FM (KŮRKA 1996), 10.7., 1♀+2 juv., leg. et det. FM (KŮRKA 1996).

7165: Děvín 9.8.1965–23.8.1965, 1♀, leg. et det. VBU (BUKVA 1969), 28.5.1966–12.6.1966, 1♂, leg. et det. VBU (BUKVA 1969), 11.5.2003, 1♀, leg. JCH, det. VB, 23.5.2003, 1♀, leg. et det. JS, 2.8.2003, 1 juv., leg. et det. VB; Dolní Věstonice - Kalendář věků 14.6.2003, 3♀, leg. JCH, det. VB; Dunajovické kopce 2.4.2004, 4 juv., leg. M. Jarab, det. JS, 9.5.2004, 1♀, leg. SV, det. VB, 28.5.2004–7.6.2004, 1♀, leg. SV, det. VB; Dunajovický potok 2.4.2004, 1 juv., leg. et det. VB; Kočičí skála 6.6.1996–11.6.1996, 3♂+1♀, leg. J. Matuška, det. VB (ŘEZÁČ & BRYJA 2002), 17.10.2003, 2 juv., leg. et det. VB; Mikulov 14.4.2003, 3 juv., leg. JCH, det. VB, 17.4.2004, 2 juv., leg. JCH, det. VB; Pavlovské vrchy 15.6.1958, 1♂+1♀, leg. et det. FM (KŮRKA 1996); Svatý Kopeček 22.5.2001–14.9.2001, 1♂+9♀, leg. MHL, det. VB, 21.5.2003, 1♀, leg. et det. VB, 21.5.2003, 1♀, leg. M. Jarab, det. JS, 29.5.2003, 2♂+1♀, leg. JCH, det. VB, 16.10.2003, 1 juv., leg. et det. VB, 2.4.2004, 3 juv., leg. et det. JS; Svatý Kopeček - vineyards 20.4.2001–14.9.2001, 11♂+22♀, leg. MHL, det. VB; Tabulová 1.6.1997–10.7.1997, 1♂+1♀, leg. VR & P. Antuš, det. VR, 10.7.1997–3.10.1997, 1♂+2♀, leg. VR & P. Antuš, det. VR.

7166: Horní les 29.6.1997–2.9.1997, 3♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002); Kinberk 4.4.2004, 1 juv., leg. et det. JS, 19.5.2004–23.6.2004, 1♂, leg. JCH, det. VB; Lednice 31.5., 2♂+1♀, leg. et det. FM (KŮRKA 1996), 13.6.2003, 1♀, leg. JCH, det. VB; Lednice-Podivín, doubrava 20.5.1958–30.9.1958, 7♂+13♀+10 juv., leg. et det. FM (MILLER 1959); Lednický park 23.5.2003, 1♀, leg. et det. VB; Milovice - trench 13.6.2003, 1♂+2♀, leg. JCH, det. VB, 15.6.2003, 2♂+4♀, leg. JCH, det. VB; Milovická stráž 3.4.2004, 1 juv., leg. P. Vaňhara, det. VB; Milovický les 7.6.1994, 1♂+1 juv., leg. JCH, det. JS, 7.6.1994–21.6.1994, 1♂, leg. JCH, det. JS, 3.4.2004, 1 juv., leg. et det. VB, 3.4.2004, 1 juv., leg. M. Jarab, det. JS, 3.4.2004, 5 juv., leg. et det. ZM, 3.4.2004, 2 juv., leg. P. Vaňhara, det. VB; Nejdek 17.7.1996, 1♀, leg. et det. VR.

7167: Podivín 1.5.2003, 1 juv., leg. JCH, det. VB.

7265: Šibeničník 20.3.2004, 1 juv., leg. JCH, det. VB; Šibeník 2.5.2004, 2♂+1♀, leg. JCH, det. VB.

7266: Boří les - oaks 24.5.2003, 1♂, leg. M. Jarab, det. JS, 24.5.2003, 1♂, leg. et det. VB, 20.8.2003, 1♀, leg. JCH, det. VB, 18.10.2003, 6 juv., leg. et det. VB; Hlohovec 22.5.2004, 1♀, leg. JCH, det. VB; Liščí vrch 4.4.2004, 1 juv., leg. et det. VB; Mušlov - sand pit 21.5.2003, 1♂+1♀, leg. et det. PK, 21.5.2003, 1♀, leg. E. Svatoňová, det. JS, 15.4.2003–26.5.2003, 1♀, leg. JCH, det. VB, 2.4.2004, 2 juv., leg. M. Jarab, det. JS; Mušlovské rybníky 4.4.2004, 2 juv., leg. et det. VB; Rendezvous 24.5.2003, 1♀, leg. et det. VB, 13.6.2004–23.6.2004, 1♂, leg. JCH, det. VB; Skalky 22.5.2003, 1♀, leg. M. Jarab, det. JS, 15.5.2004, 1♂+1♀, leg. et det. JS; Slanisko u Nesytu 22.5.2003, 1♀, leg. et det. JS, 23.5.2003, 1♂+1♀+2 juv., leg. et det. VR, 1.4.2004, 3 juv., leg. M. Jarab, det. JS.

7267: Boří les 15.5.2004, 2 juv., leg. JCH, det. VB, 17.5.2004, 2♂+3♀, leg. et det. JS; Boří les - pool 24.5.2003, 1♀, leg. et det. VB; Boří les - sand 8.6.2003, 2♂+2♀, leg. JCH, det. VB, 27.5.2003–28.6.2003, 2♂+1♀, leg. JCH, det. VB, 28.6.2003–21.7.2003, 1♂+1♀, leg. JCH, det. VB, 28.6.2003–24.7.2003, 1♂, leg. JCH, det. VB; Lanžhot - dead arms 28.5.2002, 1♀, leg. et det. VB; Pohansko 23.5.2003, 4♂+6♀, leg. et det. VR, 25.5.2003, 2♀, leg. et det. VB, 1.4.2004, 1 juv., leg. JCH, det. VB.

7367: Cahnov 5.6.1996, 1♀, leg. et det. VR; Košárské louky 23.4.2004, 1 juv., leg. JCH, det. VB; Ranšpurk 14.10.1993–24.5.1994, 1♂, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 19.6.1995–11.7.2000, 5♂+8♀+2 juv., leg. JCH & HF, det. VB (FOJTOVÁ 2003), 20.8.2003, 3♀+3 juv., leg. JCH, det. VB; Soutok 4.7.1996, 1♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002), 25.4.2004, 1 juv., leg. JCH, det. VB.

Remarks. Very common, in a wide range of habitats.

***Phrurolithus minimus* C. L. Koch, 1839 [17]**

7065: Vranovice 15.5.1957, 1♂, leg. et det. FM (KŮRKA 1996).

7166: Milovický les 7.6.1994, 1♂, leg. JCH, det. JS.

Remarks. Very rare, one male collected by F. Miller near Vranovice in 1957; the second known individual was obtained by pitfall trapping in an open part of the Milovický les forest in 1994.

***Phrurolithus pullatus* Kulezyński, 1897 [11]**

7065: Pouzdřanská step 16.5.2004–12.6.2004, 1♂, leg. SV, det. VB, 16.5.2004–12.6.2004, 3♂+1♀, leg. SV, det. VB; Pouzdřanská step-Kolby 15.4.1961–30.7.?, 16♂+7♀+1 juv., leg. et det. FM (KÚRKA 1996).
 7165: Děvín 1.5.1965–8.8.1966, 8♂+11♀+2 juv., leg. et det. VBU (BUKVA 1969), 20.6.1995–20.9.1996, 6♂+7♀, leg. JCH, det. JS, 9.5.2004, 1♀, leg. JCH, det. VB; Dunajovické kopce 22.5.2003, 1♂, leg. et det. VR, 22.5.2003, 2♂+2♀, leg. et det. VB, 22.5.2003, 1♂, leg. et det. JB, 17.10.2003, 2 juv., leg. et det. VB, 9.5.2004–7.6.2004, 7♂+2♀, leg. SV, det. VB; Pavlovské vrchy 15.7.1955, 1♂+1♀, leg. et det. FM (KÚRKA 1996), 15.6.1956, 3♂+2♀, leg. et det. FM (KÚRKA 1996), 5.4., 4♂+4♀, leg. et det. FM (KÚRKA 1996); Svatý Kopeček 26.7.1965, 1♀, leg. VBU, det. VB, 12.7.1965–26.7.1965, 1♀, leg. et det. VBU (BUKVA 1969), 20.4.2001–22.5.2001, 2♂, leg. MHL, det. VB, 22.5.2001–28.6.2001, 5♂+1♀, leg. MHL, det. VB, 14.5.2004–17.5.2004, 3♂, leg. et det. JS; Svatý Kopeček - vineyards 20.4.2001–16.8.2001, 24♂+10♀, leg. MHL, det. VB; Tabulová 31.5.1965–9.7.1966, 1♂+2♀, leg. et det. VBU (BUKVA 1969), 17.10.2003, 4 juv., leg. et det. VB.
 7166: Kinberk 20.3.2004–19.5.2004, 1♀, leg. JCH, det. VB, 19.5.2004–23.6.2004, 1♂, leg. JCH, det. VB; Milovická strán 3.4.2004, 1 juv., leg. et det. VB; Milovický les 7.6.1994, 1♂, leg. JCH, det. JS.
 7266: Liščí vrch 4.4.2004, 1 juv., leg. et det. VB; Skalky 30.4.2003, 1♂, leg. et det. VB.

Remarks. Common, but restricted solely to limestone and grass steppes and their close vicinity.

***Phrurolithus szilyi* Herman, 1879 [1]**

7165: Pavlovské vrchy, 1♂, leg. et det. FM (KÚRKA 1996).

Remarks. Very rare, one male located to the Pavlovské vrchy hills was found in the Prof. F. Miller collection. This is the only record from the CR. The occurrence of *P. szilyi* in the Pálava region has not been confirmed recently.

***Scotina celans* (Blackwall, 1841) [7]**

7065: Pouzdřanská step-Kolby 15.11.1968, 1♂, leg. et det. FM (KÚRKA 1996).
 7165: Děvín 13.9.1995–28.11.1995, 6♂, leg. JCH, det. JS; Svatý Kopeček 14.9.2001–22.10.2001, 9♂, leg. MHL, det. VB; Svatý Kopeček - vineyards 16.8.2001–14.9.2001, 1♂, leg. MHL, det. VB, 14.9.2001–22.10.2001, 6♂, leg. MHL, det. VB.
 7166: Milovický les 13.9.1994–29.10.1994, 1♂, leg. JCH, det. JS.
 7266: Mušlov - sand pit 19.10.2003, 1♀, leg. et det. VB; Rendezvous 13.6.2004–23.6.2004, 1♀, leg. JCH, det. VB.
 7267: Boří les - sand 28.9.2003–10.12.2003, 1♂, leg. JCH, det. VB.
 7367: Ranšpurk 23.9.1999–20.10.1999, 1♀, leg. JCH & HF, det. VB (FOJTOVÁ 2003), 30.8.2000–5.10.2000, 1♀, leg. JCH & HF, det. VB (FOJTOVÁ 2003).

Remarks. Scarce, in grass of steppes.

Family Clubionidae

Cheiracanthium campestre Lohmander, 1944 [3]

7065: Pouzdřanská step-Kolby 23.5.?, 1♂, leg. et det. FM (sub. *C. virescens*), redet. JD.

7165: Dunajovické kopce 9.5.2004, 1♀, leg. SV, det. JD.

7266: Mušlov - sand pit 24.4.2003, 3♂+1♀, leg. JCH, det. VB & JD.

Remarks. Very rare, recently only in Mušlov sandpit and Dunajovické kopce grass steppe. However, in the Mušlov sandpit this species is abundant in early spring and many specimens can easily be obtained by night. Note: *C. campestre* was not been distinguished from *C. virescens* by F. Miller – some of females of *C. virescens* from Pouzdřanská step grass steppe may in fact represent *C. campestre*.

Cheiracanthium effossum Herman, 1879 [2]

7065: Pouzdřanská step-Kolby 3.5.1929, 1♂, leg. et det. FM (KÚRKA 1996).

7165: Pavlovské vrchy 6.5.1956, 1♀, leg. et det. FM (KÚRKA 1996).

7266: Skalky 15.5.2004, 1♀, leg. et det. JS.

Remarks. Very rare, found only in the F. Miller collection. Recently confirmed by J. Svatoň in Skalky grass steppe. In the CR, *C. effossum* occurs only in the Pálava region.

Cheiracanthium elegans Thorell, 1875 [4]

7065: Pouzdřanská step-Kolby 18.5.1952, 1♂, leg. et det. FM (KÚRKA 1996).

7165: Soutěska 30.5.2003, 1♀, leg. JCH, det. JD.

7166: Milovice - trench 15.6.2003, 1♀, leg. JCH, det. JD.

Remarks. Rare, known from grassy steppes and partially disturbed habitats.

Cheiracanthium erraticum (Walckenaer, 1802) [68]

7065: Pouzdřanská step-Kolby?, 3♂, leg. et det. FM (KÚRKA 1996).

7165: Dunajovické kopce 22.5.2003, 1♀, leg. E. Svatoňová, det. JS; Pavlovské vrchy 24.5.1999, 1♂, leg. et det. LK; Svatý Kopeček 14.5.2004, 1♂, leg. et det. JS; Tabulová 23.8.1965–27.9.1965, 1 juv., leg. et det. VBu (BUKVA 1969), 14.5.1966–28.5.1966, 1♂, leg. et det. VBu (BUKVA 1969).

7166: Milovický les 14.5.2003, 1♂+1♀, leg. JCH, det. VB; Pastvisko 23.5.2003, 1♀, leg. et det. PK, 23.5.2003, 1♂+3♀, leg. et det. ZM.

7168: Mikulčice 29.5.2002, 1♀, leg. et det. JS; Mikulčice - museum 29.5.2002, 1♂+1♀, leg. et det. VB; Očovské louky 31.5.2002, 2♀, leg. et det. VB.

7266: Skalky 1.6.2003, 1♀, leg. JCH, det. JD; Slanisko u Nesytu 22.5.2003, 2♀, leg. E. Svatoňová, det. JS.

7267: Boří les - pool 24.5.2003, 1♂+1♀, leg. et det. VB; Boří les - sand 24.6.2003, 1♀, leg. JCH, det. VB; Lanžhot - Bačovská 31.5.2002, 1♂+6♀, leg. et det. JS; Lanžhot - dead arms 2.6.2002, 1♀, leg. et det. JS.

7268: Stibůrkovská jezera 29.5.2002, 1♀, leg. et det. VB.

Remarks. Common, on herb vegetation in a wide range of open habitats.

***Cheiracanthium mildei* L. Koch, 1874 [0]**

7165: Mikulov 24.5.2003–1.6.2004, 6♂+1♀+9 juv., leg. JCH, det. VB; Svatý Kopeček 2.4.2004, 1 juv., leg. et det. JD.

Remarks. This synanthropic species is probably common inside heated buildings in Mikulov but also seems to expand into more natural habitats (Svatý Kopeček) where it can overwinter (juveniles in the same microhabitat in October and April the following year). *C. mildei* is known only from Mikulov and Brno in the CR. NEW SPECIES FOR THE CZECH REPUBLIC.

***Cheiracanthium pennyi* O. P.-Cambridge, 1873 [1]**

7065: Pouzdřanská step-Kolby 5.6., 2♂, leg. et det. FM (KŮRKA 1996).

Remarks. Very rare; two males from Pouzdřanská step-Kolby NNR were found in the F. Miller collection. The only other known locality in the CR is Čejčské špidláký NNM where one male and two females were collected by J. Dolanský in 2.6.2001 (unpublished).

***Cheiracanthium punctorium* (Villers, 1789) [5]**

7065: Pouzdřanská step-Kolby 6.5.1958, 1♀, leg. et det. FM (KŮRKA 1996).

7165: Dunajovické kopce 1.4.2004, 1♀, leg. et det. JD, 11.8.2004, 1♀, leg. JCH, det. VB.

Remarks. Very rare, in grassy steppes. The only recent records come from grass steppe in Dunajovické kopce NNM.

***Cheiracanthium virescens* (Sundevall, 1833) [19]**

7065: Pouzdřanská step-Kolby 14.5.1961, 1.7.?, 5♂+9♀+3 juv., leg. et det. FM (KŮRKA 1996).

Remarks. Rare, known from grassy steppes – Pouzdřanská step, not confirmed recently.

***Clubiona brevipes* Blackwall, 1841 [25]**

7065: Vranovice 15.5.1951, 2♀, leg. et det. FM (KŮRKA 1996).

7166: Horní les Y. 1971, 62 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 57 ex., leg. JK, det. FM (KŘÍSTEK 1980), 2.7.1996–7.11.1997, 4♂+6♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002); Lednice 1.6.1958, 1♀, leg. et det. FM (KŮRKA 1996), 27.3., 1♀, leg. et det. FM (KŮRKA 1996), 10.4., 5♀, leg. et det. FM (KŮRKA 1996); Lednice-Podivín, doubrava 20.5.1958, 1♂, leg. et det. FM (MILLER 1959).

7168: Mikulčice 29.5.2002, 1♂+2♀, leg. et det. JS.

7266: Hlohovecký rybník 21.6.1996, 1♂, leg. T. Grim, det. VB (GRIM 1997), 28.6.1996, 2♀, leg. T. Grim, det. VB (GRIM 1997).

7367: Soutok Y. 1991, 1 ex., leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995), 4.7.1996–14.11.1997, 7♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002).

Remarks. Quite common on tree bark in floodplain forests.

***Clubiona caerulescens* L. Koch, 1867 [55]**

7065: Pouzdřanská step-Kolby?, 1♀, leg. et det. FM (KŮRKA 1996).
 7165: Pavlovské vrchy 1.9.1956, 2♂, leg. et det. FM (KŮRKA 1996), 24.5.1999, 1♂, leg. et det. LK.
 7166: Lednice 30.7.1956, 1♀, leg. et det. FM (KŮRKA 1996); Lednice-Podivín, doubrava 20.5.1958, 1♂+1♀, leg. et det. FM (MILLER 1959, KŮRKA 1996), 30.9.1958, 1♂, leg. et det. FM (MILLER 1959).

Remarks. Rare, recently confirmed only by L. Kubcová.

***Clubiona comta* C. L. Koch, 1839 [47]**

7065: Pouzdřanská step-Kolby 10.5., 2♀, leg. et det. FM (KŮRKA 1996).
 7165: Tabulová 30.4.1966–14.5.1966, 1♂, leg. et det. VBU (BUKVA 1969); Tuřold 1.5.2003, 4♂+1♀, leg. JCH, det. VB.
 7166: Horní les 31.7.1996, 1♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002), 31.5.1997, 1♂, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002); Lednice 3.5.1968, 2♂, leg. et det. FM (KŮRKA 1996), 17.5., 3♂+12♀, leg. et det. FM (KŮRKA 1996); Lednice-Podivín, doubrava 20.5.1958–30.9.1958, 4♂+7♀+3 juv., leg. et det. FM (MILLER 1959); Lednický park 23.5.2003, 1♀, leg. et det. VB.
 7266: Hlohovecký rybník 23.5.1999, 1♀, leg. et det. LK; Rendezvous 24.5.2003, 1♀, leg. et det. PK; Skalky 22.5.2003, 1♀, leg. et det. JB.
 7267: Kančí obora Y. 1969, 1 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975b).
 7367: Soutok Y. 1991, 1 ex., leg. R. Vančura, det. ZM (MAJKUS & SVATONĚ 1995).

Remarks. Quite common, often in forests in detritus and on bases of tree trunks.

***Clubiona diversa* O. P.-Cambridge, 1862 [36]**

7165: Pavlovské vrchy?, 5♀, leg. et det. FM (KŮRKA 1996).
 7166: Lednice Y. 1929, leg. J. Baum, det. J. Baum (BAUM 1929); Lednice-Podivín, doubrava 20.5.1958, 1♂, leg. et det. FM (MILLER 1959), 30.6.1958, 1♀, leg. et det. FM (MILLER 1959).
 7266: Hlohovecký rybník 4.7.1996, 1♀, leg. T. Grim, det. VB (GRIM 1997); Skalky 22.5.2003, 1♂, leg. et det. JS; Slanisko u Nesytu 1.4.2004, 1♀, leg. M. Jarab, det. JS.

Remarks. Scarce, among grass and under stones in various habitats.

***Clubiona frutetorum* L. Koch, 1867 [20]**

7065: Pouzdřanská step-Kolby 20.6., 1♀, leg. et det. FM (KŮRKA 1996).
 7165: Pavlovské vrchy 15.6.1958, 1♀, leg. et det. FM (KŮRKA 1996).
 7166: Horní les Y. 1971, 3 ex., leg. JK, det. FM (KRÍSTEK 1980).

Remarks. Rare, in xerothermic habitats, not confirmed recently.

***Clubiona genevensis* L. Koch, 1866 [7]**

7065: Pouzdřanská step-Kolby 6.5.1958, 2♂+4♀, leg. et det. FM (KŮRKA 1996), 5.5., 2♂, leg. et det. FM (KŮRKA 1996).
 7165: Pavlovské vrchy 10.7.1955, 1♀, leg. et det. FM (KŮRKA 1996), 6.5.1956, 1♂+4♀, leg. et det. FM (KŮRKA 1996).

1996), 1.6., 1♀, leg. et det. FM (KÚRKA 1996); Svatý Kopeček 1.5.1965–17.5.1965, 1♂, leg. et det. VBu (BUKVA 1969), 14.5.2004, 1♀, leg. et det. JS.
7267: Boří les 17.5.2004, 1♂, leg. et det. JS.

Remarks. Rare, in xerothermic habitats.

Clubiona germanica Thorell, 1871 [24]

7065: Pouzdřanská step-Kolby 4.4.1958, 1♀, leg. et det. FM (KÚRKA 1996).
7165: Klentnický potok 3.4.2004, 1♂+2♀, leg. et det. JS.
7166: Lednice-Podivín, doubrava 20.5.1958, 1♀, leg. et det. FM (MILLER 1947, KÚRKA 1996), 30.9.1958, 1♂, leg. et det. FM (MILLER 1959), 15.8., 1♂, leg. et det. FM (KÚRKA 1996).

Remarks. Rare, on tree bark in wet habitats.

Clubiona juvenis Simon, 1878 [3]

7266: Hlohovecký rybník 3.6.2003, 1♀, leg. JCH, det. VB; Lednické rybníky 30.5.1997, 1♂, leg. et det. MH; Mušlovské rybníky 19.10.2003, 1♀, leg. et det. VB; Nesyt 16.7.1996, 3♀, leg. et det. VR (RŮŽIČKA & HOLEC 1998), 18.7.1996, 1♀, leg. R. Lučan, det. VR, 1.6.2003, 2♂, leg. JCH, det. VB, 22.6.2006, 1♀, leg. JCH, det. VB; Nový rybník 24.5.2003, 1♂+3♀, leg. et det. VR, 25.5.2003, 1♂+2♀, leg. JCH, det. VB; Slanisko u Nesytu Y. 1988, 1♂+1♀, leg. Křen, det. M. Řezáč (ŘEZÁČ 2001), 22.5.2003, 1♀, leg. et det. JS.
7268: Stibůrkovská jezera 29.5.2002, 1♂, leg. et det. VB.

Remarks. Scarce, in reed and reedmace in pond littorals. Easy to overlook, since it has a cryptic way of life in the stalks of reeds; usually collected in night.

Clubiona lutescens Westring, 1851 [131]

7065: Pouzdřanská step-Kolby 10.5., 1♂, leg. et det. FM (KÚRKA 1996); Vranovice 1.6., 1♀, leg. et det. FM (KÚRKA 1996).
7165: Mušov 25.4., 2♂+2♀, leg. et det. FM (KÚRKA 1996); Pavlovské vrchy, 1♂+1♀, leg. et det. FM (KÚRKA 1996); VDNM II - Písky 15.5.2003, 2♀, leg. JCH, det. VB, 29.4.2004, 1♂+1♀, leg. JCH, det. VB, 25.5.2004, 1♂+3♀, leg. JCH, det. VB.
7166: Horní les Y. 1971, 95 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 97 ex., leg. JK, det. FM (KŘÍSTEK 1980); Křivé jezero 5.6.2003, 1♂, leg. JCH, det. VB; Lednice 30.9.1956, 2♀, leg. et det. FM (KÚRKA 1996), 15.2.1957, 1♀, leg. et det. FM (KÚRKA 1996), 15.5., 5♂, leg. et det. FM (KÚRKA 1996), 20.5., 5♂+7♀, leg. et det. FM (KÚRKA 1996); Lednice-Podivín, doubrava 20.5.1958–30.9.1958, 2♂+8♀, leg. et det. FM (MILLER 1959), 25.6.1959, 1♂, leg. et det. E. Žďárková; Lednický park 25.5.1983, 1♀, leg. et det. K. Absolon.
7168: Očovské louky 31.5.2002, 1♀, leg. et det. VB.
7266: Hlohovecký rybník Y. 1996, 1 ex., leg. T. Grim, det. VB (GRIM 1997); Slanisko u Nesytu 23.5.2003, 2♀, leg. et det. VR.
7267: Kančí obora Y. 1969, 3 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975b).
7367: Cahnov 6.6.2003, 1♂, leg. JCH, det. VB; Ranšpurk 14.10.1993–24.5.1994, 1♂, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 24.5.1995–19.6.1995, 1♂, leg. JCH, det. JS (FOJTOVÁ 2003), 27.5.1999–21.6.1999, 1♀, leg. JCH & HF, det. VB (FOJTOVÁ 2003); Soutok Y. 1991, 1 ex., leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995), 4.7.1996, 1♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002), 9.11.1996, 1♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002); Soutok - hrúd Polinka 6.6.2003, 1♀, leg. JCH, det. VB.

Remarks. Common, in wet habitats, mainly in floodplain forests.

***Clubiona marmorata* L. Koch, 1866 [14]**

7165: Svatý Kopeček 13.5.2000, 1♀, leg. P. Kment & M. Horsák, det. VB.

Remarks. Very rare, only specimen collected in 2000 by M. Horsák and P. Kment in Svatý Kopeček NR.

***Clubiona neglecta* O. P.-Cambridge, 1862 [76]**

7065: Pouzdřanská step-Kolby 10.5.1959–16.7.?, 10♂+21♀, leg. et det. FM (KÚRKA 1996).

7165: Dunajovické kopce 24.3.2003, 1♀, leg. JCH, det. VB, 22.5.2003, 1♀, leg. et det. PK, 22.5.2003, 2♂, leg. E. Svatoňová, det. JS.

7166: Lednice 20.6.1958, 1♂+4♀, leg. et det. FM (KÚRKA 1996).

7266: Nesyt 9.6.1988, 1♀, leg.?, det. VB.

7267: Pohansko 23.5.2003, 1♂, leg. et det. VR.

Remarks. Scarce, in open habitats.

***Clubiona pallidula* (Clerck, 1757) [77]**

7065: Pouzdřanská step-Kolby 15.4.1961, 1♂+2♀+1 juv., leg. et det. FM (KÚRKA 1996), 10.4., 1♂+1♀, leg. et det. FM (KÚRKA 1996).

7165: Mušov 25.4., 1♂, leg. et det. FM (KÚRKA 1996); Pavlovské vrchy 5.5.1956, 1♂, leg. et det. FM (KÚRKA 1996); VDNM II - Pisky 30.4.2003, 1♂+1♀, leg. JCH, det. VB, 25.5.2004, 1♂, leg. JCH, det. VB.

7166: Horní les 31.5.1997, 5♂, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002); Křivé jezero 5.6.2003, 1♀, leg. JCH, det. VB; Lednice Y. 1929, leg. J. Baum, det. J. Baum (BAUM 1929), 30.5.1956, 2♀, leg. et det. FM (KÚRKA 1996), 24.5.1957, 1♂+1♀, leg. et det. FM (KÚRKA 1996), 20.5., 3♂+3♀, leg. et det. FM (KÚRKA 1996); Lednice-Podivín, doubrava 20.5.1958, 1♂, leg. et det. FM (MILLER 1959), 30.6.1958, 2♂+1♀, leg. et det. FM (MILLER 1959).

7267: Kančí obora Y. 1969, 1 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975b).

7367: Soutok 25.4.2004, 1♀, leg. JCH, det. VB.

Remarks. Probably common, under tree bark in forests and on solitary trees.

***Clubiona phragmitis* C. L. Koch, 1843 [62]**

7065: Pasohlávky 7.9.1994, 1♂, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996); Pouzdřanská step-Kolby 15.5.1959, 1♂, leg. et det. FM (KÚRKA 1996); VDNM II - Šmardův ostrov Y. 1996, 2 ex., leg. et det. IV (VALÍČKOVÁ 1998), Y. 1997, 1 ex., leg. et det. IV (VALÍČKOVÁ 1998).

7165: Dunajovický potok 21.3.2004, 1♂, leg. JCH, det. VB, 2.4.2004, 1♂+1♀, leg. M. Jarab, det. JS, 2.4.2004, 1♂+3♀, leg. et det. ZM, 2.4.2004, 1♂+2♀, leg. et det. VB, 28.5.2004, 1♀, leg. SV, det. VB; Klentnický potok 14.4.2004, 2♀, leg. JCH, det. VB; VDNM II 17.7.1981, 1♂, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996), 22.6.1983, 1♂, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996), 20.3.2004, 1♀, leg. JCH, det. VB; VDNM II - Pisky 29.4.2004, 1♀, leg. JCH, det. VB, 25.5.2004, 2♂, leg. JCH, det. VB.

7166: Křivé jezero 22.5.2000–14.7.2001, 3♂+2♀, leg. JCH & HF, det. VB; Lednice 25.5., 1♂, leg. et det. FM (KÚRKA 1996); Nejdek 17.7.1996, 1♂+3♀, leg. et det. VR; Pastvisko 25.8.1976, 2♂, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996), 30.5.1997, 6♂+12♀, leg. et det. VR, 30.5.1997, 3♂+2♀, leg. et det. MH, 23.5.2003, 1♀, leg. et det. PK, 23.5.2003, 1♂+2♀, leg. et det. VR, 23.5.2003, 1♂, leg. et det. JB, 24.5.2003, 1♂+3♀, leg. et det. VB, 2.8.2003, 1♂, leg. et det. VB, 2.8.2003, 1♂+1♀, leg. et det. JD, 18.10.2003, 4♂+3♀, leg. et det. VB, 18.10.2003, 1♀, leg. et det. I. Fenclová, 18.10.2003, 1♀, leg. et det. JD; Šakvice 19.8.1955, 3♂, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996); VDNM III - reedswamp 14.4.2003, 2♂+2♀, leg. JCH, det. VB.

- 7168: Očovské louky 31.5.2002, 1♀, leg. et det. VB.
 7265: Šibeník 30.3.2004, 3♀, leg. JCH, det. VB.
 7266: Hlohovecký rybník 20.6.1995, 1♀, leg. T. Grim, det. VB (GRIM 1997), 3.6.2003, 2♀, leg. JCH, det. VB; Lednické rybníky 30.5.1997, 2♂+1♀, leg. et det. MH, 13.5.1999–14.11.1999, 9 ex., leg. et det. MH; Mlýnský rybník 30.4.2004, 1♀, leg. JCH, det. VB; Mušlovské rybníky 19.10.2003, 1♂, leg. J. Erhart, det. VR, 19.10.2003, 1♀, leg. et det. I. Fenclová, 19.10.2003, 3♀, leg. et det. VB, 19.10.2003, 1♀, leg. et det. VB; Nesyt Y. 1969, 3 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975a), 15.6.1971, 1♂, leg. et det. FM (KÚRKA 1996), 5.5.1974, 1♀, leg. et det. VR, 16.7.1996, 5♀, leg. et det. VR, 18.7.1996, 2♀, leg. R. Lučan, det. VR, 15.4.2003–4.10.2003, 11♂+10♀, leg. JCH, det. VB; Nový rybník 30.5.1997, 2♂+1♀, leg. et det. MH, 25.5.2003, 1♂, leg. JCH, det. VB, 25.5.2003, 1♀, leg. et det. VB; Prostřední rybník 3.8.2003, 1♂+1♀, leg. et det. VB, 3.8.2003, 2♂+1♀, leg. et det. PK; Rendezvous - fishpond 24.5.2003, 1♂+1♀, leg. et det. VB; Slanisko u Nesytu Y. 1988, 2♂+1♀, leg. Křen, det. M. Řezáč, 22.5.2003, 2♀, leg. et det. JS, 8.5.2004, 1♀, leg. JCH, det. VB.
 7267: Boří les - pool 18.10.2003, 1♀, leg. et det. ICH; Lanžhot - dead arms 28.5.2002, 4♂+2♀, leg. et det. VB, 2.6.2002, 1♂+1♀, leg. et det. JS, 2.6.2002, 2♀, leg. et det. PK.
 7268: Stibůrkovská jezera 29.5.2002, 1♂+2♀, leg. et det. VB, 29.5.2002, 2♀, leg. et det. JS.

Remarks. Very common, in reeds, swamps and marshes.

Clubiona pseudoneglecta Wunderlich, 1994 [1]

- 7166: Lednice 20.6.1958, 1♂+4♀, leg. FM, det. VR.

Remarks. Very rare, found in the F. Miller collection among *C. neglecta* material. This species is known only from the Pálava region in the CR; however its occurrence has not been confirmed recently.

Clubiona reclusa O. P.-Cambridge, 1863 [130]

- 7065: Pouzdřanská step-Kolby 22.6.1980, 1♂, leg. et det. FM (KÚRKA 1996).
 7165: Dolní Věstonice - trench 24.6.2004, 1♀, leg. JCH, det. VB.
 7166: Horní les Y. 1972, 2 ex., leg. JK, det. FM (KŘÍSTEK 1980); Lednický park 25.5.1983, 1♀, leg. et det. K. Absolon.
 7168: Mikulčice 29.5.2002, 1♀, leg. et det. JS.
 7266: Nesyt 7.5.1987, 2♂, leg.?, det. VB; Slanisko u Nesytu 22.5.2003, 1♀, leg. E. Svatoňová, det. JS.
 7267: Lanžhot - Bačovská 31.5.2002, 2♀, leg. et det. JS; Lanžhot - dead arms 28.5.2002, 1♀, leg. et det. VB.
 7367: Soutok - Sekulská Morava 15.5.2004, 1♂, leg. JCH, det. VB.

Remarks. Scarce, in wet habitats including floodplain forests.

Clubiona similis L. Koch, 1867 [4]

- 7166: Horní les Y. 1972, 2 ex., leg. JK, det. FM (KŘÍSTEK 1980).

Remarks. Very rare, collected by J. Křístek in Horní les floodplain forest. Voucher material is not available to check potential occurrence of sibling species *C. frisia* Wunderlich & Schuett, 1995.

***Clubiona stagnatilis* Kulczyński, 1897 [80]**

7165: Mušov, 1♂, leg. et det. FM (KÚRKA 1996); VDNM II 13.6.1983, 1♀, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996).

7166: Lednice 19.5.1968, 1♂+2♀, leg. et det. FM (KÚRKA 1996); Pastvisko 30.5.1997, 1♀, leg. et det. MH.

Remarks. Rare, in wet habitats.

***Clubiona subtilis* L. Koch, 1867 [29]**

7165: Svatý Kopeček - vineyards 16.8.2001–14.9.2001, 1♀, leg. MHL, det. VB; VDNM II 17.7.1981, 2♀, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996), 13.6.1983, 4♂+3♀, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996), 19.3.2004, 1♂, leg. JCH, det. VB.

7166: Lednice-Podivín, doubrava 20.5.1958, 1♀, leg. et det. FM (MILLER 1959), 15.8.1958, 1♂, leg. et det. FM (MILLER 1959, KÚRKA 1996); Milovický les 3.4.2004, 1♀, leg. et det. JD.

7168: Mikulčice 29.5.2002, 1♀, leg. et det. JS; Očovské louky 31.5.2002, 1♀, leg. et det. VB, 31.5.2002, 1♀, leg. et det. VB.

7266: Hlohovecký rybník 20.6.1995, 1♀, leg. T. Grim, det. VB (GRIM 1997); Nesyt 15.6.1971, 1♂+3♀, leg. et det. FM (KÚRKA 1996); Slanisko u Nesytu 22.5.2003, 1♀, leg. et det. VB, 22.5.2003, 2♂+1♀, leg. et det. PK, 22.5.2003, 1♀, leg. et det. JB, 1.4.2004, 2♂+2 juv., leg. E. Svatoňová, det. JS.

7267: Boří les - pool 24.5.2003, 1♂, leg. et det. VB; Lanžhot - dead arms 28.5.2002, 1♂, leg. et det. VB; Pohansko 1.4.2004, 1♂+4♀, leg. JCH, det. VB.

Remarks. Common, in marshes, pond littorals and at the edge of floodplain forests.

***Clubiona terrestris* Westring, 1851 [94]**

7165: Děvín 12.6.1996, 1♂, leg. JCH, det. VB; Klentnický potok 22.4.2004, 1♀, leg. JCH, det. VB; Pavlovské vrchy 1.9.1956, 2♂+1♀, leg. et det. FM (KÚRKA 1996); Soutěska 8.5.2003, 1♂, leg. JCH, det. VB, 17.6.2003, 1♀, leg. JCH, det. VB.

7166: Horní les Y. 1991, leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995).

7266: Rendezvous 24.5.2003, 1♀, leg. et det. PK.

7367: Ranšpurk 19.9.1995–19.10.2001, 1♂+5♀, leg. JCH & HF, det. VB & JS (FOJTOVÁ 2003).

Remarks. Quite common, in detritus of various habitats.

Family Zodariidae***Zodarion germanicum* (C. L. Koch, 1837) [48]**

7065: Kolby 16.5.2004–12.6.2004, 7♂+1♀+1 juv., leg. SV, det. VB; Pouzdřanská step-Kolby 13.6.1968–4.7.?, 7♂+2♀, leg. et det. FM (KÚRKA 1994).

7165: Děvín 28.6.1965–8.8.1966, 6♂+5♀+18 juv., leg. et det. VBu (BUKVA 1969), 13.5.1993–26.5.1993, 1♀, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995); Pavlovské vrchy 25.5.1954, 1♂+1♀, leg. et det. FM (KÚRKA 1994).

7166: Milovice - trench 13.6.2003, 1♂+1♀, leg. JCH, det. VB, 15.6.2003, 1♀+1 juv., leg. JCH, det. VB; Milovická stráň 3.4.2004, 1♂+2 juv., leg. P. Vaňhara, det. VB, 3.4.2004, 1♀, leg. et det. JD; Milovický les 7.6.1994–21.6.1994, 1♂, leg. JCH, det. JS, 3.4.2004, 1 juv., leg. et det. VB; Mušlov - frog traps 19.4.2004, 1♂, leg. JCH, det. VB.

7266: Nesyt 7.7.1987, 1♀, leg.?, det. VB.

7267: Boří les - sand 27.5.2003–10.12.2003, 13♂+4♀, leg. JCH, det. VB.

Remarks. Common, in steppes and other dry habitats.

***Zodarium rubidum* Simon, 1914 [7]**

7065: Pouzdřanská step 16.5.2004–12.6.2004, 28♂, leg. SV, det. VB, 16.5.2004–12.6.2004, 2♂, leg. SV, det. VB.

7165: Klentnický potok 22.4.2004, 3 juv., leg. JCH, det. VB; Mikulov 1.7.2003–31.7.2003, 1♀, leg. JCH, det. VB; Svatý Kopeček 20.4.2001–16.8.2001, 52♂+15♀+1 juv., leg. MHI, det. VB, 2.4.2003, 4 juv., leg. P. Vaňhara, det. VB, 29.5.2003, 1♂, leg. JCH, det. VB, 5.6.2003, 1♂, leg. JCH, det. VB; Svatý Kopeček - vineyards 22.5.2001–28.6.2001, 3♂+2♀, leg. MHI, det. VB, 28.6.2001–16.8.2001, 1♀, leg. MHI, det. VB.

7166: Kinberk 1.8.2003, 1 juv., leg. et det. VB, 18.10.2003, 1 juv., leg. et det. VB.

7266: Mušlov - sand pit 21.5.2003, 1♂, leg. et det. VB, 19.10.2003, 1 juv., leg. et det. VB; Skalky 22.5.2003, 2♂+1♀, leg. et det. VB, 1.6.2003, 3♀, leg. JCH, det. VB, 3.8.2003, 1♀, leg. et det. VB, 3.4.2004, 1 juv., leg. et det. VB, 3.4.2004, 2 juv., leg. P. Vaňhara, det. VB.

7267: Boří les - sand 24.5.2003, 1♀, leg. et det. VR, 24.5.2003, 1♂, leg. et det. VB, 8.6.2003–24.7.2003, 21♂+4♀, leg. JCH, det. VB.

Remarks. Common, in steppes and other dry habitats, most abundant in sandy habitats.

Family Gnaphosidae

***Berlandina cinerea* (Menge, 1872) [10]**

7165: Svatý Kopeček 31.5.1965–28.6.1965, 1♂, leg. et det. VBU (BUKVA 1969), 22.5.2001–28.6.2001, 1♀, leg. MHI, det. VB, 14.5.2004–17.5.2004, 1♂, leg. et det. JS.

Remarks. Very rare, only known population in Svatý Kopeček NR.

***Callilepis nocturna* (Linné, 1758) [21]**

7065: Pouzdřanská step-Kolby, 2♀, leg. et det. FM (KÚRKA 1994).

7165: Děvín-Kotel-Soutěska 5.5.1974, 1♂, leg. et det. VR; Pavlovské vrchy 25.5.1958, 1♀, leg. et det. FM (KÚRKA 1994), 31.5., 2♀, leg. et det. FM (KÚRKA 1994).

7166: Milovický les 13.9.1994, 1♀, leg. JCH, det. JS.

Remarks. Rare, in xerothermic habitats.

***Callilepis schuszeri* (Herman, 1879) [25]**

7165: Děvín 12.6.1966–9.7.1966, 1♂, leg. et det. VBU (BUKVA 1969), 9.7.1966–23.7.1966, 1♀, leg. et det. VBU (BUKVA 1969), 23.5.2003, 1♂, leg. E. Svatoňová, det. JS, 5.5.2004, 1♂, leg. et det. V. Hula; Pavlovské vrchy 25.5.1958, 2♂+6♀, leg. et det. FM (KÚRKA 1994).

7166: Milovický les 7.6.1994, 1♂, leg. JCH, det. JS, 7.6.1994–21.6.1994, 4♂+1♀, leg. JCH, det. JS, 3.4.2004, 3 juv., leg. et det. VB.

Remarks. Rare, in xerothermic habitats and forest edges.

***Cryptodrassus hungaricus* (Balogh, 1935) [3]**

7065: Pouzdřanská step-Kolby 25.5., 1♂, leg. et det. FM (KÚRKA 1994).

Remarks. Very rare, one female found by F. Miller in Pouzdřanská step-Kolby NNR. The occurrence of this species has not been confirmed recently. *C. hungaricus* is very rare everywhere and the only other known localities in the CR are the Budkovické skály rocks (BRYJA 2002) and the Mohelenská hadcová step NNR (MILLER 1947).

***Drassodes cupreus* (Blackwall, 1834) [27]**

7165: Děvín 13.5.1993–16.8.1996, 36♂+5♀, leg. JCH, det. JS, 11.5.2003, 1♂, leg. JCH, det. VB; Turolď 24.5.2003, 1♂, leg. et det. VB.

Remarks. Rare, found on rock steppes in Děvín hill and Turolď, in earlier collections (before 1990) could be missidentified sub. *D. lapidosus*.

***Drassodes lapidosus* (Walckenaer, 1802) [109]**

7065: Pouzdřanská step-Kolby 20.9.1966, 1♀, leg. et det. FM (KÚRKA 1994), 15.5., 13♂+3♀, leg. et det. FM (KÚRKA 1994).

7165: Děvín 1.5.1965–8.8.1966, 30♂+5♀+30 juv., leg. et det. VBU (BUKVA 1969), 24.6.1970, 1♂, leg. VBU, det. VB, 13.5.1993–20.9.1996, 44♂+14♀+2 juv., leg. JCH, det. JS, 14.11.1996, 1♀, leg. JCH, det. ZM, 11.5.2003, 1♂, leg. JCH, det. VB, 23.5.2003, 2♀, leg. et det. PK, 23.5.2003, 1♂, leg. et det. VB, 23.5.2003, 3♀, leg. E. Svatoňová, det. JS, 24.5.2003, 3♂, leg. et det. ZM, 2.8.2003, 1♀, leg. et det. PK, 9.5.2004, 1♂, leg. JCH, det. VB; Dolní Věstonice - trench 24.6.2003, 1♀, leg. JCH, det. VB; Dunajovické kopce 16.5.2004–28.5.2004, 1♂, leg. SV, det. VB, 16.5.2004–7.6.2004, 1♂, leg. SV, det. VB; Kotel 12.9.2003, 1♀, leg. JCH, det. VB; Mikulov 1.7.2003–6.6.2004, 1♂+3♀, leg. JCH, det. VB; Pavlovské vrchy 15.6.1966, 3♂, leg. et det. FM (KÚRKA 1994); Svatý Kopeček 31.5.1965–27.9.1965, 2♂+3 juv., leg. et det. VBU (BUKVA 1969), 13.6.1970, 1♂, leg. VBU, det. VB, 11.6.1999, 1♂, leg. P. Kment & M. Horsák, det. VB, 22.5.2001–22.10.2001, 17♂+7♀, leg. MHI, det. VB, 21.5.2003, 2♂, leg. et det. VB, 21.5.2003, 2♂+1 juv., leg. et det. JS, 29.5.2003, 1♂, leg. JCH, det. VB, 5.6.2003, 1♂+4♀, leg. JCH, det. VB, 16.10.2003, 1♀, leg. et det. VB, 28.4.2004, 1♂, leg. JCH, det. VB, 14.5.2004, 1♀+1 juv., leg. et det. JS; Svatý Kopeček - vineyards 20.4.2001–16.8.2001, 8♂+4♀, leg. MHI, det. VB; Tabulová 28.6.1965–9.7.1966, 3♂+4♀+2 juv., leg. et det. VBU (BUKVA 1969), 1.6.1997–10.7.1997, 9♂+1♀, leg. VR & P. Antuš, det. VR, 10.7.1997–3.10.1997, 3♀, leg. VR & P. Antuš, det. VR, 3.10.1997, 4.4.1998, 1 juv., leg. VR & P. Antuš, det. VR, 4.4.1998–29.5.1998, 2♂, leg. VR & P. Antuš, det. VR.

7166: Kinberk 11.7.2003, 1♀, leg. JCH, det. VB, 19.5.2004–23.6.2004, 2♂, leg. JCH, det. VB; Milovická stráž 1.8.2003, 1♀, leg. et det. VB; Milovický les 7.6.1994, 1♀, leg. JCH, det. JS.

7168: Moravská Nová Ves - old vineyard 29.5.2002, 2♀, leg. et det. VB.

7266: Mušlov - sand pit 21.5.2003, 2♀, leg. et det. PK, 15.4.2003–26.5.2003, 1♂, leg. JCH, det. VB; Nesyt 5.7.1974, 1♂, leg. et det. VR, 17.6.1988, 1♂+1♀, leg.?, det. VB; Sedlec - Váhovna 16.7.2003, 1♀, leg. JCH, det. VB; Skalky 22.5.2003, 1♂, leg. et det. VB, 22.5.2003, 1♀, leg. et det. PK, 22.5.2003, 2♀, leg. et det. ZM, 1.6.2003, leg. JCH, det. VB.

7267: Boří les - sand 24.5.2003, 1♀, leg. et det. VR, 7.6.2003–24.7.2003, 1♂+4♀, leg. JCH, det. VB.

Remarks. Very common, in dry habitats.

***Drassodes pubescens* (Thorell, 1856) [111]**

7065: Pouzdřanská step-Kolby 13.5.1968, 6♂+1♀, leg. et det. FM (KÚRKA 1994), 20.6., 1♂, leg. et det. FM (KÚRKA 1994).

- 7165: Děvín 31.5.1965–9.7.1966, 5♂+1♀, leg. et det. VBU (BUKVA 1969); Pavlovské vrchy 10.9., 1♀, leg. et det. FM (KÚRKA 1994).
 7166: Kinberk 5.8.2003–2.9.2003, 1♀, leg. JCH, det. VB.
 7266: Skalky 22.5.2003, 1♂, leg. et det. ZM; Slanisko u Nesytu 20.5.1993–17.6.1993, 6♂+1♀, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995).
 7267: Boří les - sand 27.5.2003–28.9.2003, 7♂+4♀, leg. JCH, det. VB.

Remarks. Scarce, in dry habitats – recently not found in limestone steppes.

***Drassyllus lutetianus* (L. Koch, 1866) [64]**

- 7065: confluence of Svratka and Jihlava 30.5.1980, 1♂, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996).
 7165: Mušov 25.5.1967, 1♂, leg. et det. FM (MILLER 1967, KÚRKA 1994).
 7166: Křivé jezero - fishpond 18.5.1993–14.7.2001, 146♂+30♀, leg. JCH & HF, det. VB; Lednice 15.5.1967, 1♀, leg. et det. FM (MILLER 1967).
 7265: Šibeník 16.5.2003, 1♀, leg. JCH, det. VB.
 7266: Lednické rybníky 13.5.1999–14.11.1999, 10 ex., leg. et det. MH; Nesyt 2.6.1969, 14♂+5♀, leg. et det. FM (KÚRKA 1994), Y. 1969, 33 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975a), 1.6.2003, 1♀, leg. JCH, det. VB; Ranzvovous - fishpond 24.5.2003, 1♀, leg. et det. VB; Slanisko u Nesytu 20.5.1993–15.7.1993, 19♂+11♀, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995).
 7267: Boří les - sand 27.5.2003–28.6.2003, 1♂, leg. JCH, det. VB; Kančí obora Y. 1969, 1 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975b); Lanžhot - dead arms 2.6.2002, 1♀, leg. et det. PK.
 7367: Soutok Y. 1991, 2 ex., leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995).

Remarks. Common, in wet meadows and around fishponds, rarely in floodplain forests.

***Drassyllus praeficus* (L. Koch, 1866) [62]**

- 7065: Pouzdřanská step-Kolby 10.5.1961, 1♂+1♀, leg. et det. FM (MILLER 1967), 10.7.1961, 1♂, leg. et det. FM (MILLER 1967), 20.6., 2♂, leg. et det. FM (KÚRKA 1994).
 7165: Děvín 28.6.1965–12.6.1966, 3♂, leg. et det. VBU (BUKVA 1969), 13.5.1993–26.5.1993, 1♂, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 20.6.1995, 3♂, leg. JCH, det. ZM; Kočičí skála 6.6.1996–11.6.1996, 2♂, leg. J. Matuška, det. VB (ŘEZÁČ & BRYJA 2002); Pavlovské vrchy 15.5.1966, 1♂, leg. et det. FM (KÚRKA 1994), 15.5.1967, 1♂, leg. et det. FM (MILLER 1967); Svatý Kopeček 22.5.2001–28.6.2001, 2♂+2♀, leg. MHI, det. VB, 28.6.2001–16.8.2001, 1♀, leg. MHI, det. VB, 29.5.2003, 1♀, leg. JCH, det. VB; Svatý Kopeček - vineyards 22.5.2001–28.6.2001, 3♂+2♀, leg. MHI, det. VB, 28.6.2001–16.8.2001, 1♀, leg. MHI, det. VB.
 7166: Kinberk 19.5.2004–23.6.2004, 5♂, leg. JCH, det. VB.
 7168: Moravská Nová Ves - old vineyard 29.5.2002, 1♀, leg. et det. VB.
 7266: Mušlov - sand pit 21.5.2003, 1♀, leg. et det. VB; Skalky 22.5.2003, 1♂+1♀, leg. et det. VB, 22.5.2003, 1♀, leg. et det. JS; Slanisko u Nesytu 20.5.1993–15.7.1993, 26♂+2♀, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995).
 7267: Boří les - sand 24.5.2003, 1♀, leg. et det. VB, 27.5.2003–20.8.2003, 9♂+5♀, leg. JCH, det. VB; Pohansko 25.5.2003, 2♀, leg. et det. VB.

Remarks. Common, in open dry habitats and in Slanisko near Nesyt salt marsh.

***Drassyllus pumilus* (C. L. Koch, 1839) [15]**

- 7065: Pouzdřanská step-Kolby 15.4.1967, 1♂, leg. et det. FM (MILLER 1967, KÚRKA 1994), 13.6., 1♂+1♀, leg. et det. FM (KÚRKA 1994).
 7165: Dunajovické kopce 22.5.2003, 1♀, leg. et det. PK, 22.5.2003, 1♂, leg. et det. VR, 9.5.2004–7.6.2004,

4♂+2♀, leg. SV, det. VB; Mikulov 6.6.2004, 1♀, leg. JCH, det. VB; Svatý Kopeček 20.4.2001–14.9.2001, 1♂+2♀, leg. MHI, det. VB; Svatý Kopeček - vineyards 20.4.2001–22.5.2001, 6♂+2♀, leg. MHI, det. VB, 22.5.2001–28.6.2001, 5♂+3♀, leg. MHI, det. VB.
 7166: Kinberk 20.3.2004–23.6.2004, 4♂+4♀, leg. JCH, det. VB; Lednice 15.6.1967, 1♀, leg. et det. FM (MILLER 1967); Milovická stráň 1.8.2003, 1♂, leg. et det. JD.
 7266: Slanisko u Nesytu 20.5.1993–3.6.1993, 1♀, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995).
 7267: Boří les - sand 8.6.2003, 1♂, leg. JCH, det. VB.

Remarks. Scarce, in open habitats.

Drassyllus pusillus (C. L. Koch, 1833) [99]

7065: Pouzdřanská step-Kolby Y. 1967, leg. et det. FM (MILLER 1967), 20.4., 1♂, leg. et det. FM (KÚRKA 1994), 10.5., 1♂, leg. et det. FM (KÚRKA 1994), 20.6., 1♀, leg. et det. FM (KÚRKA 1994); VDNM II - Šmardův ostrov Y. 1996, 2 ex., leg. et det. IV (VALIČKOVÁ 1998), Y. 1998, 5 ex., leg. et det. IV (VALIČKOVÁ 1998).
 7165: Dunajovické kopce 28.5.2004–7.6.2004, 1♀, leg. SV, det. VB, 16.5.2004–7.6.2004, 1♂, leg. SV, det. VB; Kočiří skála 6.6.1996–11.6.1996, 1♂+3♀, leg. J. Matuška, det. VB (ŘEZÁČ & BRYJA 2002); Mikulov 1.5.2003–31.5.2003, 1♂, leg. JCH, det. VB, 1.7.2003–31.7.2003, 1♀, leg. JCH, det. VB, 16.5.2004, 1♀, leg. JCH, det. VB; Svatý Kopeček - vineyards 20.4.2001–16.8.2001, 31♂+9♀, leg. MHI, det. VB; Tabulová 17.5.1965–12.6.1966, 8♂+3♀, leg. et det. VBU (BUKVA 1969).
 7166: Křivé jezero 18.5.1993–27.7.1999, 49♂+9♀, leg. JCH & HF, det. VB; Lednice Y. 1967, leg. et det. FM (MILLER 1967).
 7266: Lednické rybníky 13.5.1999–14.11.1999, 1 ex., leg. et det. MH; Skalky 5.5.2003–26.5.2003, 3♂+1♀, leg. JCH, det. VB; Slanisko u Nesytu 20.5.1993–1.7.1993, 26♂+5♀, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995).
 7367: Ranšpurk 14.10.1993–24.5.1994, 1♀, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995).

Remarks. Common, in open habitats – meadows, vineyards and marshes.

Drassyllus villicus (Thorell, 1875) [28]

7065: Kolby 16.5.2004–12.6.2004, 4♂+10♀, leg. SV, det. VB; Pouzdřanská step 16.5.2004–12.6.2004, 1♂, leg. SV, det. VB; Pouzdřanská step-Kolby 5.5.1967, 1♂+1♀, leg. et det. FM (MILLER 1967).
 7165: Děvín 31.5.1965–23.7.1966, 4♂+5♀, leg. et det. VBU (BUKVA 1969), 20.6.1995, 1♂, leg. JCH, det. ZM, 11.5.2003, 1♂, leg. JCH, det. VB; Pavlovské vrchy 24.5.1967, 1♂+1♀, leg. et det. FM (MILLER 1967), 10.7.1967, 1♂+1♀, leg. et det. FM (MILLER 1967); Tabulová 14.5.1966–28.5.1966, 1♂, leg. et det. VBU (BUKVA 1969).
 7166: Kinberk 19.5.2004–23.6.2004, 1♀, leg. JCH, det. VB; Milovice - trench 13.6.2003, 1♀, leg. JCH, det. VB, 15.6.2003, 1♀, leg. JCH, det. VB; Milovický les 7.6.1994, 7♂+5♀, leg. JCH, det. JS, 7.6.1994–21.6.1994, 4♂+4♀, leg. JCH, det. JS.

Remarks. Scarce, in dry habitats.

Drassyllus vinealis (Kulczyński, 1897) [2]

7065: Pouzdřanská step 16.5.2004–12.6.2004, 1♂, leg. SV, det. VB; Pouzdřanská step-Kolby 5.5.1961, 2♂+3♀, leg. et det. FM (MILLER 1967), ?, leg. et det. FM (MILLER 1966), 16.6., 3♂+1♀, leg. et det. FM (KÚRKA 1994).
 7165: Pavlovské vrchy Y. 1971, 1♂, leg. et det. FM (MILLER 1971, KÚRKA 1994).

Remarks. Very rare, in grass of steppes, in the CR found only in the Pálava region – in Pouzdřanská step-Kolby NNR and in Pavlovské vrchy hills (without closer specification). The occurrence of this thermophilous spider was recently confirmed by pitfall trapping, S. Vinkler in Pouzdřanská step grass steppe.

***Gnaphosa lucifuga* (Walckenaer, 1802) [31]**

7065: Pouzdřanská step-Kolby 15.5.1958, 4♂+1♀, leg. et det. FM (KŮRKA 1994), 30.7.1968, 2♂, leg. et det. FM (KŮRKA 1994).

7165: Děvín 24.6.1970, 1♀, leg. VBu, det. VB, 13.5.1993–10.7.1996, 9♂+1♀+1 juv., leg. JCH, det. JS; Dunajovické kopce 2.4.2004, 1♂, leg. et det. VB, 2.4.2004, 1♀, leg. J. Erhart, det. VB, 28.5.2004–7.6.2004, 1♂, leg. SV, det. VB; Pavlovské vrchy 15.6.1958, 2♂, leg. et det. FM (KŮRKA 1994); Svatý Kopeček 20.4.2001–22.10.2001, 10♂+4♀+4 juv., leg. MHL, det. VB, 5.6.2003, 1♀, leg. JCH, det. VB; Svatý Kopeček - vineyards 20.4.2001–22.10.2001, 80♂+33♀+38 juv., leg. MHL, det. VB.

7166: Kinberk 2.9.2003–30.9.2003, 3♂, leg. JCH, det. VB, 4.4.2004, 1♀, leg. et det. JD.

Remarks. Quite common, in rock steppes and surrounding vineyards, where *G. lucifuga* was found in high abundance.

***Gnaphosa lugubris* (C. L. Koch, 1839) [24]**

7165: Děvín 1.5.1965–8.8.1966, 4♂+8 juv., leg. et det. VBu (BUKVA 1969), 13.5.1993–19.10.1996, 38♂+12♀, leg. JCH, det. JS, 23.5.2003, 1♂, leg. et det. VB, 23.5.2003, 1♀, leg. E. Svatoňová, det. JS; Pavlovské vrchy 6.5.–10.9.?, 2♂+2♀+1 juv., leg. et det. FM (KŮRKA 1994).

7266: Hlohovecký rybník 23.5.1999, 1♂, leg. et det. LK.

Remarks. Rare, locally abundant on limestone rock steppes of Děvín-Kotel-Soutěska NNR. This species seems to be absent on other limestone steppes, e.g. Svatý Kopeček and Tabulová.

***Gnaphosa montana* (L. Koch, 1866) [25]**

7165: Pavlovské vrchy 8.8.1935, leg. J. Kratochvíl, det. FM (MILLER 1939).

Remarks. The occurrence of this *G. montana* Pálava region was recorded by F. Miller from the Pavlovské vrchy hills. However it has not been confirmed in the last 50 years and we thus cannot consider this species to be part of arachnofauna of this area.

***Gnaphosa opaca* Herman, 1879 [14]**

7065: Pouzdřanská step 16.5.2004–12.6.2004, 1♂, leg. SV, det. VB, 16.5.2004–12.6.2004, 1♂+1 juv., leg. SV, det. VB; Pouzdřanská step-Kolby 5.5.1961, leg. et det. FM (MILLER 1967), Y. 1966, leg. et det. FM (MILLER 1966), 30.7.1969–20.5.?, 14♂+12♀+2 juv., leg. et det. FM (KŮRKA 1994).

7165: Děvín 31.5.1965–12.6.1966, 3♂+2 juv., leg. et det. VBu (BUKVA 1969), 13.5.1993–20.9.1996, 114♂+75♀+29 juv., leg. JCH, det. JS, 11.5.2003, 2♀, leg. JCH, det. VB, 23.5.2003, 1♀, leg. et det. PK, 23.5.2003, 1♀, leg. et det. VB, 23.5.2003, 1♂, leg. et det. JS; Děvín-Kotel-Soutěska 5.5.1973, 1♂+1♀, leg. et

det. VR; Dunajovické kopce 16.5.2004–7.6.2004, 1♂, leg. SV, det. VB; Pavlovské vrchy 15.6.1955–20.6.?, 17♂+18♀+3 juv., leg. et det. FM (KÚRKA 1994); Svatý Kopeček 28.6.1965–12.7.1965, 1♂, leg. et det. VBu (BUKVA 1969), 13.6.1970, 1♂+2♀, leg. VBu, det. VB, 20.4.2001–14.9.2001, 18♂+15♀, leg. MHI, det. VB, 29.5.2003, 2♂, leg. JCH, det. VB, 5.6.2003, 3♀, leg. JCH, det. VB; Turolď 1.5.2003, 1♂, leg. JCH, det. VB.

Remarks. Locally common, most abundant in limestone rock steppes.

Haplodrassus cognatus (Westring, 1861) [15]

7166: Horní les 31.8.1996, 1♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002), 31.5.1997, 1♂, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002); Lednice 15.8., 1 juv., leg. et det. FM (KÚRKA 1996).
7367: Soutok 4.7.1996, 1♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002).

Remarks. Rare, under bark of trees in lowland forests.

Haplodrassus dalmatensis (L. Koch, 1866) [11]

7065: Pouzdřanská step-Kolby 8.5., 1♂, leg. et det. FM (KÚRKA 1996).
7165: Děvín 20.6.1995, 1♂, leg. JCH, det. JS, 7.5.1996, 1 juv., leg. JCH, det. JS; Dunajovické kopce 9.5.2004–28.5.2004, 1♂, leg. SV, det. VB; Mikulov 1.7.2003–31.7.2003, 1♀, leg. JCH, det. VB; Svatý Kopeček - vineyards 20.4.2001–22.5.2001, 1♂, leg. MHI, det. VB.
7168: Moravská Nová Ves - old vineyard 29.5.2002, 1♂+2♀, leg. et det. VB.
7266: Mušlov - sand pit 24.4.2003, 1♀, leg. JCH, det. VB, 21.5.2003, 1♀, leg. et det. JS, 15.4.2003–26.5.2003, 1♂, leg. JCH, det. VB.
7267: Boří les 27.5.2003, 1♀, leg. JCH, det. VB; Boří les - sand 27.5.2003–28.6.2003, 1♂, leg. JCH, det. VB; Břeclav 12.9.1969, 1♀, leg. VBu, det. JB.

Remarks. Quite common, on dry and sunny stands, this species seems to prefer localities on sandy or loess soils.

Haplodrassus kulczynskii Lohmander, 1942 [20]

7065: Pouzdřanská step-Kolby 5.5.1961, leg. et det. FM (MILLER 1967), 15.5.1961–1.10.?, 34♂+20♀+1 juv., leg. et det. FM (KÚRKA 1996).
7165: Děvín 17.5.1965–31.5.1965, 2♂, leg. et det. VBu (BUKVA 1969); Dunajovické kopce 2.4.2004, 2♂, leg. et det. JD, 9.5.2004–28.5.2004, 2♂+3♀, leg. SV, det. VB; Svatý Kopeček 1.5.1965–12.7.1965, 1♂+1♀+1 juv., leg. et det. VBu (BUKVA 1969), 20.4.2001–22.5.2001, 5♂+3♀, leg. MHI, det. VB, 14.5.2004–17.5.2004, 1♂, leg. et det. JS; Tabulová 17.5.1965–28.5.1966, 4♂+2♀+1 juv., leg. et det. VBu (BUKVA 1969).
7166: Kinberk 4.4.2004, 1♂, leg. et det. JD.

Remarks. Scarce; it occurs at ground level in limestone steppes, where it can be obtained by pitfall trapping, and also in the Pouzdřanská step-Kolby NNR.

Haplodrassus minor (O. P.-Cambridge, 1879) [4]

7166: Bulhary 5.6.1968, 1♂, leg. et det. FM (KÚRKA 1994); Křivé jezero 25.4.1997–22.5.1997, 1♂, leg. JCH, det. JS.
7266: Slanisko u Nesytu 20.5.1993–1.7.1993, 13♂, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995).

Remarks. Rare, in wet meadows and salt marsh.

***Haplodrassus moderatus* (Kulczyński, 1897) [6]**

7166: Pastvíska 2.8.2003, 1♀, leg. et det. VB.

7168: Očovské louky 31.5.2002, 1♀, leg. et det. VB.

Remarks. Very rare, inside tussocks of sedges in open swamps. In CR outside the Pálava region, *H. moderatus* is found exclusively in peat bogs.

***Haplodrassus signifer* (C. L. Koch, 1839) [133]**

7065: Pouzdřanská step-Kolby, 5.5.1961, 3♂, leg. et det. FM (MILLER 1967), 15.5.1958–10.6.?, 14♂+3♀, leg. et det. FM (KŮRKA 1994).

7165: Děvín 17.5.1965–8.8.1966, 34♂+14♀+36 juv., leg. et det. VBU (BUKVA 1969), 13.5.1993–21.6.1996, 6♂+3♀, leg. JCH, det. JS, 11.5.2003, 1♀, leg. JCH, det. VB; Dunajovické kopce 9.5.2004–28.5.2004, 1♂, leg. SV, det. VB, 16.5.2004–7.6.2004, 3♀, leg. SV, det. VB; Pavlovské vrchy 25.5.1938, 1♂+2♀, leg. et det. FM (KŮRKA 1994), 15.6.1955, 1♂+1♀, leg. et det. FM (KŮRKA 1994); Svatý Kopeček 22.5.2001–28.6.2001, 4♂+2♀, leg. MHL, det. VB, 21.5.2003, 1♀, leg. M. Jarab, det. JS; Svatý Kopeček - vineyards 20.4.2001–28.6.2001, 4♂+1♀, leg. MHL, det. VB; Tabulová 17.5.1965–23.7.1966, 4♂+4♀+5 juv., leg. et det. VBU (BUKVA 1969).

7166: Kinberk 20.3.2004–20.5.2004, 1♂, leg. JCH, det. VB, 19.5.2004–23.6.2004, 5♂+2♀, leg. JCH, det. VB; Milovický les 7.6.1994–21.6.1994, 5♂+2♀, leg. JCH, det. JS.

7168: Mikulčice - museum 29.5.2002, 1♂, leg. et det. JS, 29.5.2002, 1♀, leg. et det. VB.

7266: Mušlov - sand pit 15.4.2003–26.5.2003, 4♂+1♀, leg. JCH, det. VB; Skalky 22.5.2003, 1♀, leg. et det. VB; Slanisko u Nesytu 20.5.1993–17.6.1993, 8♂+1♀, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 22.5.2003, 1♂+1♀, leg. et det. PK.

7267: Boří les 24.5.2003, 1♀, leg. et det. ZM; Boří les - sand 27.5.2003–24.7.2003, 6♂+2♀, leg. JCH, det. VB.

Remarks. Common, at ground level of open and usually dry habitats.

***Haplodrassus silvestris* (Blackwall, 1833) [68]**

7165: Děvín 12.6.1966–9.7.1966, 1♂, leg. et det. VBU (BUKVA 1969); Pavlovské vrchy 15.6.1955, 2♀, leg. et det. FM (KŮRKA 1996).

7166: Lednice Y. 1929, leg. J. Baum, det. J. Baum (BAUM 1929), 30.6.1956, 2♂+2♀, leg. et det. FM (KŮRKA 1996), 20.8.1958, 1♀, leg. et det. FM (KŮRKA 1996); Lednice-Podivín, doubrava 20.5.1958, 1♂+1♀, leg. et det. FM (MILLER 1959), 30.6.1958, 2♀, leg. et det. FM (MILLER 1959), 30.9.1958, 2♂, leg. et det. FM (MILLER 1959); Milovický les 7.6.1994–21.6.1994, 1♂+1♀, leg. JCH, det. JS.

7266: Radezvous 24.5.2003, 1♀, leg. et det. VB, 13.6.2004–23.6.2004, 1♀, leg. JCH, det. VB.

7267: Kančí obora 15.7.1969, 1♂, leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975b, KŮRKA 1996).

7367: Ranšpurk 25.4.1997–19.5.1997, 2♂, leg. JCH & HF, det. JS (FOJTOVÁ 2003), 10.6.1997–9.7.1997, 1♀, leg. JCH & HF, det. JS (FOJTOVÁ 2003).

Remarks. Quite common, in both lowland and dry oak forests.

***Haplodrassus umbratilis* (L. Koch, 1866) [48]**

7165: Pavlovské vrchy 19.6.1932, 1♀, leg. et det. FM (KŮRKA 1994).

Remarks. One female found in the F. Miller collection. This species has not been reported from the Pálava region for more than 50 years and we thus do not consider *H. umbratilis* to be part of the current arachnofauna of this region.

***Micaria albovittata* (Lucas, 1846) [3]**

7065: Pouzdřanská step-Kolby 22.5.1967, 3♀, leg. et det. FM (MILLER 1967).

Remarks. Very rare, three females collected in Pouzdřanská step grass steppe by F. Miller. Not confirmed recently.

***Micaria dives* (Lucas, 1846) [6]**

7065: Pouzdřanská step 16.5.2004–12.6.2004, 1♂, leg. SV, det. VB; Pouzdřanská step-Kolby 10.5.–1.7.?, 2♂+5♀+1 juv., leg. et det. FM (KŮRKA 1994).

7165: Pavlovské vrchy, 1♂, leg. et det. FM (KŮRKA 1994).

7266: Skalky 1.6.2003, 1♀, leg. JCH, det. VB.

Remarks. Rare, among grass and stones in steppes.

***Micaria fulgens* (Walckenaer, 1802) [57]**

7065: Pouzdřanská step-Kolby 15.4.1961–25.7., 11♂+15♀, leg. et det. FM (MILLER 1967, KŮRKA 1994).

7165: Děvín 17.5.1965–8.8.1966, 3♂+23♀+3 juv., leg. et det. VBu (BUKVA 1969), 23.5.2003, 1♀, leg. E. Svatoňová, det. JS; Pavlovské vrchy 30.6.1967, 1♀, leg. et det. FM (MILLER 1967),?, 2♀, leg. et det. FM (KŮRKA 1994); Svatý Kopeček 2.4.2004, 1 juv., leg. et det. JS; Tabulová 31.5.1965–28.6.1965, 1♀, leg. et det. VBu (BUKVA 1969).

7166: Kinberk 20.3.2004–20.5.2004, 1♀, leg. JCH, det. VB, 19.5.2004–23.6.2004, 1♀, leg. JCH, det. VB.

7266: Mušlov - sand pit 21.5.2003, 1♀, leg. et det. JB.

7267: Boří les - sand 28.6.2003–24.7.2003, 1♀, leg. JCH, det. VB, 20.8.2003–28.9.2003, 1 juv., leg. JCH, det. VB.

Remarks. Quite common, in steppes.

***Micaria guttulata* (C. L. Koch, 1839) [5]**

7065: Pouzdřanská step-Kolby 5.5.1961, 2♂+3♀, leg. et det. FM (MILLER 1967), Y. 1966, leg. et det. FM (MILLER 1966), 11.5., 2♀+1 juv., leg. et det. FM (KŮRKA 1994).

7266: Skalky 22.5.2003, 2♀, leg. et det. VB, 3.8.2003, 1 juv., leg. et det. VB, 3.4.2004, 2♂+1♀, leg. et det. VB.

Remarks. Very rare, in steppes. *M. guttulata* does not appear to inhabit limestone rock steppes. The only recent finding comes from a sandy part of Skalky with very sparse vegetation, where this species inhabits tussocks of grass.

***Micaria lenzi* Bösenberg, 1899 [2]**

7166: Křivé jezero 18.5.1993–1.6.1993, 1♂, leg. JCH, det. JS.

Remarks. Very rare, one male obtained by pitfall trapping in Křivé jezero NNR.

***Micaria pulicaria* (Sundevall, 1831) [91]**

7065: Pouzdřanská step-Kolby 15.5., 2♂, leg. et det. FM (KŮRKA 1994).
 7165: Dunajovický potok 2.4.2004, 1♂, leg. J. Erhart, det. VB, 2.4.2004, 2 juv., leg. et det. VB; Kočičí skála 6.6.1996–11.6.1996, 1♂+2♀, leg. J. Matuska, det. VB (ŘEZÁČ & BRYJA 2002); Svatý Kopeček - vineyards 22.5.2001–28.6.2001, 1♂, leg. MHL, det. VB, 16.8.2001–14.9.2001, 2♂, leg. MHL, det. VB; VDNM II - Pisky 29.4.2004, 1♀, leg. JCH, det. VB.
 7166: Křivé jezero 18.5.1993, 1♂+1♀, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 3.5.1998–18.6.1998, 1♂, leg. JCH & HF, det. VB; Lednice 15.5.1967, 1♂+1♀, leg. et det. FM (MILLER 1967), 15.5., 1♂+1♀, leg. et det. FM (KŮRKA 1994); Milovická stráň 3.4.2004, 1♂, leg. et det. VB.
 7265: Šibeník 2.5.2004, 1♂, leg. JCH, det. VB.
 7266: Slanisko u Nesytu 17.6.1993–1.7.1993, 2♀, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995).
 7267: Boří les 15.5.2004, 1♂, leg. JCH, det. VB.

Remarks. Quite common, in various open habitats including steppes, swamps and salt marsh.

***Micaria sociabilis* Kulczyński, 1897 [1]**

7166: Bulhary 25.10.1996, 1♀, leg. P. Bezděčka, det. VR; Janohrad 3.8.2004, 3 ex., det. M. Omelková; Horní les 17.4.2004, 2 ex., det. JCH; Křivé jezero 2.5.2003, 1♀, leg. JCH, det. VB, 4.5.2003, 1♀, leg. JCH, det. VB, 7.5.2003, 1♀, leg. JCH, det. VB, 4.11.2003, 1♀, leg. JCH, det. VB, 2.5.2003–19.3.2004, 24 ex., det. JCH; Květné jezero 6.5.2003, 3♀, leg. JCH, det. VB; Lednický park 30.6.2002–25.4.2004, 5 ex., det. M. Omelková, 23.5.2003, 2♀, leg. E. Svatoňová, det. JS, 23.5.2003, 1♂, leg. et det. VB, 23.5.2003, 1♀, leg. et det. ZM, 2.8.2003, 1♂, leg. et det. JD, 6.5.2004, 2 ex., det. JCH.
 7266: Prostřední rybník 29.8.2003, 1 ex., det. M. Omelková; Rendezvous 14.9.2004, 1 ex., det. JCH.
 7267: Boří les 13.5.2003, 1♀, leg. JCH, det. VB.
 7268: Týnecký les 21.4.2004, 1 ex., det. M. Omelková, 18.7.2004, 1 ex., det. M. Omelková.

Remarks. Rare. This species lives on the bark of old oaks together with *Liometopum microcephalum* ants. Until our arachnological research in the Pálava region only a few specimens of *M. sociabilis* were known worldwide. It now seems that *M. sociabilis* can be found in the majority of oaks that are inhabited by colonies of *Liometopum microcephalum*. It is possible that the population of *M. sociabilis* in the Pálava region (the only one in CR) represents one of the most abundant populations in the world and maximum conservation of old oaks with *L. microcephalum* is thus essential.

***Micaria subopaca* Westring, 1861 [18]**

7065: Pouzdřanská step-Kolby 10.5.1959, 1♂, leg. et det. FM (KŮRKA 1994).
 7165: Klentnický potok 14.4.2004, 1♀, leg. JCH, det. VB.
 7166: Horní les Y. 1971, 5 ex., leg. JK, det. FM (KRÍSTEK 1980), 31.5.1997, 2♂, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002); Kinberk 18.6.2003, 1♀, leg. JCH, det. VB; Křivé jezero 2.5.2003, 4♂, leg. JCH, det. VB, 7.5.2003, 4♀, leg. JCH, det. VB; Květné jezero 6.5.2003, 1♀, leg. JCH, det. VB; Lednice 25.4.1967, 1♀, leg. et det. FM (MILLER 1967), 18.5.1967, 1♂+1♀, leg. et det. FM (MILLER 1967); Lednický park 23.5.2003, 1♀, leg. et det. VB, 2.8.2003, 1 juv., leg. et det. VB; Milovický les 2.5.2003, 1♂+1♀, leg. JCH, det. VB, 14.5.2003, 1♀, leg. JCH, det. VB.

7167: Podivín 1.5.2003, 5♂, leg. JCH, det. VB.

7367: Soutok 4.7.1996–2.6.1997, 3♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002).

Remarks. Common, on tree bark more often than *M. sociabilis*. *M. subopaca* does not seem to be associated with any species of ant.

Scotophaeus quadripunctatus (Linné, 1758) [29]

7166: Horní les 2.7.1996, 1♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002); Lednice 12.10.1952, 1 juv., leg. et det. FM (KŮRKA 1994), 5.4.1961, 1♀, leg. et det. FM (KŮRKA 1994); Milovický les 14.5.2004, 1♂, leg. JCH, det. VB.

7168: Mikulčice - museum 29.5.2002, 1♀, leg. et det. VB.

7266: Rendezvous 23.6.2004–27.7.2004, 1♂, leg. JCH, det. VB.

7367: Ranšpurk 14.5.1993–28.5.1993, 1♂, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995); Soutok 30.6.1997, 1♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002).

Remarks. Scarce, under tree bark, often in lowland forests.

Scotophaeus scutulatus (L. Koch, 1866) [28]

7165: Pavlovské vrchy 3.6.1998, 1♀, leg. J. Mourek, det. M. Řezáč; VDNM II 15.5.2003, 1♀, leg. JCH, det. VB.

7166: Bulhary 10.12.2003, 1♀, leg. JCH, det. VB; Horní les 2.7.1996, 1♂, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002), 19.4.2004, 1♀, leg. JCH, det. VB; Kinberk 2.9.2003–30.9.2003, 1♀, leg. JCH, det. VB; Lednický park 24.5.1998–28.5.1998, 1♀, leg. et det. M. Řezáč, 22.5.1999, 1♂, leg. et det. LK, 2.8.2003, 2♂+1 juv., leg. et det. VB.

7266: Boří les - oaks 24.5.2003, 1♀, leg. et det. PK; Hlohovec 23.8.2002, 1♂, leg. et det. JD; Nesyt 2.6.1988, 1♀, leg.?, det. VB, 17.6.1988, 1♀, leg.?, det. VB.

7267: Břeclav 19.8.2002, 1♀, leg. et det. JD.

Remarks. Quite common, under tree bark, more frequent than *S. quadripunctatus*.

Sosticus loricatus (L. Koch, 1866) [11]

7165: Pavlovské vrchy, 1♀, leg. et det. FM (KŮRKA 1994).

Remarks. Very rare. One female localized to Pavlovské vrchy hills was found in the Prof. F. Miller collection (KŮRKA 1994e). Not confirmed recently.

Trachyzelotes pedestris (C. L. Koch, 1837) [35]

7065: Pouzdřanská step 16.5.2004–12.6.2004, 1♂, leg. SV, det. VB; Pouzdřanská step-Kolby 26.6.1959, 1♀, leg. et det. E. Žďárková, 16.6.1967, 1♂+2♀, leg. et det. FM (MILLER 1967, KŮRKA 1994).

7165: Děvín 31.5.1965–8.8.1966, 7♂+5♀+5 juv., leg. et det. VBu (BUKVA 1969), 20.6.1993–21.6.1996, 1♂+3♀+2 juv., leg. JCH, det. JS; Dunajovické kopce 7.6.2004, 1♂+1♀, leg. et det. VB; Kočičí skála 6.6.1996–11.6.1996, 3♂, leg. J. Matuška, det. VB (ŘEZÁČ & BRYJA 2002); Mušov 25.5.1967, 2♂+2♀, leg. et det. FM (MILLER 1967, KŮRKA 1994); Pavlovské vrchy 15.6.1954, 1♂+1♀, leg. et det. FM (MILLER 1967); Soutěska 19.6.2004, 1♀, leg. JCH, det. VB; Svatý Kopeček 22.5.2001–28.6.2001, 2♀, leg. MHI, det. VB; Svatý Kopeček - vineyards 20.4.2001–16.8.2001, 5♂+5♀, leg. MHI, det. VB; Tabulová 31.5.1965–28.6.1965, 1♂,

leg. et det. VBU (BUKVA 1969), 28.5.1966–12.6.1966, 1♂, leg. et det. VBU (BUKVA 1969), 1.6.1997–10.7.1997, 1♀, leg. VR & P. Antuš, det. VR; VDNM II - Pisky 25.5.2004, 1♀, leg. JCH, det. VB.
 7166: Bulhary 20.12.2003, 2 juv., leg. JCH, det. VB; Horní les Y. 1991, leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995); Kinberk 20.3.2004–23.6.2004, 6♂+4♀, leg. JCH, det. VB; Krivé jezero 1.6.1993–15.6.1993, 1♂, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 22.5.1997–12.6.1997, 1♂, leg. JCH, det. JS; Lednice Y. 1967, 1 juv., leg. et det. FM (MILLER 1967, KÚRKA 1994); Milovický les 7.6.1994, 2♂, leg. JCH, det. JS, 7.6.1994–21.6.1994, 3♂, leg. JCH, det. JS; Pastvisko 23.5.2003, 1♀, leg. et det. PK.
 7265: Šibeničník 20.3.2004, 2 juv., leg. JCH, det. VB.
 7266: Randezvous 24.5.2003, 1♀, leg. et det. PK, 13.6.2004–23.6.2004, 10♂+1♀, leg. JCH, det. VB; Skalky 5.4.2003–26.5.2003, 2♂+1♀+3 juv., leg. JCH, det. VB, 3.4.2004, 1 juv., leg. P. Vaňhara, det. VB; Slanisko u Nesytu 20.5.1993–15.7.1993, 46♂+21♀, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995).
 7267: Boří les - sand 28.6.2003–24.7.2003, 1♂, leg. JCH, det. VB; Lanžhot - Bačovská 27.5.2003–2.6.2003, 6♂, leg. et det. JS; Pohansko 23.5.2003, 1♀, leg. et det. VR.
 7367: Ranšpurk 14.5.1993–18.6.2001, 21♂+12♀+16 juv., leg. JCH & HF, det. VB (FOJTOVÁ 2003); Soutok Y. 1991, 2 ex., leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995).

Remarks. Very common, at ground level of steppes and dry open forests, to a minor extent also in wet meadows and floodplain forests.

Zelotes aeneus (Simon, 1878) [10]

7165: Mikulov 19.8.2003, 1♂, leg. JCH, det. VB.
 7266: Sedlec - Váhovna 16.7.2003, 1♂, leg. JCH, det. VB.

Remarks. Very rare, two males found in synanthropic habitats – within a house (Mikulov) and in the vicinity of a railway station (Sedlec).

Zelotes apricorum (L. Koch, 1876) [16]

7065: Kolby 16.5.2004–12.6.2004, 2♂, leg. SV, det. VB; Pouzdřanská step-Kolby 29.3., 1♂, leg. et det. FM (KÚRKA 1994).
 7165: VDNM II - Pisky 25.5.2004, 1♀, leg. JCH, det. VB.
 7166: Lednice?, 1♂, leg. et det. FM (KÚRKA 1994); Milovický les 7.6.1994–21.6.1994, 3♂, leg. JCH, det. JS.
 7266: Mušlov 1.10.1997, 1♂, leg. J. Matuška, det. VB; Mušlov - sand pit 21.5.2003, 1♀, leg. et det. PK; Randezvous 13.6.2004–23.6.2004, 2♂, leg. JCH, det. VB; Skalky 3.4.2004, 1♂, leg. et det. PK; Slanisko u Nesytu 3.6.1993–17.6.1993, 1♂, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 22.5.2003, 1♀, leg. et det. VB.
 7367: Ranšpurk 14.10.1993–13.7.2001, 6♂+2♀, leg. JCH & HF, det. VB (FOJTOVÁ 2003).

Remarks. Quite common, at ground level of forests (floodplain, oak) and their edges and on salt marsh.

Zelotes atrocaeruleus (Simon, 1878) [3]

7165: Pavlovské vrchy 7.5.1967, 1♂, leg. et det. FM (MILLER 1967).

Remarks. Very rare, the only male was collected by F. Miller in 1967 under a stone in a steppe. Since that time *Z. atrocaeruleus* has not been found either in the Pálava region or in the rest of CR.

***Zelotes aurantiacus* Miller, 1967 [23]**

7065: Kolby 12.6.2004–25.8.2004, 1♀, leg. SV, det. VB.
 7165: Děvín 13.5.1993–7.5.1996, 3♂+2♀, leg. JCH, det. JS; Svatý Kopeček 20.4.2001–14.9.2001, 5♂+1♀, leg. MHL, det. VB, 21.5.2003, 1♀, leg. et det. VB, 2.4.2004, 1♀, leg. et det. VB; Svatý Kopeček - vineyards 20.4.2001–22.5.2001, 2♂, leg. MHL, det. VB.
 7166: Milovický les 7.6.1994–21.6.1994, 1♀, leg. JCH, det. JS.

Remarks. Rare, on rock steppes and their close vicinity may be quite abundant. For notes see *Z. electus*.

***Zelotes declinans* (Kulczyński, 1897) [3]**

7165: Děvín 13.5.1993–6.8.1996, 23♂+22♀, leg. JCH, det. JS; Pavlovské vrchy 20.6.1955, 1♂+1♀, leg. et det. FM (KŮRKA 1994), 10.7.1955, 2♀, leg. et det. FM (KŮRKA 1994), 10.7.1967, 1♂+1♀, leg. et det. FM (MILLER 1967).

Remarks. Rare; *Z. declinans* occurs only in limestone rock steppes. In the CR beyond the Pálava region it has been found on only two other steppes: the Mohelenská hadcová step NNR (MILLER 1947) and Oblík NNR (BUCHAR & RŮŽIČKA 2002).

***Zelotes electus* (C. L. Koch, 1839) [40]**

7065: Pouzdřanská step 16.5.2004–12.6.2004, 1♂+4♀, leg. SV, det. VB; Pouzdřanská step-Kolby 20.4., 1♀, leg. et det. FM (KŮRKA 1994), 5.5., 1♂, leg. et det. FM (KŮRKA 1994).
 7165: Děvín 1.5.1965–12.6.1966, 17♂+5♀+1 juv., leg. et det. VBU (BUKVA 1969); Dunajovické kopce 9.5.2004–7.6.2004, 3♀, leg. SV, det. VB; Pavlovské vrchy 13.7.1967, 1♀, leg. et det. FM (MILLER 1967); Svatý Kopeček 17.5.1965–26.7.1965, 2♂, leg. et det. VBU (BUKVA 1969), 14.5.2004–17.5.2004, 1♀, leg. et det. JS; Tabulová 1.5.1965–23.7.1966, 10♂+4♀+3 juv., leg. et det. VBU (BUKVA 1969), 4.4.1998–29.5.1998, 1♀, leg. VR & P. Antuš, det. VR.
 7166: Lednice 20.5.1967, 1♂+1♀, leg. et det. FM (MILLER 1967).
 7266: Slanisko u Nesytu 20.5.1993–3.6.1993, 1♀, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995).
 7267: Boří les - sand 27.5.2003–28.9.2003, 12♂+6♀, leg. JCH, det. VB.

Remarks. Probably scarce, in grass and forest edges. The closely related *Z. aurantiacus* was described in 1967 (MILLER 1967) and it is not sure whether this fact was taken into consideration during the determination of *Z. electus* in the course of the study by V. Bukva (1969). According to recent findings, *Z. electus* occurs in the Pálava region on sandy and loess grass steppes, whereas *Z. aurantiacus* prefers the limestone rock steppes that were studied by V. Bukva (Děvín, Tabulová and Svatý Kopeček).

***Zelotes erebeus* (Thorell, 1871) [26]**

7165: Děvín 26.7.1965–30.10.1965, 16♂+8♀, leg. VBU, det. FM (BUKVA 1969), 13.9.1993–13.10.1993, 2♀, leg. JCH, det. JS, 2.8.2003, 1♀, leg. et det. VB.
 7266: Skalky 15.5.2004, 1♂, leg. et det. JS.
 7267: Boří les - sand 24.7.2003–28.9.2003, 2♂+4♀, leg. JCH, det. VB.

Remarks. Scarce, on sunny exposed forest edges.

***Zelotes gracilis* (Canestrini, 1868) [0]**

7168: Moravská Nová Ves - old vineyard 29.5.2002, 1♀, leg. et det. VB, redet. JB.

7267: Boří les - sand 8.6.2003, 1♂, leg. JCH, det. VB, 27.5.2003–28.6.2003, 3♂, leg. JCH, det. VB, 28.6.2003–24.7.2003, 2♂, leg. JCH, det. VB.

Remarks. Rare; found in abandoned vineyard on southern slopes facing the Morava river (Mikulčice) and in open sands of Boří les pine forest. NEW SPECIES FOR THE CZECH REPUBLIC.

***Zelotes latreillei* (Simon, 1878) [82]**

7165: Dunajovické kopce 17.10.2003, 1♀, leg. et det. VB; Pavlovské vrchy Y. 1967, leg. et det. FM (MILLER 1967); Tabulová 23.8.1965–27.9.1965, 1♂, leg. et det. VBu (BUKVA 1969), 22.12.2003, 1♀, leg. JCH, det. VB. 7166: Kinberk 1.8.2003, 1♂+1♀, leg. et det. VB, 3.9.2003, 3♀, leg. JCH, det. VB, 2.9.2003–30.9.2003, 1♂, leg. JCH, det. VB, 20.3.2004–20.5.2004, 1♀, leg. JCH, det. VB; Krivé jezero 18.5.1993, 1♂, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995); Lednice?, 1♀, leg. et det. FM (KŮRKA 1994).

7266: Liščí vrch 4.4.2004, 1♂, leg. et det. VB; Skalky 30.4.2003–8.5.2004, 1♂+5♀, leg. JCH & VB, det. VB; Slanisko u Nesytu 20.5.1993–1.10.1993, 3♂+16♀, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995).

7267: Boří les 24.5.2003, 1♂, leg. et det. ICH; Pohansko 1.4.2004, 1♀, leg. JCH, det. VB.

Remarks. Common, in various open habitats – on steppes, wet meadows, etc.

***Zelotes longipes* (L. Koch, 1866) [30]**

7065: Pouzdřanská step 25.5.2004, 1♀, leg. SV, det. VB, 16.5.2004–12.6.2004, 1♀, leg. SV, det. VB; Pouzdřanská step-Kolby 29.3.1953–5.10.?, 65♂+16♀+15 juv., leg. et det. FM (KŮRKA 1994).

7165: Děvín 1.5.1965–23.7.1966, 12♂+5♀, leg. et det. VBu (BUKVA 1969), 13.5.1993–19.10.1996, 12♂+10♀, leg. JCH, det. JS & ZM; Děvín-Kotel-Soutěska 5.5.1973, 1♀, leg. et det. VR; Pavlovské vrchy 15.5.1935, 4♀, leg. et det. FM (KŮRKA 1994), 1.9.1956–10.7.?, 1♂+16♀, leg. et det. FM (KŮRKA 1994); Svatý Kopeček 1.5.1965–27.9.1965, 2♂+1♀, leg. et det. VBu (BUKVA 1969), 22.5.2001–22.10.2001, 9♂+2♀, leg. MHL, det. VB; Svatý Kopeček - vineyards 16.8.2001–14.9.2001, 3♂, leg. MHL, det. VB; Tabulová 1.5.1965–8.8.1966, 11♂+8♀, leg. et det. VBu (BUKVA 1969).

7166: Kinberk 2.9.2003–28.11.2003, 2♂, leg. JCH, det. VB.

7266: Mušlov 1.10.1997, 1♂, leg. J. Matuška, det. VB; Skalky 22.5.2003, 1♀, leg. et det. VB, 16.10.2003, 1♀, leg. J. Erhart, det. VR, 3.4.2004, 3♀, leg. et det. VB.

7267: Boří les - sand 20.8.2003–28.9.2003, 4♂, leg. JCH, det. VB.

Remarks. Common, on steppes and other open dry habitats, adults in autumn.

***Zelotes petrensis* (C. L. Koch, 1839) [104]**

7065: Pouzdřanská step-Kolby 21.4.1963, 1♀, leg. et det. FM (KŮRKA 1994).

7165: Děvín 1.5.1965–8.8.1966, 39♂+28♀, leg. et det. VBu (BUKVA 1969), 30.3.1995–17.4.1995, 1♂, leg. JCH, det. JS; Pavlovské vrchy?, leg. et det. FM (MILLER 1967).

7166: Lednice?, leg. et det. FM (MILLER 1967), 3♀, leg. et det. FM (KŮRKA 1994); Milovický les 13.9.1994, 2♂, leg. JCH, det. JS, 3.4.2004, 1♂, leg. A. Konečný, det. VB.

7267: Boří les - sand 28.6.2003–10.12.2003, 15♂+7♀, leg. JCH, det. VB.

Remarks. Scarce, on steppes and forest edges.

***Zelotes pygmaeus* Miller, 1943 [14]**

7065: Pouzdřanská step-Kolby 8.5.1967, 1♂+1♀, leg. et det. FM (MILLER 1967, KÚRKA 1994), 30.7., 1♂, leg. et det. FM (KÚRKA 1994).

7165: Děvín 17.5.1965–26.7.1965, 2♂+2♀+1 juv., leg. et det. VBU (BUKVA 1969); Dunajovické kopce 22.5.2003, 1♀, leg. et det. VB, 9.5.2004–28.5.2004, 1♂+2♀, leg. SV, det. VB; Pavlovské vrchy 1.5.1967, 1♂+1♀, leg. et det. FM (MILLER 1967), 1.5., 1♂+1♀, leg. et det. FM (KÚRKA 1994); Svatý Kopeček - vineyards 20.4.2001–28.6.2001, 2♂+3♀, leg. MHL, det. VB.

7166: Lednický park 23.5.2003, 1♂, leg. et det. ICH.

Remarks. Quite common, in grass of steppes.

***Zelotes subterraneus* (C. L. Koch, 1833) [112]**

7166: Lednice, 3♂, leg. et det. FM (KÚRKA 1994).

7266: Hlohovecký rybník 23.5.1999, 1♀, leg. et det. LK.

7267: Břeclav 19.8.2002, 1♀, leg. et det. JD.

7367: Ranšpurk 19.4.1995–19.9.1995, 2♂+1♀, leg. JCH, det. JS (FOJTOVÁ 2003).

Remarks. Scarce, in forests. In Pálava region *Z. subterraneus* is not found as often as the closely related *Z. apricorum*.

Family Zoridae***Zora armillata* Simon, 1878 [0]**

7165: Dunajovické kopce 22.5.2003, 1♂, leg. et det. VB; Kotel 21.8.2002, 1♀, leg. et det. JD.

7166: Pastvisko 23.5.2003, 1♂, leg. et det. JB.

7266: Slanisko u Nesytu 22.5.2003, 3♂+2♀, leg. et det. PK.

Remarks. Rare, in swamps, salt marsh, rock steppe and grassy steppe. NEW SPECIES FOR THE CZECH REPUBLIC. *Z. armillata* is known from all neighbouring countries, where it occurs mainly in swamps.

***Zora manicata* Simon, 1878 [18]**

7165: Děvín 17.5.1965–14.5.1966, 3♂+2♀+1 juv., leg. et det. VBU (BUKVA 1969), 13.5.1993–16.8.1996, 33♂+26♀+6 juv., leg. JCH, det. JS, 23.5.2003, 1♀, leg. et det. VB, 23.5.2003, 1♀, leg. et det. JS; Pavlovské vrchy 1.4.1956, 2 juv., leg. et det. FM (KÚRKA 2000), 25.5.1958, 2♂+7♀, leg. et det. FM (KÚRKA 2000), 10.5., 1♀, leg. et det. FM (KÚRKA 2000).

Remarks. Rare, the only records are from the Děvín limestone rock steppe.

***Zora nemoralis* (Blackwall, 1861) [66]**

7165: Pavlovské vrchy 5.5., 1♀+1 juv., leg. et det. FM (KÚRKA 2000).

7267: Boří les - sand 28.6.2003, 24.7.2003, 1♂, leg. JCH, det. VB.

Remarks. Rare, recently only in Boří les.

***Zora parallela* Simon, 1878 [0]**

7166: Kinberk 18.6.2003, 1♀, leg. JCH, det. VB, 4.4.2004, 3 juv., leg. et det. JS, 4.4.2004, 1♀, leg. et det. JD.
7266: Skalky 3.4.2004, 1♀, leg. et det. ZM, 3.4.2004, 1 juv., leg. et det. JS, 8.5.2004, 1♂, leg. JCH, det. VB,
15.5.2004, 1♂+4♀, leg. et det. JS.
7267: Boří les - sand 24.7.2003–20.8.2003, 1♀, leg. JCH, det. VB, 28.9.2003–10.12.2003, 1 juv., leg. JCH, det. VB.

Remarks. Rare, in grass of steppes on sandy and loess soils. *Z. parallela* has been found in Skalky, Kinberk and in open sand stands in Boří les. At least in Skalky and Kinberk, it appears to be quite abundant. NEW SPECIES FOR THE CZECH REPUBLIC. Known from other European countries – France (DENIS 1966), Switzerland (POZZI & HANGGI 1998), Germany (PLATEN et al. 1995) and Russia (MIKHAILOV 1997).

***Zora silvestris* Kulczyński, 1897 [59]**

7165: Děvín 31.5.1965–28.6.1965, 1♀, leg. et det. VBu (BUKVA 1969), 16.4.1966–30.4.1966, 1♂, leg. et det. VBu (BUKVA 1969); Tabulová 1.6.1997–10.7.1997, 1♂, leg. VR & P. Antuš, det. VR.

Remarks. Rare, until now only in steppes.

***Zora spinimana* (Sundevall, 1833) [232]**

7065: Pouzdřanská step-Kolby 20.4.–30.7., 9♂+4♀+1 juv., leg. et det. FM (KÚRKA 2000).
7165: Dunajovické kopce 24.3.2003, 2♂+2♀+1 juv., leg. JCH, det. VB, 22.5.2003, 1♂, leg. et det. JS, 17.10.2003, 1♀, leg. et det. VB, 2.4.2004, 1♂+1 juv., leg. et det. VB, 2.4.2004, 1 juv., leg. et det. ZM; Klentnický potok 3.4.2004, 1♂, leg. P. Vaňhara, det. VB, 14.4.2004, 1 juv., leg. JCH, det. VB; Pavlovské vrchy 1.9.1956, 1♀, leg. et det. FM (KÚRKA 2000), 26.5.1958, 1♂+1♀, leg. et det. FM (KÚRKA 2000); VDNM II - Pisky 17.11.2003, 1♀, leg. JCH, det. VB.
7166: Horní les Y. 1991, leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995), 6.11.1996, 1♂, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002); Kinberk 30.9.2003–23.6.2004, 5♂+1♀, leg. JCH, det. VB; Kinberk - pool 4.4.2004, 1♂, leg. SV, det. VB; Křivé jezero 1.6.1993–15.6.1993, 1♂, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 9.8.1998–31.8.1998, 1 juv., leg. JCH & HF, det. VB; Lednice 24.4.1957, 1♀+1 juv., leg. et det. FM (KÚRKA 2000), 5.4.1958, 1♀+1 juv., leg. et det. FM (KÚRKA 2000); Lednice-Podivín, doubrava 20.5.1958–15.3.1959, 5♂+6♀+11 juv., leg. et det. FM (MILLER 1959); Milovice - trench 13.6.2003, 1♂+2♀, leg. JCH, det. VB, 15.6.2003, 2♂, leg. JCH, det. VB; Milovický les 3.4.2004, 1♀+1 juv., leg. et det. JS, 3.4.2004, 1♂+1♀, leg. et det. JD; Mušlov - frog traps 14.4.2003, 1♀, leg. JCH, det. VB; Nejdeč 17.7.1996, 1♀, leg. et det. VR; Pastvisko 18.10.2003, 1♀, leg. et det. JD, 18.10.2003, 1 juv., leg. et det. I. Fenclová.
7266: Mušlov - sand pit 21.5.2003, 1♀, leg. et det. PK; Nesyt 7.5.1987, 2♀, leg.?, det. VB; Rendezvous 24.5.2003, 1♀, leg. et det. VR; Rendezvous - fishpond 24.5.2003, 4♀, leg. et det. VB; Skalky 30.4.2003, 1♀, leg. et det. VB, 3.4.2004, 2♀, leg. et det. ZM, 3.4.2004, 1 juv., leg. et det. JS; Slanisko u Nesytu 20.5.1993–1.7.1993, 5♂+4♀, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 22.5.2003, 1♂, leg. et det. VB, 22.5.2003, 1♂+2♀, leg. et det. JS.
7267: Boří les 18.10.2003, 1♂+2♀, leg. et det. JD, 18.10.2003, 1♀, leg. et det. I. Fenclová; Břeclav 19.8.2002, 1♂+1♀, leg. et det. JD; Lanžhot - dead arms 28.5.2002, 1♀, leg. et det. VB.
7268: Stibůrkovská jezera 29.5.2002, 1♀, leg. et det. JS.
7367: Ranšpurk 14.5.1993–10.12.2001, 42♂+9♀+2 juv., leg. JCH & HF, det. VB (FOJTOVÁ 2003).

Remarks. Very common, in various habitats.

Family Sparassidae

Micrommata virescens (Clerck, 1757) [103]

7065: Pouzdřanská step-Kolby 25.7.1968, 1♂, leg. et det. FM (KÚRKA 1994); Vranovice 15.5.1951, 1♂+1♀, leg. et det. FM (KÚRKA 1994).
 7165: Děvín - north 23.5.2003, 1♀, leg. et det. VB; Dunajovické kopce 22.5.2003, 1♀, leg. E. Svatoňová, det. JS; Klentnický potok 14.4.2004, 1 juv., leg. JCH, det. VB; Kotel 20.10.2002, 1 juv., leg. et det. VB; Pavlovské vrchy 15.6.1955, 2♂+1♀, leg. et det. FM (KÚRKA 1994); Svatý Kopeček 13.6.1970, 1♀, leg. VBu, det. VB.
 7166: Herdy 6.7.2003, 1♀, leg. JCH, det. VB; Horní les Y. 1971, 1 ex., leg. JK, det. FM (KŘÍSTEK 1980); Kinberk 1.8.2003, 1 juv., leg. et det. VB, 4.4.2004, 2 juv., leg. E. Svatoňová, det. JS; Milovický les 3.4.2004, 1 juv., leg. et det. JS.
 7266: Mušlov - sand pit 21.5.2003, 1♀, leg. E. Svatoňová, det. JS; Mušlovské rybníky 19.10.2003, 1♀, leg. et det. JD.
 7267: Boří les 24.5.2003, 1♀, leg. et det. ZM, 17.5.2004, 1♂+2 juv., leg. et det. JS; Boří les - pool 24.5.2003, 2♀, leg. et det. ICH.

Remarks. Common, on vegetation in both dry and wet habitats.

Family Philodromidae

Philodromus albidus Kulczyński, 1911 [46]

7165: Děvín 2.8.2003, 1♀, leg. et det. VB; Svatý Kopeček 13.5.2000, 1♀, leg. P. Kment & M. Horsák, det. VB, 21.5.2003, 1♂, leg. et det. VB, 14.5.2004, 1♂, leg. et det. JS.
 7166: Horní les Y. 1971, 522 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 397 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, leg.?, det. FM (KŘÍSTEK 1985), 2.7.1996–31.8.1996, 3♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002); Křivé jezero 2.6.2003, 1♀, leg. JCH, det. VB, 27.5.2004, 3♀, leg. JCH, det. VB; Lednický park 23.5.2003, 3♂+5♀, leg. et det. VB; Pastvisko 24.5.2003, 1♀, leg. et det. VB.
 7266: Hlohovecký rybník 28.6.1996, 1♂+1♀, leg. T. Grim, det. VB (GRIM 1997); Rendezvous 24.5.2003, 1♀, leg. et det. VB.
 7267: Boří les 15.5.2004, 1♂, leg. JCH, det. VB; Lanžhot 5.6.1996, 1♀, leg. et det. VR; Lanžhot - dead arms 28.5.2002, 2♂+1♀, leg. et det. VB.
 7367: Košárské louky 20.8.2003, 1♀, leg. JCH, det. VB, 15.5.2004, 1♂, leg. JCH, det. VB; Ranšpurk 23.5.2001–18.6.2001, 1♂, leg. JCH & HF, det. VB (FOJTOVÁ 2003); Soutok 4.7.1996–14.11.1997, 1♂+5♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002), 16.5.2003, 1♂, leg. JCH, det. VB.

Remarks. Common, on shrubs and trees in a wide range of habitats.

Philodromus aureolus (Clerck, 1757) [94]

7165: Pavlovské vrchy 20.6., 1♂+2♀, leg. et det. FM, redet. LK (KÚRKA 1997a).
 7166: Horní les Y. 1971, 4 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 26 ex., leg. JK, det. FM (KŘÍSTEK 1980); Lednice 20.6.1958, 1♀, leg. et det. FM, redet. LK (KÚRKA 1997a), 1.6.1960, 1♂, leg. et det. JB.
 7266: Hlohovecký rybník 28.6.1996, 2♀, leg. T. Grim, det. VB (GRIM 1997).

Remarks. Rare, mainly in forests and parks. Material collected by J. Křístek from the Horní les floodplain forest (not available) might represent *P. cespitum* and also involve other, more recently defined species of the *P. aureolus* group, most probably *P. marmoratus* and/or *P. praedatus*.

***Philodromus buchari* Kubcová, 2004 [0]**

7165: Děvín 22.6.1966, 1♀, leg. JB, det. LK (KUBCOVÁ 2004); Svatý Kopeček 11.6.1999, 1♂+3♀, leg. P. Kment & M. Horsák, det. LK (KUBCOVÁ 2004).

7266: Rendezvous 2.6.2002, 1♀, leg. PK, det. LK (KUBCOVÁ 2004).

7267: Poštorná 24.5.2003, 1♂, leg. J. Pacherník, det. LK.

Remarks. Rare, in forest steppes and edges of oak forests. For taxonomic details see KUBCOVÁ (2004).

***Philodromus cespitum* (Walckenaer, 1802) [101]**

7065: Betlém 8.6.1993, 2♀, leg. J. Bašta, det. VB, redet. LK, 12.6.1997, 1♀, leg. J. Bašta, det. VB, redet. LK; Pouzdřanská step 25.5.2004, 1♀, leg. SV, det. VB; Pouzdřanská step-Kolby 30.6.1936, 1♀, leg. et det. FM, redet. LK (KŮRKA 1997a), 1.1.1970, Y. 1980, 1♂+2♀, leg. P. Bílek, det. JD, redet. LK.

7165: Dolní Věstonice - trench 3.6.2003, 1♂+1♀, leg. JCH, det. LK; Dunajovické kopce 28.5.2004, 1♀, leg. SV, det. VB; VDNM II 18.5.2004, 1♂, leg. JCH, det. VB; VDNM II - Pisky 13.7.2003, 1♀, leg. JCH, det. VB, 25.5.2004, 2♂+1♀, leg. JCH, det. VB.

7166: Lednice 20.6.1958, 1♀, leg. FM, det. LK (KŮRKA 1997a, sub. *P. aureolus*); Lednice-Podivín, doubrava 25.6.1959, 1♂+1♀, leg. et det. E. Žďárková.

7168: Moravská Nová Ves - old vineyard 29.5.2002, 1♂+1♀, leg. et det. JS; Očovské louky 31.5.2002, 1♂+1♀, leg. et det. VB, redet. LK.

7266: Mušlov 9.6.2003, 1♀, leg. JCH, det. VB; Sedlec - Váhovna 20.7.2003, 1♀, leg. JCH, det. VB; Skalky 22.5.2003, 1♂+1♀, leg. et det. PK, 3.8.2003, 1♀, leg. et det. VB; Slanisko u Nesytu Y. 1988, 1♀, leg. Křen, det. M. Řezáč, redet. LK, 22.5.2003, 3♂+1♀, leg. et det. VB, 23.5.2003, 1♀+1 juv., leg. et det. VR.

7267: Lanžhot - dead arms 28.5.2002, 2♀, leg. et det. VB, redet. LK, 2.6.2002, 1♀, leg. et det. JS.

Remarks. Common, in various habitats (meadows, steppes, forest edges, parks etc.).

***Philodromus collinus* C. L. Koch, 1835 [121]**

7166: Lednice 20.6.1960, 2♂+1♀, leg. et det. FM (KŮRKA 1997a); Lednice-Podivín, doubrava 25.6.1959, 1♂, leg. et det. E. Žďárková; Lednický park 23.5.2003, 1♀, leg. VB, det. LK.

7266: Nesyt 15.6., 1♂, leg. et det. FM (KŮRKA 1997a).

7367: Cahnov 6.6.2003, 1♂, leg. JCH, det. LK.

Remarks. Scarce, in forests. This species is very abundant in forests at higher altitudes but occurs only sporadically in the Pálava region.

***Philodromus dispar* Walckenaer, 1826 [66]**

7065: Kolby 12.6.2004, 2 juv., leg. SV, det. VB; Pouzdřanská step-Kolby 17.5.1936, 4♂, leg. et det. FM (KŮRKA 1997a), 17.5.1936, 3♂, leg. V. Šilhavý, det.? (ŠILHAVÝ 1938), 18.5.1952, 2♀, leg. et det. FM (KŮRKA 1997a).

7165: Děvín 11.5.2003, 1♀, leg. JCH, det. VB, 9.5.2004, 1♂, leg. JCH, det. VB; Děvín - north 9.4.2004, 1 juv., leg. JCH, det. VB; Dunajovické kopce 24.3.2003, 1 juv., leg. JCH, det. VB; Klentnický potok 3.4.2004, 1 juv., leg. et det. VB, 14.4.2004, 1 juv., leg. JCH, det. VB; Mikulov 16.5.2004, 1♂, leg. JCH, det. VB; Pavlovské vrchy 24.5.1999, 1♀, leg. et det. LK; Svatý Kopeček 13.6.1970, 1♂, leg. VBu, det. VB, 14.5.2004, 2♂+4♀, leg. et det. JS.

7166: Horní les Y. 1971, 1 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 10 ex., leg. JK, det. FM (KŘÍSTEK

1980), 19.4.2004, 1 juv., leg. JCH, det. VB; Kinberk 1.8.2003, 1 juv., leg. et det. VB; Lednice 20.6.1958, 2♀, leg. et det. FM (KÚRKA 1997a); Lednický park 30.4.2003, 2 juv., leg. et det. VB, 23.5.2003, 1♂, leg. M. Jarab, det. JS, 23.5.2003, 1♂, leg. et det. ICH; Milovický les 14.5.2003, 2♀, leg. JCH, det. VB, 3.4.2004, 1 juv., leg. et det. JS.

7266: Lednické rybníky 30.5.1997, 1♀, leg. et det. MH; Rendezvous 2.6.2002, 1♀, leg. et det. PK, 24.5.2003, 2♀, leg. et det. PK, 24.5.2003, 2♀, leg. et det. PK; Skalky 22.5.2003, 1♀, leg. et det. VR, 3.8.2003, 1 juv., leg. et det. VB.

7267: Boří les 13.5.2003, 1♂, leg. JCH, det. VB, 24.5.2003, 1♀, leg. M. Jarab, det. JS, 17.5.2004, 1♂, leg. et det. JS; Lanžhot - Trny 27.5.2002, 1♀, leg. et det. JS.

7268: Týnecký les 29.5.2002, 1♀+1 juv., leg. et det. JS.

Remarks. Very common, on shrubs and trees in a wide range of habitats.

Philodromus emarginatus (Schränk, 1803) [27]

7165: Pavlovské vrchy 20.6., 1♀, leg. et det. FM (KÚRKA 1997a).

7166: Horní les Y. 1971, 1 ex., leg. JK, det. FM (KŘÍSTEK 1980); Šakvice Y. 1894, leg. et det. A. Nosek (NOSEK 1895).

Remarks. Rare, on tree trunks. Not confirmed recently.

Philodromus fuscomarginatus (De Geer, 1778) [19]

7165: Kotel 22.12.2003, 1 juv., leg. JCH, det. VB.

7166: Horní les Y. 1971, 1 ex., leg. JK, det. FM (KŘÍSTEK 1980).

7168: Mikulčice 29.5.2002, 1♂+2♀, leg. et det. VB.

Remarks. Rare, on tree trunks. Recently adults were found in the bark of pine in a small grove near Mikulčice.

Philodromus histrio (Latreille, 1819) [0]

7168: Moravská Nová Ves - old vineyard 29.5.2002, 2♀, leg. et det. VB.

7266: Mušlov - sand pit 21.5.2003, 1♀, leg. et det. PK, 1.8.2003, 1 juv., leg. et det. VB, 2.4.2004, 1♂+1 juv., leg. SV, det. VB, 2.4.2004, 1♂+1♀, leg. et det. JD; Slanisko u Nesytu 19.7.2003, 5 juv., leg. JCH, det. VB; Výtopa 10.5.2003, 2♀, leg. JCH, det. VB.

Remarks. Rare, on vegetation. *P. histrio* has been known from the Czech Republic since 2000 but is here reported for the first time (for further details on *P. histrio* see BRYJA et al. 2005) from Kokořínsko PLA and from the Pálava region where it occurs in a few localities. The most abundant population was found in the Pískovna Mušlov sandpit where *P. histrio* may easily be captured by shaking vegetation at night. NEW SPECIES FOR THE CZECH REPUBLIC.

Philodromus margaritatus (Clerck, 1757) [27]

7166: Lednice 20.6.1960, 1♂+1♀, leg. et det. FM (KÚRKA 1997a).

7168: Mikulčice 29.5.2002, 2♀, leg. et det. VB.

Remarks. Rare, on tree trunks. Recently found together with *P. fuscomarginatus* in a pine grove near Mikulčice.

***Philodromus marmoratus* Kulczyński, 1891 [0]**

7166: Lednice 25.6.1959, 1♂, leg. E. Žďárková, det. M. Řezáč.

7266: Mlýnský rybník 29.6.1994, 1♂, leg. T. Grim, det. LK (GRIM 1997, sub. *P. aureolus*).

Remarks. Very rare, from Lednice (without closer specification) and from craws of reed warblers caught in Mlýnský rybník fishpond. The nearest locality lies in floodplain forests in Austria (JÄGER 1995, sub. *P. buddenbrocki*). For details see also KUBCOVÁ (2004) and BRYJA et al. (2005). NEW SPECIES FOR THE CZECH REPUBLIC.

***Philodromus poecilus* (Thorell, 1872) [1]**

7168: Mikulčice - willows 29.5.2002, 2♀, leg. J. Erhart, det. VB, 21.5.2005, 2♂, leg. J. Pacherník, det. V. Hula.

Remarks. Very rare; three females of *P. poecilus* were found on bark of solitary willows near Mikulčice by J. Erhart and J. Pacherník. The details are published elsewhere (BRYJA et al. 2005). Apart from this finding, only one female is known from the Czech Republic (Žebětín near Brno) from the F. Miller collection (KŮRKA 1997a).

***Philodromus praedatus* O. P.-Cambridge, 1871 [9]**

7165: Pavlovské vrchy 20.6., 1♀, leg. FM, det. LK (KŮRKA 1997a, sub. *P. aureolus*).

7166: Horní les 2.7.1996, 1♂, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002); Lednice 20.6.1958, 1♂, leg. FM, det. LK (KŮRKA 1997a, sub. *P. aureolus*).

Remarks. Rare, only in Horní les floodplain forest and in the F. Miller collection. Some older material of *P. aureolus* may in fact represent *P. praedatus*.

***Philodromus rufus* Walckenaer, 1826 [2]**

7166: Křivé jezero 7.5.2003, 1♂, leg. JCH, det. VB.

7168: Mikulčice 29.5.2002, 2♀, leg. et det. JS.

7267: Lanžhot - Trny 27.5.2002, 1♂, leg. et det. JS.

Remarks. Rare, in similar habitats to *P. albidus* but only very sporadically. In the CR, apart from the Pálava region, has only been found in Havranické vřesoviště heathland (close to Znojmo) and in an orchard in Doksany close to Litoměřice (BUCHAR & RŮŽIČKA 2002).

***Thanatus arenarius* Thorell, 1872 [12]**

7065: Pouzdřanská step-Kolby 18.5.1952–1.7.?, 21♂+9♀+6 juv., leg. et det. FM (KŮRKA 1997a).

7165: Děvín 31.5.1965–9.7.1966, 8♂+1 juv., leg. et det. VBu (BUKVA 1969); Dunajovické kopce 9.5.2004, 1♀,

leg. SV, det. VB, 16.5.2004–7.6.2004, 2♀, leg. SV, det. VB; Pavlovské vrchy?, 1 juv., leg. et det. FM (KŮRKA 1997a); Svatý Kopeček 26.7.1965, 1♀, leg. VBu, det. VB; Tabulová 31.5.1965–12.6.1966, 7♂, leg. et det. VBu (BUKVA 1969).

Remarks. Rare, collected quite abundantly in grass of steppes in Děvín, Tabulová and Pouzdřanská step-Kolby between 1952 and 1968 by V. Bukva and F. Miller but recently confirmed only in Dunajovické kopce.

Thanatus atratus Simon, 1875 [12]

7065: Pouzdřanská step-Kolby 19.6.1932, 1♀, leg. A. Hoffer, det.? (ŠILHAVÝ 1938), 19.6.1932–20.8.?, 13♂+7♀, leg. et det. FM (KŮRKA 1997a).

7165: Děvín 12.7.1965–23.7.1966, 2♂, leg. et det. VBu (BUKVA 1969), 24.6.1970, 1♀, leg. VBu, det. VB, 13.5.1993–16.8.1996, 20♂+4♀+2 juv., leg. JCH, det. JS; Pavlovské vrchy 10.7.1955–15.6.1956, 8♂+19♀+7 juv., leg. et det. FM (KŮRKA 1997a), 24.6.1959, 1♀, leg. et det. E. Žďárková; Svatý Kopeček 28.6.1965–9.8.1965, 4♂, leg. et det. VBu (BUKVA 1969), 16.8.2001–14.9.2001, 2♂, leg. MHI, det. VB; Tabulová 31.5.1965–8.8.1966, 7♂+1♀+1 juv., leg. et det. VBu (BUKVA 1969).

Remarks. Quite common, in grass of limestone steppes.

Thanatus formicinus (Clerck, 1757) [42]

7166: Lednice 5.4.1958, 1♀, leg. et det. FM (KŮRKA 1997a); Milovická stráň 3.4.2004, 1♂+1 juv., leg. et det. JS.

7266: Liščí vrch 4.4.2004, 1♀, leg. et det. VB, 4.4.2004, 1♂+1♀, leg. A. Konečný, det. VB; Skalky 16.10.2003, 1♀, leg. J. Erhart, det. VR, 16.10.2003, 1♀, leg. et det. VB, 3.4.2004, 2♂+2♀, leg. et det. PK, 3.4.2004, 1♀, leg. et det. ZM.

Remarks. Quite common, in grass of grass steppes. Interestingly, despite similar habitat preferences, *T. formicinus* has never been found in the same locality as *T. atratus*.

Thanatus striatus C. L. Koch, 1845 [37]

7065: Pouzdřanská step-Kolby 11.5.1980, 1♂, leg. et det. FM (KŮRKA 1997a).

7166: Křivé jezero 18.5.1993–12.6.1997, 3♂+2♀+2 juv., leg. JCH, det. JS, 1.8.2003, 3 juv., leg. et det. VB, 4.11.2003, 1 juv., leg. JCH, det. VB; Pastvisko 2.8.2003, 1 juv., leg. et det. VB, 29.3.2004, 1 juv., leg. JCH, det. VB.

7168: Očovské louky 31.5.2002, 1♂, leg. et det. VB.

7265: Šibeničník 20.3.2004, 1 juv., leg. JCH, det. VB.

7266: Nesyt Y. 1969, 2♂+2♀, leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975a, KŮRKA 1997a), 7.5.1987, 2♂, leg.?, det. VB; Slanisko u Nesytu 22.5.2003, 1♀, leg. et det. VB, 22.5.2003, 1♀, leg. et det. PK.

7267: Boří les 17.5.2004, 1♂, leg. et det. JS; Pohansko 23.5.2003, 1♂, leg. et det. VR, 25.5.2003, 1♀, leg. et det. VB.

7367: Košárské louky 23.4.2004, 1 juv., leg. JCH, det. VB.

Remarks. Scarce, in wet meadows and marshes.

***Tibellus macellus* Simon, 1875 [1]**

7065: Pouzdřanská step 25.5.2004, 2♀, leg. SV, det. VB; Pouzdřanská step-Kolby 15.4.1961–10.7.?, 11♂+12♀+5 juv., leg. et det. FM (KÚRKA 1997a).

Remarks. Rare; *T. macellus* occurs in CR only in Pouzdřanská step grass steppe, where it was collected by F. Miller and confirmed recently by S. Vinkler.

***Tibellus maritimus* (Menge, 1875) [13]**

7166: Křivé jezero 22.5.2000–18.6.2000, 1♀, leg. JCH & HF, det. VB; Pastvisko 30.5.1997, 1♀, leg. et det. VR, 23.5.2003, 1♀, leg. et det. PK, 2.8.2003, 1♀, leg. et det. PK, 2.8.2003, 1♀, leg. et det. VB, 2.8.2003, 1♀, leg. et det. JD.

7168: Moravská Nová Ves - old vineyard 29.5.2002, 1♂, leg. et det. JS; Očovské louky 31.5.2002, 1♀, leg. et det. VB.

7266: Mlýnský rybník 1.7.1994, 1♂, leg. T. Grim, det. VB (GRIM 1997); Mušlovské rybníky 19.10.2003, 1 juv., leg. et det. I. Fenclová; Slanisko u Nesytu 5.5.2004, 1♀, leg. et det. V. Hula, 15.5.2004, 1♂, leg. et det. JS.

7267: Boří les - pool 24.5.2003, 1♂+1♀, leg. M. Jarab, det. JS, 24.5.2003, 1♂+2♀, leg. et det. VB; Lanžhot - dead arms 28.5.2002, 1♀, leg. et det. VB, 2.6.2002, 1♀, leg. et det. JS.

Remarks. Quite common, on vegetation of wet meadows and pond littorals with reed-mace.

***Tibellus oblongus* (Walckenaer, 1802) [101]**

7065: Betlém 8.6.1993, 3♀, leg. J. Bašta, det. VB, 7.5.1994, 1♂+1♀+2 juv., leg. J. Bašta, det. VB, 12.6.1997, 1♂+2♀, leg. J. Bašta, det. VB; Pouzdřanská step-Kolby 28.9.1935, 1♂, leg. et det. FM (KÚRKA 1997a), 26.5.1958, 1♀, leg. et det. FM (KÚRKA 1997a), 26.6.1959, 1♂, leg. et det. E. Žďárková; Vranovice 15.5.1951, 2♂+1♀, leg. et det. FM (KÚRKA 1997a).

7165: Dunajovické kopce 7.6.2004, 1♂+1♀, leg. et det. VB; Pavlovské vrchy 20.5.1958, 1♀, leg. et det. FM (KÚRKA 1997a).

7166: Lednice 15.6.1932, 1♂+2♀, leg. et det. FM (KÚRKA 1997a), 12.10.1952, 2♀+2 juv., leg. et det. FM (KÚRKA 1997a), 1.6.1958, 1♀, leg. et det. FM (KÚRKA 1997a), 25.6.1959, 1♀, leg. et det. E. Žďárková, 10.5., 1♂, leg. et det. FM (KÚRKA 1997a); Milovice - trench 20.6.2003, 1♂, leg. JCH, det. VB; Milovický les 23.5.2003, 1♂, leg. et det. ZM; Pastvisko 23.5.2003, 1♀, leg. et det. ZM, 23.5.2003, 1♀, leg. et det. ZM.

7168: Mikulčice 29.5.2002, 1♂, leg. et det. JS; Moravská Nová Ves - old vineyard 29.5.2002, 1 juv., leg. et det. JS; Očovské louky 31.5.2002, 1♂, leg. et det. VB.

7266: Mušlov - sand pit 21.5.2003, 1♂+1♀, leg. et det. VB, 21.5.2003, 1♀, leg. et det. PK, 21.5.2003, 3♀, leg. et det. JS; Nesyt 15.6., 1♀, leg. et det. FM (KÚRKA 1997a), 2.7.1987, 1♂+2♀, leg.?, det. VB; Nový rybník 24.5.2003, 1♂+1♀, leg. M. Jarab, det. JS; Skalky 22.5.2003, 1♂, leg. et det. JS, 3.4.2004, 1♀+2 juv., leg. E. Svatoňová, det. JS, 15.5.2004, 1♂, leg. et det. JS; Slanisko u Nesytu 22.5.2003, 1♀, leg. et det. VB, 22.5.2003, 1♀, leg. et det. ZM.

7267: Boří les 13.5.2003, 1♂, leg. JCH, det. VB, 24.5.2003, 1♀, leg. et det. ZM, 15.5.2004, 1♂, leg. JCH, det. VB, 17.5.2004, 4♂+2♀+4 juv., leg. et det. JS; Boří les - sand 24.5.2003, 1♂, leg. et det. VB; Lanžhot - dead arms 28.5.2002, 1♂, leg. et det. VB; Lanžhot - Trnůvky 1.6.2002, 1♂, leg. et det. JS; Lanžhot - Trny 27.5.2002, 1♂, leg. et det. JS; Pohansko 25.5.2003, 2♂, leg. et det. VB.

Remarks. Very common, on grass in various open habitats.

Family **Thomisidae*****Coriarachne depressa* (C. L. Koch, 1837) [38]**

7267: Boří les 24.5.2003, 1♀, leg. et det. PK.

Remarks. Very rare, one female collected by P. Kasal on bark of pine in Boří les.

***Diaea dorsata* (Fabricius, 1777) [138]**

7065: Pouzdřanská step-Kolby 17.5.1936, 3♂+4 juv., leg. et det. FM (KŮRKA 1997a).

7166: Horní les Y. 1971, 135 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 76 ex., leg. JK, det. FM (KŘÍSTEK 1980), 27.7.1997, 1♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002); Lednice 15.6.1972, 1♀, leg. et det. FM (KŮRKA 1997a); Lednický park 23.5.2003, 1♀, leg. M. Jarab, det. JS.

7267: Boří les 18.10.2003, 1 juv., leg. et det. JD.

Remarks. Scarce, on leaves of bushes and trees.

***Diaea livens* Simon, 1876 [5]**

7166: Lednice 16.5.1975, 12♂+3♀, leg. et det. JB, 1.6.1978, 1♂, leg. A. Hotská, det. JB, 25.5.1981, 1♂, leg. et det. JB.

7267: Boří les 13.5.2003, 1♂+1 juv., leg. JCH, det. VB; Boří les - sand 24.5.2003, 1♂, leg. et det. VB.

7367: Soutok 2.6.1997, 2♂, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002); Soutok - hrúd Polínka 6.6.2003, 1♂, leg. JCH, det. VB.

Remarks. Scarce, on bushes and trees (pine, oak), apart from the Pálava region, this species is known only from Třeboňsko Protected Landscape Area (BUCHAR & THALER 1984).

***Heriaeus graminicola* (Doleschal, 1852) [2]**

7065: Betlém 8.6.1993, 2♀, leg. J. Bašta, det. VB.

7165: Dunajovický potok 28.5.2004, 1♂, leg. SV, det. VB.

7166: Lednice 20.6.1958, 2♂+1♀, leg. et det. FM (LOERBROKS 1983); Pastvisko 2.8.2003, 1 juv., leg. et det. VB, 18.10.2003, 1♀, leg. et det. I. Fenclová.

7266: Hlohovec 22.5.2004, 1 juv., leg. JCH, det. VB; Hlohovecký rybník 23.5.1999, 1♂+1♀, leg. et det. LK; Nový rybník 24.5.2003, 1♀+1 juv., leg. M. Jarab, det. JS; Slanisko u Nesytu 22.5.2003, 1♂, leg. et det. JB.

7267: Lanžhot - Trny 27.5.2002, 1♂+1♀, leg. et det. JS.

Remarks. Scarce, on vegetation in swamps and in other wet open habitats.

***Heriaeus mellotei* Simon, 1886 [7]**

7065: Pouzdřanská step 26.6.1959, 1♀, leg. et det. E. Žďárková, 25.5.2004, 1♂+2♀, leg. SV, det. VB, 12.6.2004, 2♂, leg. SV, det. VB; Pouzdřanská step-Kolby 15.9.1932–20.6.?, 4♂+3♀+6 juv., leg. et det. FM (LOERBROKS 1983, KŮRKA 1997a).

7165: Děvín 28.6.1965–24.6.1970, 1♂+2♀+3 juv., leg. VBu, det. VBu, 30.3.1995–16.8.1996, 1♂+5♀+6 juv., leg. JCH, det. JS; Pavlovské vrchy 31.5.–15.9.?, 1♀+3 juv., leg. et det. FM (KŮRKA 1997a); Tabulová

23.8.1965–27.9.1965, 1 juv., leg. et det. VBU (BUKVA 1969), 1.6.1997–10.7.1997, 1♂, leg. VR & P. Antuš, det. VR, 4.4.1998–29.5.1998, 1♂, leg. VR & P. Antuš, det. VR, 17.10.2003, 2 juv., leg. et det. VB.

7166: Janohrad 1.6.1978, 1♀, leg. et det. JB.

7168: Moravská Nová Ves - old vineyard 29.5.2002, 1♀, leg. et det. JS.

7266: Sedlec 20.8.2002, 1♀, leg. et det. JD.

7267: Boří les 17.5.2004, 1♀+1 juv., leg. et det. JS.

Remarks. Quite common, in grass of steppes.

Misumena vatia (Clerck, 1757) [143]

7065: Betlém 8.6.1993, 1♀, leg. J. Bašta, det. VB; Pouzdřanská step 25.5.2004, 1♀, leg. SV, det. VB; Pouzdřanská step-Kolby 17.5.1936, 3♂+3♀+6 juv., leg. et det. FM (KÚRKA 1997a), 26.6.1959, 1♀, leg. et det. E. Žďárková.

7165: Děvín 3.8.1995, 1♀, leg. et det. VB, 24.5.2003, 1♀, leg. et det. ZM; Dunajovické kopce 22.5.2003, 1 juv., leg. M. Jarab, det. JS; Pavlovské vrchy?, 2♂, leg. et det. FM (KÚRKA 1997a); Svatý Kopeček - vineyards 27.9.2001, 1 juv., leg. P. Lauterer, det. VB.

7166: Horní les Y. 1971, 1 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 3 ex., leg. JK, det. FM (KŘÍSTEK 1980); Kinberk 1.8.2003, 4 juv., leg. et det. VB; Křivé jezero 1.8.2003, 1 juv., leg. et det. VB; Lednice 1.6.1957, 7♂+17♀+7 juv., leg. et det. FM (KÚRKA 1997a), 25.6.1959, 1♂+1 juv., leg. et det. E. Žďárková, 30.6., 3♂+1♀, leg. et det. FM (KÚRKA 1997a); Lednický park 23.5.2003, 2♂+1♀, leg. et det. VB, 23.5.2003, 1♀, leg. et det. ZM.

7168: Očovské louky 31.5.2002, 1♀, leg. et det. VB.

7266: Hlohovec 22.5.2004, 1♀, leg. JCH, det. VB; Mušlov - sand pit 21.5.2003, 1♀, leg. et det. PK; Skalky 22.5.2003, 1♂+1♀, leg. et det. PK, 22.5.2003, 1♀, leg. et det. JS, 22.5.2003, 1♂, leg. et det. ZM; Slanisko u Nesytny 22.5.2003, 1 juv., leg. E. Svatoňová, det. JS, 22.5.2003, 1♂, leg. et det. VB, 19.7.2003, 1♂, leg. JCH, det. VB.

7267: Boří les 15.5.2004, 1♂, leg. JCH, det. VB.

7367: Košárské louky 20.8.2003, 2 juv., leg. JCH, det. VB.

Remarks. Common, on vegetation of open habitats.

Misumenops tricuspidatus (Fabricius, 1775) [43]

7065: Pouzdřanská step 25.5.2004, 1♂, leg. SV, det. VB; Pouzdřanská step-Kolby 17.5.1936, 3♂, leg. et det. FM (KÚRKA 1997a), 10.5., 1♂+1♀, leg. et det. FM (KÚRKA 1997a); Vranovice 15.5.1957, 2♂+1♀, leg. et det. FM (KÚRKA 1997a).

7165: Dunajovické kopce 28.5.2004, 2♂, leg. SV, det. VB, 28.5.2004, 1♂, leg. SV, det. VB; Klentnický potok 3.4.2004, 1 juv., leg. et det. JD; Mikulov 14.4.2003, 1 juv., leg. JCH, det. VB, 17.4.2004, 1♂, leg. JCH, det. VB, 16.5.2004, 1♂, leg. JCH, det. VB; Pavlovské vrchy?, 1♂, leg. et det. FM (KÚRKA 1997a); Svatý Kopeček 13.5.2000, 2♀, leg. P. Kment & M. Horsák, det. VB, 14.5.2004, 1 juv., leg. et det. JS; Svatý Kopeček - vineyards 27.9.2001, 1♂, leg. P. Lauterer, det. VB; VDNM II 18.5.2004, 3♀, leg. JCH, det. VB; VDNM II - Pisky 29.4.2004, 1♀, leg. JCH, det. VB, 25.5.2004, 2♂+7♀, leg. JCH, det. VB.

7166: Bulhary 30.3.2004, 1♂, leg. K. Korberová, det. VB; Horní les Y. 1971, 3 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 6 ex., leg. JK, det. FM (KŘÍSTEK 1980); Kinberk 20.3.2004–19.5.2004, 1♂, leg. JCH, det. VB; Kinberk - pool 4.4.2004, 1 juv., leg. SV, det. VB; Křivé jezero 1.8.2003, 2 juv., leg. et det. VB; Květné jezero 10.6.2003, 2♂, leg. JCH, det. VB; Lednice 20.6.1956–1.6.?, 5♂+3♀, leg. et det. FM (KÚRKA 1997a); Lednický park 25.5.1983, 2♀, leg. et det. K. Absolon, 23.5.2003, 1♀, leg. M. Jarab, det. JS, 23.5.2003, 1♂+1♀, leg. et det. VB; Milovická stráň 27.5.2004, 2♂+2♀, leg. JCH, det. VB, 16.6.2004, 4♂+2♀, leg. et det. JS; Milovický les 14.5.2003, 1♀, leg. JCH, det. VB; Pastvisko 23.5.2003, 1♀, leg. et det. ZM, 23.5.2003, 1♀, leg. et det. ZM.

7168: Mikulčice 29.5.2002, 1♂+1♀, leg. et det. JS.

7266: Hlohovec 22.5.2004, 1♀, leg. JCH, det. VB; Mušlov - sand pit 21.5.2003, 1♀, leg. et det. JS, 21.5.2003,

1♀, leg. E. Svatoňová, det. JS, 21.5.2003, 1♂+1♀, leg. et det. VB; Rendezvous 24.5.2003, 1♀, leg. et det. VB; Skalky 30.4.2003, 1 juv., leg. et det. VB, 22.5.2003, 3♀, leg. et det. PK & JS & JB, 16.10.2003, 1 juv., leg. et det. JD, 15.5.2004, 3♀, leg. et det. JS; Slanisko u Nesytu 22.5.2003, 1♀, leg. et det. VB.
 7267: Boří les 15.5.2004, 1♀, leg. JCH, det. VB, 17.5.2004, 1♂, leg. et det. JS; Lanžhot - dead arms 28.5.2002, 1♂, leg. et det. VB, 2.6.2002, 1♀, leg. et det. PK; Lanžhot - Trnůvky 1.6.2002, 1♀, leg. et det. JS; Pohansko 25.5.2003, 1♀, leg. et det. VB, 1.4.2004, 1♂, leg. JCH, det. VB.
 7367: Soutok 25.4.2004, 1 juv., leg. JCH, det. VB; Soutok - Sekulská Morava 15.5.2004, 1♂+2♀, leg. JCH, det. VB.

Remarks. Very common, in vegetation of open habitats.

Ozyptila atomaria (Panzer, 1801) [62]

7065: Pouzdřanská step-Kolby 15.11.1968–1.11.?, 11♂+3♀, leg. et det. FM (KÚRKA 1997a).
 7165: Děvín 23.8.1965–12.3.1966, 1♂+1♀, leg. et det. VBu (BUKVA 1969); Dunajovické kopce 22.5.2003, 1♀, leg. et det. JS, 17.10.2003, 1♂, leg. et det. VB; Pavlovské vrchy 1.9.1956–19.10.1971, 5♀, leg. et det. FM (KÚRKA 1997a); Svatý Kopeček 26.7.1965–9.8.1965, 1♀, leg. et det. VBu (BUKVA 1969), 14.9.2001–22.10.2001, 1♂, leg. MHL, det. VB; Svatý Kopeček - vineyards 22.5.2001–22.10.2001, 5♀, leg. MHL & P. Lauterer, det. VB.
 7166: Kinberk 30.9.2003–20.3.2004, 7♂, leg. JCH, det. VB, 4.4.2004, 1♂, leg. et det. JS; Lednice 30.9.1956, 2♀, leg. et det. FM (KÚRKA 1997a); Milovický les 23.4.2004, 1♂, leg. JCH, det. VB.
 7267: Boří les 24.5.2003, 1♀, leg. et det. ZM.
 7367: Soutok Y. 1991, 1 ex., leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995).

Remarks. Common, in grass of steppes.

Ozyptila blackwalli Simon, 1875 [7]

7065: Kolby 16.5.2004–12.6.2004, 2♂, leg. SV, det. VB; Kolby (outside NNR) 16.5.2004–12.6.2004, 1♂, leg. SV, det. VB; Pouzdřanská step-Kolby Y. 1934, leg. Heyrovský & Hoffer, det. J. Baum (BAUM 1934); Vranovice?, 1♀, leg. et det. FM (KÚRKA 1997a).
 7165: Pavlovské vrchy 10.7.1955, 1♂, leg. et det. FM (KÚRKA 1997a); Svatý Kopeček 14.5.2004–17.5.2004, 1♂, leg. et det. JS.
 7267: Boří les - sand 24.5.2003, 1♂, leg. et det. VB.

Remarks. Rare, at ground level of xerothermic habitats (dry forests).

Ozyptila brevipes (Hahn, 1826) [8]

7065: Pouzdřanská step-Kolby 22.6.1980, 1♂, leg. et det. FM (KÚRKA 1997a).

Remarks. Very rare, found only in Pouzdřanská step-Kolby NNR by F. Miller. Not confirmed recently.

Ozyptila clavigera (Walckenaer, 1837) [50]

7065: Pouzdřanská step-Kolby Y. 1934, leg. Heyrovský & Hoffer, det. J. Baum (BAUM 1934).
 7165: Děvín 1.5.1965–8.8.1966, 38♂+15♀+18 juv., leg. et det. VBu (BUKVA 1969), 13.5.1993–29.5.1996, 4♂+1♀, leg. JCH, det. JS; Svatý Kopeček 14.9.2001–22.10.2001, 1♀, leg. MHL, det. VB; Svatý Kopeček -

vineyards 20.4.2001–22.5.2001, 1♂, leg. MHL, det. VB; Tabulová 1.6.1997–10.7.1997, 1♂, leg. VR & P. Antuš, det. VR.

7166: Milovická stráň 16.6.2004, 1♀, leg. et det. JS.

Remarks. Scarce, but locally abundant at ground level of limestone rock steppes.

***Ozyptila praticola* (C. L. Koch, 1837) [72]**

7065: Kolby 16.5.2004–12.6.2004, 2♂, leg. SV, det. VB; Kolby (outside NNR) 16.5.2004–12.6.2004, 1♂, leg. SV, det. VB.

7165: Děvín 10.7.1996, 1♂, leg. JCH, det. ZM; Děvín - north 23.5.2003, 1♀, leg. et det. PK; Dunajovické kopce 24.3.2003, 1♀, leg. JCH, det. VB; Dunajovický potok 21.3.2004, 1♀, leg. JCH, det. VB, 2.4.2004, 1♀, leg. J. Erhart, det. VB, 2.4.2004, 3♀, leg. et det. VB; Kočičí skála 6.6.1996–11.6.1996, 9♂, leg. J. Matuška, det. VB (ŘEZAČ & BRYJA 2002); Mikulov 1.7.2003–31.7.2003, 1♂, leg. JCH, det. VB, 16.5.2004, 2♂, leg. JCH, det. VB; Mušov 25.5., 32♂, leg. et det. FM (KÚRKA 1997a); Pavlovské vrchy 20.5.1958, 2♀, leg. et det. FM (KÚRKA 1997a), 10.7.1971, 3♂+1♀, leg. et det. FM (KÚRKA 1997a), 10.5., 1♂+3♀+2 juv., leg. et det. FM (KÚRKA 1997a); Svatý Kopeček - vineyards 16.8.2001–14.9.2001, 1♂, leg. MHL, det. VB; VDNM II - Pisky 29.4.2004, 1♀, leg. JCH, det. VB, 25.5.2004, 2♀, leg. JCH, det. VB.

7166: Horní les Y. 1971, 19 ex., leg. JK, det. FM (KRÍSTEK 1980), Y. 1972, 2 ex., leg. JK, det. FM (KRÍSTEK 1980), Y. 1991, leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995), 27.7.1997, 1♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002); Kinberk - pool 4.4.2004, 1♀, leg. SV, det. VB; Křivé jezero 22.5.1997–12.6.1997, 3♂, leg. JCH, det. JS, 7.5.2003, 1♂, leg. JCH, det. VB, 4.11.2003, 1♀, leg. JCH, det. VB, 4.4.2004, 1♀, leg. et det. VB; Lednice 24.5.1957, 1♂+4♀+2 juv., leg. et det. FM (KÚRKA 1997a), 10.5.1968, 1♀, leg. et det. FM (KÚRKA 1997a), 20.5., 10♂+3♀+2 juv., leg. et det. FM (KÚRKA 1997a), 30.5., 6♂+1♀+1 juv., leg. et det. FM (KÚRKA 1997a); Lednice-Podivín, doubrava 20.5.1958–15.3.1959, 9♂+17♀+17 juv., leg. et det. FM (MILLER 1959); Lednický park 2.8.2003, 1♀, leg. et det. VB; Milovický les 7.6.1994, 1♂, leg. JCH, det. JS.

7168: Mikulčice 29.5.2002, 1♀, leg. et det. JS.

7266: Lednické rybníky 30.5.1997, 1♀, leg. et det. MH; Randezvous 24.5.2003, 1♀, leg. et det. PK, 13.6.2004–23.6.2004, 19♂+1 juv., leg. JCH, det. VB.

7267: Boří les 17.5.2004, 1♀+1 juv., leg. et det. JS; Kančí obora Y. 1969, 37♂+2♀, leg. R. Obrtel, det. FM (MILLER & OBRTL 1975b); Lanžhot 5.6.1996, 1♂, leg. et det. VR; Lanžhot - Bačovská 27.5.2003–2.6.2003, 15♂, leg. et det. JS.

7367: Ranšpurk 14.5.1993–12.9.2001, 350♂+46♀+28 juv., leg. JCH & HF, det. VB & JS (FOJTOVÁ 2003); Soutok Y. 1991, 43 ex., leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995), 4.7.1996–9.11.1996, 1♂+7♀+1 juv., leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002).

Remarks. Very common, in detritus and leaf litter of floodplain forests, however occasionally also in rock steppes (Děvín, Kočičí skála).

***Ozyptila pullata* (Thorell, 1875) [9]**

7065: Pouzdřanská step-Kolby 15.4.1961–20.11.?, 24♂+13♀+3 juv., leg. et det. FM (MILLER & ŽITŇANSKÁ 1976, KÚRKA 1997a).

7165: Dunajovické kopce 22.5.2003, 1♀, leg. et det. VB, 17.10.2003, 1♀, leg. et det. VB; Pavlovské vrchy 1.5., 1♂, leg. et det. FM (KÚRKA 1997a).

7166: Kinberk 1.8.2003, 1♀, leg. et det. VB, 30.9.2003–23.6.2004, 7♂+2♀, leg. JCH & JS, det. VB.

7266: Skalky 16.10.2003, 1♂, leg. et det. I. Fenclová.

Remarks. Scarce, among grass and in detritus of grass steppes.

***Ozyptila rauda* Simon, 1875 [7]**

7165: Děvín 1.5.1965–17.5.1965, 1♂, leg. et det. VBu (BUKVA 1969); Svatý Kopeček 1.5.1965–13.11.1965, 2♂+1♀+2 juv., leg. et det. VBu (BUKVA 1969); Tabulová 1.5.1965–12.6.1966, 6♂+1♀+4 juv., leg. et det. VBu (BUKVA 1969).

Remarks. *O. rauda* was reported by V. Bukva from three limestone rock steppes. Importantly *O. rauda* is very closely related to *O. pullata* (scarce in this habitat) and could easily be misidentified. Moreover, *O. rauda* is considered to be a psychrophilous species (Heimer & Nentwig 1991) and has not been confirmed in the Pálava region recently. We therefore consider the occurrence of *O. rauda* in Pálava region to be questionable.

***Ozyptila scabricula* (Westring, 1851) [30]**

7065: Pouzdřanská step-Kolby 6.5.1958–1.11.?, 19♂+27♀+5 juv., leg. et det. FM (KÚRKA 1997a).
7165: Děvín 30.10.1965–30.4.1966, 2♂, leg. et det. VBu (BUKVA 1969); Dunajovické kopce 22.5.2003, 1♀, leg. et det. JS, 2.4.2004, 1♂, leg. et det. VB, 9.5.2004, 1♀, leg. SV, det. VB; Pavlovské vrchy 20.6., 1♀, leg. et det. FM (KÚRKA 1997a); Svatý Kopeček - vineyards 14.9.2001–22.10.2001, 1♂, leg. MHI, det. VB; Tabulová 9.10.1965–28.5.1966, 2♂+1♀, leg. et det. VBu (BUKVA 1969).
7166: Kinberk 20.3.2004–20.5.2004, 1♀, leg. JCH, det. VB; Lednice 10.5.1978, 1♀, leg. et det. FM (KÚRKA 1997a).
7266: Skalky 5.4.2003–5.5.2003, 1♂, leg. JCH, det. VB, 5.5.2003–26.5.2003, 1♀, leg. JCH, det. VB.

Remarks. Quite common, at ground level of steppes.

***Ozyptila trux* (Blackwall, 1846) [110]**

7165: Pavlovské vrchy?, 3♂+2♀, leg. et det. FM (KÚRKA 1997a); VDNM II 9.6.1980, 1♀, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996).
7166: Horní les Y. 1971, 1 ex., leg. JK, det. FM (KŘÍSTEK 1980); Křivé jezero 18.5.1993–19.10.2001, 409♂+72♀+87 juv., leg. JCH & HF, det. VB; Lednice 20.6.1958–30.5.?, 5♂+1♀+3 juv., leg. et det. FM (KÚRKA 1997a).
7266: Hlohovecký rybník Y. 1996, 1 ex., leg. T. Grim, det. VB (GRIM 1997); Mlýnský rybník Y. 1994, 1 ex., leg. T. Grim, det. VB (GRIM 1997); Nesyt 19.9.1969, 3♂+2♀, leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975a, KÚRKA 1997a); Slanisko u Nesytu 20.5.1993–15.7.1993, 16♂+4♀, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 22.5.2003, 1♂, leg. et det. VB, 22.5.2003, 1♂, leg. M. Jarab, det. JS.

Remarks. Common, in open wet habitats.

***Pistius truncatus* (Pallas, 1772) [30]**

7065: Pouzdřanská step-Kolby 17.5.1936, 1 juv., leg. et det. FM (KÚRKA 1997a), 4.4.1958, 1♀, leg. et det. FM (KÚRKA 1997a).
7166: Horní les Y. 1971, 15 ex., leg. JK, det. FM (KŘÍSTEK 1980), 6.11.1996–7.11.1997, 4 juv., leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002); Křivé jezero 4.4.2004, 1 juv., leg. et det. VB; Milovická stráň 16.6.2004, 1♀, leg. et det. JS; Milovický les 3.4.2004, 1 juv., leg. et det. VB.
7266: Boří les - oaks 18.10.2003, 1 juv., leg. et det. VB.
7367: Soutok 2.8.1996, 1♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002).

Remarks. Scarce, usually on bark and on branches of trees in oak forests.

***Synema globosum* (Fabricius, 1775) [29]**

7165: Děvín 11.5.2003, 1♀, leg. JCH, det. VB; Pavlovské vrchy 15.7.1955, 1♂, leg. et det. FM (KÚRKA 1997a); Svatý Kopeček 14.5.2004, 1 juv., leg. et det. JS.
7166: Horní les Y. 1971, 7 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 1 ex., leg. JK, det. FM (KŘÍSTEK 1980), 7.11.1997, 1 juv., leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002); Křivé jezero 5.6.2003, 1♂, leg. JCH, det. VB, 1.8.2003, 1 juv., leg. et det. VB; Lednice 1.6.1958, 5♂+5♀+1 juv., leg. et det. FM (KÚRKA 1997a), 25.6.1959, 2♀, leg. et det. E. Žďárková; Lednický park 24.5.1998–28.5.1998, 1♂+1♀, leg. et det. M. Řezáč (ŘEZÁČ 2001), 23.5.2003, 1♂+1♀+2 juv., leg. et det. VB, 23.5.2003, 1♀, leg. et det. ICH; Milovická stráň 16.6.2004, 1♀, leg. et det. JS; Pastvisko 2.8.2003, 1♀, leg. et det. JD.
7266: Hlohovec 22.5.2004, 4♂, leg. JCH, det. VB; Hlohovecký rybník 23.5.1999, 1♂+1♀, leg. et det. LK; Ranzdvous 24.5.2003, 1♀, leg. et det. PK.
7267: Boří les 24.5.2003, 1♂, leg. et det. ICH, 15.5.2004, 1♀+1 juv., leg. JCH, det. VB, 17.5.2004, 1♂+1 juv., leg. et det. JS; Boří les - pool 24.5.2003, 1♀+1 juv., leg. et det. VB; Boří les - sand 20.8.2003, 1 juv., leg. JCH, det. VB; Lanžhot - Bačovská 31.5.2002, 1♀, leg. et det. JS; Pohansko 25.5.2003, 1♀, leg. et det. VB.
7268: Týnecký les 29.5.2002, 1♀, leg. et det. JS.
7367: Soutok 2.6.1997, 1 juv., leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002); Soutok - hrúd Polínka 6.6.2003, 1♂+1 juv., leg. JCH, det. VB.

Remarks. Common, at forest edges and on grass in meadows.

***Thomisus onustus* Walckenaer, 1806 [21]**

7165: Pavlovské vrchy 24.6.1959, 2♂, leg. et det. E. Žďárková; Svatý Kopeček 13.9.1994, 1♀, leg. et det. ZM, 11.6.1999, 1♂+1♀, leg. P. Kment & M. Horsák, det. VB, 13.5.2000, 2♂+3♀+3 juv., leg. P. Kment & M. Horsák, det. VB, 27.6.2000–21.8.2001, 1♀+9 juv., leg. P. Lauterer, det. VB, 21.5.2003, 1♀, leg. M. Jarab, det. JS.
7168: Mikulčice 29.5.2002, 1 juv., leg. et det. JS.

Remarks. Rare; on grass in Svatý Kopeček NR and in Skařiny dry meadow.

***Tmarus piger* (Walckenaer, 1802) [26]**

7065: Pouzdřanská step-Kolby Y. 1934, leg. Heyrovský & Hoffer, det. J. Baum (BAUM 1934), 17.5.1936, 2♀, leg. et det. FM (KÚRKA 1997a); Vranovice?, 2♂+3♀, leg. et det. FM (KÚRKA 1997a).
7165: Pavlovské vrchy 10.7.1955, 1♀, leg. et det. FM (KÚRKA 1997a); Svatý Kopeček 13.5.2000, 1♂, leg. P. Kment & M. Horsák, det. VB.
7166: Kinberk 1.8.2003–30.9.2003, 3 juv., leg. JCH, det. VB, 4.4.2004, 1 juv., leg. P. Vaňhara, det. VB; Kinberk - pool 4.4.2004, 5 juv., leg. SV, det. VB; Milovický les 14.5.2003, 1♀, leg. JCH, det. VB.
7266: Skalky 22.5.2003, 1♀, leg. et det. PK; Výtopa 10.5.2003, 1♂, leg. JCH, det. VB.
7267: Lanžhot 5.6.1996, 1♂, leg. et det. VR.

Remarks. Common, on grass and bushes of steppes and other open dry places.

***Tmarus stellio* Simon, 1875 [2]**

7166: Křivé jezero 5.6.2003, 1♀, leg. JCH, det. VB.

7267: Lanžhot - dead arms 28.5.2002, 1♀, leg. et det. VB.

7367: Soutok 30.6.1997, 1♂, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002).

Remarks. Rare, on branches of old oaks in floodplain forests. The Pálava region is the only area of occurrence of *T. stellio* in the CR.

Xysticus acerbus Thorell, 1872 [21]

7065: Pouzdřanská step-Kolby 16.4.1968, 1♀, leg. et det. FM (KÚRKA 1997a), 20.4., 1♀, leg. et det. FM (KÚRKA 1997a), 23.4.2000, 1♀, leg. J. Erhart, det. VR.

7165: Děvín 7.5.1996, 3♂, leg. JCH, det. JS; Dunajovické kopce 2.4.2004, 2♂, leg. et det. VB; Svatý Kopeček - vineyards 20.4.2001–22.5.2001, 1♀, leg. MHL, det. VB.

7166: Milovická stráň 3.4.2004, 1♀, leg. et det. VB.

7266: Skalky 3.4.2004, 1♂, leg. et det. JD, 3.4.2004, 1♀, leg. et det. PK.

Remarks. Scarce, among grass in steppes.

Xysticus audax (Schränk, 1803) [115]

7065: Pouzdřanská step-Kolby 17.5.1936, 1♀, leg. et det. FM (KÚRKA 1997a).

7165: Dunajovické kopce 22.5.2003, 1♀, leg. E. Svatoňová, det. JS.

7166: Horní les Y. 1971, 1 ex., leg. JK, det. FM (KŘÍSTEK 1980).

7267: Boří les 24.5.2003, 1♂, leg. et det. ZM.

Remarks. Rare, on grass and bushes in various habitats.

Xysticus bifasciatus C. L. Koch, 1837 [120]

7065: Pouzdřanská step-Kolby, 1♂, leg. et det. FM (KÚRKA 1997a).

7165: Děvín 28.5.1966–12.6.1966, 1♂, leg. et det. VBu (BUKVA 1969); Pavlovské vrchy 3.6.1998, 1♂, leg. J. Mourek, det. M. Řezáč.

7166: Lednice 1.6.1958, 1♀, leg. et det. FM (KÚRKA 1997a).

Remarks. Rare, on grass and bushes.

Xysticus cristatus (Clerck, 1757) [202]

7065: Betlém 12.6.1997, 1♀, leg. J. Bašta, det. VB; Pouzdřanská step 25.5.2004, 1♂, leg. SV, det. VB; Pouzdřanská step-Kolby 6.5.1958–25.5.?, 18♂+15♀+3 juv., leg. et det. FM (KÚRKA 1997a), 23.4.2000, 1♂, leg. J. Erhart, det. VR; Vranovice 15.5.1951, 1♂, leg. et det. FM (KÚRKA 1997a).

7165: Děvín 16.4.1966–14.5.1966, 2♂, leg. et det. VBu (BUKVA 1969); Mikulov 24.5.2003, 1♀, leg. et det. VB; Pavlovské vrchy 15.7.1955–6.6.1958, 3♀, leg. et det. FM (KÚRKA 1997a); Svatý Kopeček 13.5.2000, 1♂, leg. P. Kment & M. Horsák, det. VB; Tabulová 1.5.1965–12.6.1966, 2♂, leg. et det. VBu (BUKVA 1969).

7166: Horní les Y. 1971, 2 ex., leg. JK, det. FM (KŘÍSTEK 1980); Křivé jezero 25.4.1997–22.5.1997, 1♂+1♀, leg. JCH, det. JS; Lednice 3.5.1958, 1♀, leg. et det. FM (KÚRKA 1997a), 15.5.1958, 1♂+1♀, leg. et det. FM (KÚRKA 1997a), 20.6.1958, 3♀, leg. et det. FM (KÚRKA 1997a); Lednický park 25.5.1983, 2♂, leg. et det. K. Absolon.

7168: Moravská Nová Ves - old vineyard 29.5.2002, 1♀, leg. et det. VB.

7266: Nesyt 9.6.1988, 1♂, leg.?, det. VB; Rendezvous 24.5.2003, 1♂+2♀, leg. M. Jarab, det. JS; Slanisko u

Nesyta Y. 1988, 1♀, leg. Křen, det. M. Řezáč, 20.5.1993, 1♂, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995).
7267: Boří les 24.5.2003, 1♂+1♀, leg. et det. PK, 15.5.2004, 1♀, leg. JCH, det. VB.

Remarks. Common, among grass in meadows, steppes and forest edges.

Xysticus embriki Kolosváry, 1935 [5]

7065: Pouzdřanská step-Kolby 10.10.1966–25.10.?, 36♂+5♀+1 juv., leg. et det. FM (MILLER 1971, KÚRKA 1997a).

7165: Dunajovické kopce 7.6.2004–6.8.2004, 1♂, leg. SV, det. VB.

Remarks. Rare. More than 40 specimens were collected by F. Miller in Pouzdřanská step-Kolby NNR where this species probably had a strong population in the 1960's. The occurrence of *X. embriki* in the Pálava region was confirmed by S. Vinkler very recently by the finding of one male in the grass steppe of Dunajovické kopce NNM.

Xysticus erraticus (Blackwall, 1834) [64]

7165: Děvín 16.4.1966–9.7.1966, 4♂+1 juv., leg. et det. VBu (BUKVA 1969), 24.6.1970, 1♂, leg. VBu, det. VB; Tabulová 28.5.1966–12.6.1966, 1♂, leg. et det. VBu (BUKVA 1969).

7166: Kinberk 19.5.2004–23.6.2004, 1♂, leg. JCH, det. VB.

7266: Skalky 15.5.2004, 1♂, leg. et det. JS.

Remarks. Rare, among grass in steppes.

Xysticus kempeleni Thorell, 1872 [3]

7165: Pavlovské vrchy 20.5.1958, 2♀, leg. et det. FM (KÚRKA 1997a).

Remarks. Very rare, two females found in Pavlovské vrchy by F. Miller. Not confirmed recently.

Xysticus kochi Thorell, 1872 [108]

7065: Betlém 8.6.1993, 1♀, leg. J. Bašta, det. VB; confluence of Svratka and Jihlava 30.5.1980, 1♂, leg. H. Híršová, det. VB (HÍRŠOVÁ 1996); Pouzdřanská step-Kolby Y. 1934, leg. Heyrovský & Hoffer, det. J. Baum (BAUM 1934), 13.4.1930–1.7.?, 31♂+13♀+1 juv., leg. et det. FM (KÚRKA 1997a).

7165: Děvín 28.6.1965–24.6.1970, 2♂+4♀+1 juv., leg. VBu, det. VBu & VB, 30.3.1995–6.8.1996, 6♂+1♀, leg. JCH, det. JS, 11.5.2003, 3♀, leg. JCH, det. VB; Dunajovické kopce 7.6.2004, 2♀, leg. et det. VB; Mikulov 14.4.2003, 1♀, leg. JCH, det. VB, 1.5.2003–31.5.2003, 1♀, leg. JCH, det. VB; Pavlovské vrchy 20.5.1958–10.7.1974, 3♂+8♀, leg. et det. FM (KÚRKA 1997a); Svatý Kopeček 11.6.1999, 1♂, leg. P. Kment & M. Horsák, det. VB, 13.5.2000, 2♂+2♀, leg. P. Kment & M. Horsák, det. VB, 20.4.2001–28.6.2001, 4♂+1♀, leg. MHI, det. VB, 14.5.2004–17.5.2004, 2♂, leg. et det. JS; Svatý Kopeček - vineyards 20.4.2001–16.8.2001, 36♂+7♀, leg. MHI, det. VB; Tabulová 1.5.1965–12.6.1966, 7♂+5 juv., leg. et det. VBu (BUKVA 1969); VDNM II 14.6.1984, 1♀, leg. H. Híršová, det. VB (HÍRŠOVÁ 1996).

7166: Kinberk 20.3.2004–20.5.2004, 2♂, leg. JCH, det. VB; Křivé jezero 18.5.1993–18.6.1998, 21♂, leg. JCH & HF, det. VB & JS; Květné jezero 6.5.2003, 1♀, leg. JCH, det. VB; Lednice 25.6.1959, 1♀, leg. et det. E. Žďárková, 1.6., 1♂+1♀, leg. et det. FM (KÚRKA 1997a); Lednický park 23.5.2003, 1♂, leg. et det. ZM.

7168: Mikulčice - museum 29.5.2002, 1♀, leg. et det. VB.

7266: Hlohovecký rybník 23.5.1999, 1♂, leg. et det. LK; Mušlov - sand pit 21.5.2003, 1♀, leg. et det. VB; Nesyt 15.6.1971, 1♂, leg.?, det. FM (KÚRKA 1997a); Rendezvous 23.5.2003, 1♀, leg. et det. ICH; Skalky 30.4.2003, 1♂+1♀, leg. et det. VB, 22.5.2003, 1♂, leg. et det. JS, 22.5.2003, 1♂, leg. et det. ZM; Slanisko u Nesytu 20.5.1993–17.6.1993, 2♂, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995), 22.5.2003, 1♂, leg. et det. JS. 7267: Boří les 24.5.2003, 1♂, leg. et det. ZM, 15.5.2004, 1♂, leg. JCH, det. VB; Boří les - sand 24.5.2003, 1♂, leg. et det. VB; Pohansko 25.5.2003, 1♂+1♀, leg. et det. VB. 7268: Stibůrkovská jezera 29.5.2002, 1♀, leg. et det. VB.

Remarks. Very common, together with *X. ulmi* the most abundant *Xysticus* species in Pálava region, among grass in steppes, on meadows and marshes.

Xysticus lanio C. L. Koch, 1835 [54]

7065: Ivaň 29.5.1974, 1♀, leg. et det. FM (KÚRKA 1997a); Pouzdřanská step-Kolby 17.5.1931, 1♀, leg. et det. FM (KÚRKA 1997a), 5.5.–10.6.?, 2♂, leg. et det. FM (KÚRKA 1997a); Vranovice?, 1♂, leg. et det. FM (KÚRKA 1997a). 7165: Děvín - north 23.5.2003, 1♀, leg. et det. VB; Dunajovické kopce 2.4.2004, 1♀, leg. M. Jarab, det. JS; Pavlovské vrchy?, 1♂+1♀, leg. et det. FM (KÚRKA 1997a); Svatý Kopeček 14.5.2004, 1♂+2♀, leg. et det. JS. 7166: Horní les Y. 1971, 8 ex., leg. JK, det. FM (KŘÍSTEK 1980), 2.7.1996–29.6.1997, 3♂+1♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002); Lednice 20.6., 1♂+1♀, leg. et det. FM (KÚRKA 1997a); Milovická stráň 16.6.2004, 1♂, leg. et det. JS. 7267: Boří les - pool 24.5.2003, 1♂, leg. et det. VB; Lanžhot - Bačovská 31.5.2002, 1♂, leg. et det. JS; Pohansko 25.5.2003, 1♂, leg. et det. VB.

Remarks. Quite common, on shrubs and trees in forests and at forest edges.

Xysticus lineatus (Westring, 1851) [3]

7166: Kinberk 20.3.2004–20.5.2004, 2♂, leg. JCH, det. VB; Lednice 1.6.1957, 2♂+1♀, leg. et det. FM (MILLER 1959, KÚRKA 1997a). 7266: Mušlov - sand pit 2.4.2004, 1♀, leg. SV, det. VB.

Remarks. Rare, reported from Lednice by F. Miller. Two recent findings come from sandy habitats; one female was collected in the course of night trapping in Pískovna Mušlov sandpit by S. Vinkler and two males were obtained by pitfall trapping in a sandy region of Kinberk by J. Chytil.

Xysticus luctator L. Koch, 1870 [27]

7065: Kolby 16.5.2004–12.6.2004, 2♂+1♀, leg. SV, det. VB; Kolby (outside NNR) 16.5.2004–12.6.2004, 2♂, leg. SV, det. VB; Pouzdřanská step-Kolby 6.5., 1♂, leg. et det. FM (KÚRKA 1997a). 7165: Pavlovské vrchy?, 2♂, leg. et det. FM (KÚRKA 1997a). 7166: Milovický les 7.6.1994–21.6.1994, 1♂+1♀, leg. JCH, det. JS, 13.9.1994, 1♀, leg. JCH, det. JS, 3.4.2004, 1♂, leg. et det. JD. 7267: Boří les 15.5.2004, 1♂, leg. JCH, det. VB.

Remarks. Rare, in ground layer of oak woods.

***Xysticus luctuosus* (Blackwall, 1836) [40]**

7065: Pouzdřanská step-Kolby?, 1♀, leg. et det. FM (KÚRKA 1997a).

7165: Pavlovské vrchy 20.6., 1♀, leg. et det. FM (KÚRKA 1997a).

Remarks. Very rare, collected only by F. Miller. Not confirmed recently.

***Xysticus ninnii* Thorell, 1872 [14]**

7065: Pouzdřanská step-Kolby 21.7., 1♀, leg. et det. FM (KÚRKA 1997a).

7165: Pavlovské vrchy 20.6., 1♂, leg. et det. FM (KÚRKA 1997a).

7267: Boří les 24.5.2003, 1♂, leg. et det. ZM.

Remarks. Rare, in steppes and forest edges. *X. ninnii* was recently found only by Z. Majkus at the edge of the Boří les pine forest.

***Xysticus robustus* (Hahn, 1832) [23]**

7065: Pouzdřanská step-Kolby 15.7.1958–13.7.?, 11♂+1 juv., leg. et det. FM (KÚRKA 1997a).

7165: Děvín 26.7.1965–8.8.1966, 7♂+1♀+8 juv., leg. et det. VBU (BUKVA 1969), 21.6.1996–10.7.1996, 1♂, leg. JCH, det. JS; Pavlovské vrchy 10.6.1970, 1♀, leg. et det. FM (KÚRKA 1997a), 20.6., 1♂, leg. FM, det. JB (KÚRKA 1997a); Svatý Kopeček 16.8.2001–14.9.2001, 1♂, leg. MHL, det. VB.

7166: Milovická stráň 3.4.2004, 1♀, leg. E. Svatoňová, det. JS.

Remarks. Scarce, among grass and in detritus of steppes.

***Xysticus striatipes* L. Koch, 1870 [22]**

7065: Pouzdřanská step-Kolby 21.6.1936–1.12.1970, 3♂+1♀+4 juv., leg. et det. FM (KÚRKA 1997a).

7165: Pavlovské vrchy, 1♀, leg. et det. FM (KÚRKA 1997a).

7166: Kinberk 1.8.2003, 5 juv., leg. et det. VB.

7266: Skalky 3.8.2003, 2 juv., leg. et det. VB, 3.4.2004, 1♀, leg. et det. VB.

Remarks. Scarce, on vegetation of grass steppes, where can be obtained by beating.

***Xysticus ulmi* (Hahn, 1831) [99]**

7065: Betlém 8.6.1993, 1♀, leg. J. Bašta, det. VB, 7.5.1994, 3♀, leg. J. Bašta, det. VB; confluence of Svratka and Jihlava 30.5.1980, 1♂, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996); Pouzdřanská step-Kolby 14.6.1938–10.5.?, 1♂+2♀, leg. et det. FM (KÚRKA 1997a), 23.4.2000, 2♂, leg. J. Erhart, det. VR; Vranovice?, 2♂, leg. et det. FM (KÚRKA 1997a).

7165: Dunajovické kopce 7.6.2004, 1♂, leg. et det. VB; Dunajovický potok 2.4.2004, 1♂, leg. J. Erhart, det. VB; Klentnický potok 14.4.2004, 2♂, leg. JCH, det. VB; Pavlovské vrchy 1.5., 1♂, leg. et det. FM (KÚRKA 1997a); VDNM II 18.5.2004, 1♂+1♀, leg. JCH, det. VB; VDNM II - Pisky 30.4.2003, 2♂, leg. JCH, det. VB, 15.5.2003, 1♀, leg. JCH, det. VB, 29.4.2004, 1♂, leg. JCH, det. VB.

7166: Horní les Y. 1971, 11 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 20 ex., leg. JK, det. FM (KŘÍSTEK 1980); Křivé jezero 18.5.1993–22.5.2000, 4♂, leg. JCH & HF, det. VB & JS, 7.5.2003–10.5.2003, 1♂+1♀, leg.

JCH, det. VB; Květné jezero 6.5.2003, 1♂, leg. JCH, det. VB; Lednice 3.5.1958–20.6.1958, 14♂+4♀, leg. et det. FM (KÚRKA 1997a); Lednický park 23.5.2003, 1♂, leg. et det. VB, 23.5.2003, 2♀, leg. M. Jarab, det. JS, 23.5.2003, 1♂, leg. et det. ZM; Milovický les 2.5.2003, 1♂, leg. JCH, det. VB, 14.5.2003, 2♀, leg. JCH, det. VB; Pastvisko 30.5.1997, 1♀, leg. et det. MH, 23.5.2003, 1♀, leg. et det. ZM, 23.5.2003, 1♀, leg. et det. ZM, 24.5.2003, 1♀, leg. et det. VB, 2.8.2003, 1♀, leg. et det. VB.
 7168: Mikulčice 29.5.2002, 3♀, leg. et det. JS; Očovské louky 31.5.2002, 1♀, leg. et det. VB.
 7266: Mušlov - sand pit 21.5.2003, 1♀, leg. et det. VB; Nesyt Y. 1969, 3 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975a), 7.5.1987, 1♂+3♀, leg.?, det. VB, 9.6.1988, 1♂+1♀, leg.?, det. VB; Nový rybník 24.5.2003, 1♂, leg. M. Jarab, det. JS; Slanisko u Nesytu 1.4.2004, 2♀, leg. et det. JS, 15.5.2004, 1♀, leg. et det. JS; Výtopa 10.5.2003, 1♀, leg. JCH, det. VB.
 7267: Boří les 13.5.2003, 2♂+1♀, leg. JCH, det. VB, 24.5.2003, 1♂, leg. et det. ICH, 15.5.2004, 1♂+1♀, leg. JCH, det. VB, 17.5.2004, 2♀, leg. et det. JS; Boří les - pool 24.5.2003, 1♀, leg. et det. VB; Boří les - sand 24.5.2003, 1♀, leg. et det. VB; Lanžhot - dead arms 28.5.2002, 2♀, leg. et det. VB, 2.6.2002, 1♀, leg. et det. JS.
 7268: Stibůrkovská jezera 29.5.2002, 2♀, leg. et det. JS, 29.5.2002, 1♀, leg. et det. VB.
 7367: Soutok 25.4.2004, 1♀, leg. JCH, det. VB; Soutok - Sekulská Morava 15.5.2004, 1♂+5♀, leg. JCH, det. VB.

Remarks. Very common, together with *X. kochi* the most abundant *Xysticus* species in Pálava region, in comparison with *X. kochi* in more wet places.

Family Salticidae

Aelurillus v-insignitus (Clerck, 1757) [108]

7065: Pouzdřanská step-Kolby 8.5.1929, 1♂+1♀, leg. et det. J. Kratochvíl (KRATOCHVÍL 1931), 14.4.1930, 1♂+1♀, leg. et det. J. Kratochvíl (KRATOCHVÍL 1931), 28.4.1935, 1♂+2♀, leg. et det. FM (KÚRKA 2001), 20.4.1975, 1♂, leg. et det. FM (KÚRKA 2001).
 7165: Děvín 20.6.1995–16.8.1996, 2♂+3 juv., leg. JCH, det. JS; Pavlovské vrchy 24.6.1959, 1♀, leg. et det. E. Žďárková,?, 1♂, leg. et det. FM (KÚRKA 2001); Svatý Kopeček 22.5.2001–14.9.2001, 1♂+2♀, leg. MHI, det. VB, 2.4.2004, 1♂, leg. et det. VB.

Remarks. Scarce, on xerothermic localities with stones and rocks.

Ballus chalybeius (Walckenaer, 1802) [94]

7065: Vranovice, 1♂, leg. et det. FM (KÚRKA 2001).
 7165: Děvín 8.8.2000, 1 juv., leg. et det. L. Dobroruka; Děvín - north 23.5.2003, 1♀, leg. et det. JB; Klentnický potok 3.4.2004, 1 juv., leg. et det. JD, 14.4.2004, 1 juv., leg. JCH, det. VB; Mikulov 17.4.2004, 1♂, leg. JCH, det. VB, 19.5.2004, 1♂, leg. JCH, det. VB; Svatý Kopeček 21.5.2003, 1♂, leg. et det. VB, 2.4.2004, 1 juv., leg. M. Jarab, det. JS; VDNM II - Pisky 29.4.2004, 1 juv., leg. JCH, det. VB.
 7166: Horní les Y. 1971, 21 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 4 ex., leg. JK, det. FM (KŘÍSTEK 1980), 2.7.1996–29.6.1997, 3♂+4♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002); Lednice 25.5.1957–30.5.?, 6♂+4♀+2 juv., leg. et det. FM (KÚRKA 2001); Lednice-Podivín, doubrava 20.5.1958–15.3.1959, 4♀+12 juv., leg. et det. FM (MILLER 1959); Lednický park 6.5.2003, 1♂, leg. D. Chytilová, det. VB, 23.5.2003, 1♀, leg. et det. VB; Milovický les 2.5.2003, 2♂+1♀, leg. JCH, det. VB, 3.4.2004, 1 juv., leg. P. Vaňhara, det. VB, 3.4.2004, 1 juv., leg. et det. JD.
 7266: Boří les - oaks 18.10.2003, 1 juv., leg. et det. VB; Prostřední rybník 3.8.2003, 1 juv., leg. et det. VB; Skalky 22.5.2003, 1 juv., leg. et det. JB, 3.8.2003, 1 juv., leg. et det. VB.
 7267: Boří les 17.5.2004, 1♂, leg. et det. JS; Kančí obora Y. 1969, 1 ex., leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975b).

Remarks. Common, in various habitats.

***Bianor aurocinctus* (Ohlert, 1865) [63]**

7065: Pouzdřanská step-Kolby 8.5.–10.10.?, 11♂+6♀, leg. et det. FM (KŮRKA 2001).
 7165: Děvín 23.5.2003, 1♂+1♀, leg. et det. VB; Dunajovické kopce 2.4.2004, 1♂, leg. JCH, det. VB, 9.5.2004, 1♂, leg. SV, det. VB.
 7166: Horní les Y. 1991, leg. R. Vančura, det. ZM (MAJKUS & SVATOŇ 1995); Kinberk 4.4.2004, 1♂, leg. et det. PK; Lednice-Podivín, doubrava 20.5.1958, 1♂, leg. et det. FM (MILLER 1959); Milovická stráň 27.5.2004, 1♀, leg. JCH, det. VB.
 7168: Moravská Nová Ves - old vineyard 29.5.2002, 1♀, leg. et det. JS.
 7267: Boří les - pool 24.5.2003, 1♂, leg. et det. ICH.

Remarks. Scarce, most common in grass of grassy steppes.

***Carrhotus xanthogramma* (Latreille, 1819) [13]**

7065: Pouzdřanská step-Kolby 5.5.1929, 1♂, leg. J. Kratochvíl, det. FM (KŮRKA 2001); Vranovice 15.5.1951, 6♂+2♀, leg. et det. FM (KŮRKA 2001), 3♂+1♀, leg. et det. FM (KŮRKA 2001).
 7165: Děvín 21.6.1996–10.7.1996, 2 juv., leg. JCH, det. JS, 10.7.1996, 2 juv., leg. JCH, det. JS, 24.5.2003, 9♀, leg. et det. ZM; Pavlovské vrchy?, 1♂, leg. et det. FM (KŮRKA 2001).
 7266: Hlohovec 23.4.2000, 1♂, leg. J. Erhart, det. VR.
 7267: Boří les 24.5.2003, 1♂, leg. et det. ZM.

Remarks. Rare, on branches of oaks.

***Dendryphantus rudis* (Sundevall, 1833) [63]**

7267: Boří les 24.5.2003, 1♀, leg. et det. PK; Boří les - sand 24.5.2003, 1♂, leg. et det. VB.

Remarks. Very rare, in Pálava region its occurrence seems to be associated with pine forests.

***Euophrys frontalis* (Walckenaer, 1802) [116]**

7065: Kolby 16.5.2004–12.6.2004, 1♂, leg. SV, det. VB; Pouzdřanská step 12.6.2004–12.6.2004, 3♂+1♀, leg. SV, det. VB; Pouzdřanská step-Kolby 17.5., 2♂+1♀, leg. et det. FM (KŮRKA 2001), 30.7., 2♀, leg. et det. FM (KŮRKA 2001); Vranovice 15.5.1951, 5♂, leg. et det. FM (KŮRKA 2001).
 7165: Dunajovické kopce 2.4.2004, 1 juv., leg. P. Vaňhara, det. VB, 2.4.2004, 1♀, leg. et det. VB, 16.5.2004–28.5.2004, 1♂, leg. SV, det. VB; Svätý Kopeček 28.6.1965–12.7.1965, 1♂, leg. et det. VBu (BUKVA 1969); Tabulová 12.7.1965–26.7.1965, 1♂, leg. et det. VBu (BUKVA 1969).
 7166: Lednice 20.5., 1♂, leg. et det. FM (KŮRKA 2001).
 7266: Skalky 30.4.2003–22.5.2003, 2 juv., leg. et det. VB, 1.6.2003, 1♂+1♀, leg. JCH, det. VB, 3.4.2004, 1 juv., leg. P. Vaňhara, det. VB, 3.4.2004, 1 juv., leg. et det. VB; Slanisko u Nesytu 3.6.1993–15.10.1993, 4♂+2♀, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995).
 7267: Boří les 13.5.2003, 1, leg. JCH, det. VB, 17.5.2004, 1♂, leg. et det. JS.

Remarks. Quite common, in steppes and in Slanisko salt marsh.

***Evarcha arcuata* (Clerck, 1757) [195]**

7065: Betlém 8.6.1993, 6♂+4♀, leg. J. Bašta, det. VB; 12.6.1997, 2♂+2♀, leg. J. Bašta, det. VB; Pouzdřanská step-Kolby 10.6., 1♂, leg. et det. FM (KÚRKA 2001); 23.4.2000, 1♂, leg. J. Erhart, det. VR.

7165: Děvín 24.6.1970, 1♂, leg. VBu, det. VB; Děvín - north 23.5.2003, 1♂, leg. et det. VB; Dunajovické kopce 22.5.2003, 2 juv., leg. E. Svatoňová, det. JS; Mikulov 15.8.2003, 1♀, leg. JCH, det. VB; Pavlovské vrchy?, 1♂+1♀, leg. et det. FM (KÚRKA 2001); VDNM II - Písky 30.4.2003, 3♂, leg. JCH, det. VB; 25.5.2004, 2♂+4♀, leg. JCH, det. VB.

7166: Herdy 6.7.2003, 1 juv., leg. JCH, det. VB; Kinberk 1.8.2003, 1♂, leg. et det. VB; Lednice 30.5.1956, 1♂, leg. et det. FM (KÚRKA 2001); 5.4.1958, 1♀, leg. et det. FM (KÚRKA 2001); 3.5.1958, 1♂, leg. et det. FM (KÚRKA 2001); Lednický park 25.5.1983, 1♂, leg. et det. K. Absolon; Milovice - trench 13.6.2003, 1♂+1♀, leg. JCH, det. VB; Milovický les 3.4.2004, 1♀, leg. et det. JD; Nejde 4.7.2003, 1♂, leg. JCH, det. VB.

7168: Moravská Nová Ves - old vineyard 29.5.2002, 1♂, leg. et det. JS.

7266: Mušlov - sand pit 21.5.2003, 1♀, leg. et det. PK; 21.5.2003, 2♂+8 juv., leg. et det. JS; 21.5.2003, 1♂, leg. et det. VB; 21.5.2003, 1♂, leg. E. Svatoňová, det. JS; Nesyt 6.5.1987, 1♀, leg.?, det. VB; Nový rybník 24.5.2003, 2♀+1 juv., leg. M. Jarab, det. JS; Skalky 30.4.2003–22.5.2003, 1♂+1♀, leg. et det. VB; 22.5.2003, 1♂, leg. et det. JS; 24.5.2003, 1♂+1♀, leg. et det. ZM; 3.8.2003, 1♀, leg. et det. PK; 3.4.2004, 1♂, leg. et det. JD; 15.5.2004, 1♂+2 juv., leg. et det. JS; Slanisko u Nesytu 19.7.2003, 2♂+1♀, leg. JCH, det. VB.

7267: Boří les 24.5.2003, 1♀, leg. et det. PK; 24.5.2003, 1♂, leg. M. Jarab, det. JS; 24.5.2003, 1♀, leg. et det. ZM; 15.5.2004, 3+6♀+3 juv., leg. JCH, det. VB; 17.5.2004, 2♂+3♀+24 juv., leg. et det. JS; Boří les - sand 7.6.2003–28.9.2003, 3♂+1♀+1 juv., leg. JCH, det. VB; Lanžhot - Bačovská 31.5.2002, 6♂+1♀+5 juv., leg. et det. JS; Lanžhot - dead arms 28.5.2002, 1♂+2♀, leg. et det. VB; Lanžhot - Trnůvky 1.6.2002, 1♂+1♀+4 juv., leg. et det. JS; Lanžhot - Trny 27.5.2002, 2♂+2♀+7 juv., leg. et det. JS.

7367: Cahnov 6.6.2003, 2♂+1♀, leg. JCH, det. VB; Košárské louky 23.4.2004, 1 juv., leg. JCH, det. VB; Soutok 20.8.2003, 1♂, leg. JCH, det. VB; Soutok - hrůd Polínka 6.6.2003, 1♂, leg. JCH, det. VB; 20.8.2003, 1♂, leg. JCH, det. VB.

Remarks. Very common, in open habitats.

***Evarcha falcata* (Clerck, 1757) [168]**

7065: Pouzdřanská step-Kolby 10.6., 3♀+1 juv., leg. et det. FM (KÚRKA 2001); Vranovice 15.5.1951, 1♂+2♀, leg. et det. FM (KÚRKA 2001).

7165: Děvín 8.8.2000, 1♂+1 juv., leg. et det. L. Dobroruka; 24.5.2003, 5♀, leg. et det. ZM; Pavlovské vrchy?, 2♀, leg. et det. FM (KÚRKA 2001).

7168: Mikulčice 29.5.2002, 1♂, leg. et det. VB.

7266: Rendezvous 24.5.2003, 2♀, leg. et det. PK; Skalky 3.4.2004, 1♀, leg. M. Jarab, det. JS.

7267: Boří les 15.5.2004, 6♂+3♀, leg. JCH, det. VB; 17.5.2004, 7♂+6♀+3 juv., leg. et det. JS.

Remarks. Quite common, mainly on vegetation at forest edges.

***Evarcha laetabunda* (C. L. Koch, 1846) [36]**

7065: Pouzdřanská step 25.5.2004, 1♀, leg. SV, det. VB; Pouzdřanská step-Kolby 6.5.1958–15.4.1961, 3♂+2♀+1 juv., leg. et det. FM (KÚRKA 2001); 26.6.1959, 1♂, leg. et det. E. Žďárková, .

7165: Děvín 11.5.2003, 1♂, leg. JCH, det. VB; Pavlovské vrchy Y. 1931, leg. et det. J. Kratochvíl (KRATOCHVÍL 1931),?, 1♀, leg. et det. FM (KÚRKA 2001); Svatý Kopeček 13.5.2000, 1♂+7♀, leg. P. Kment & M. Horsák, det. VB.

7166: Kinberk 1.8.2003, 1♂, leg. et det. VB; Lednice 25.6.1960, 1♀, leg. et det. E. Žďárková.

7367: Soutok - hrůd Polínka 20.8.2003, 2♂, leg. JCH, det. VB.

Remarks. Quite common, mainly in open dry habitats.

***Heliophanus aeneus* (Hahn, 1832) [42]**

7165: Děvín 8.8.2000, 1♀, leg. et det. L. Dobroruka, 23.5.2003, 1♂, leg. E. Svatoňová, det. JS.

Remarks. Very rare, one male and one female found in Děvín limestone rock steppe.

***Heliophanus auratus* C. L. Koch, 1835 [21]**

7065: Betlém 8.6.1993, 2♀, leg. J. Bašta, det. VB.

7165: Děvín 24.6.1970, 1♀, leg. VBu, det. VB, 24.6.1970, 2♂, leg. VBu, det. VB, 8.8.2000–1.9.2000, 5♂+3♀+2 juv., leg. et det. L. Dobroruka, 4.5.2003, 3♂, leg. JCH, det. VB, 23.5.2003, 1♂+1♀, leg. et det. VB, 2.8.2003, 1♀, leg. et det. JD; Dunajovické kopce 22.5.2003, 1♀, leg. et det. VB, 9.5.2004, 1♂, leg. SV, det. VB, 7.6.2004, 1♀, leg. et det. VB; Dunajovický potok 28.5.2004, 1♀, leg. SV, det. VB; Mikulov 10.6.2004, 1♀, leg. JCH, det. VB; Pavlovské vrchy 10.6.1970, 1♀, leg. et det. FM (KÚRKA 2001), 10.7., 1♂, leg. et det. FM (KÚRKA 2001), 3.6.1998, 1♂+1♀, leg. J. Mourek, det. M. Řezáč (ŘEZÁČ 2001); Svatý Kopeček 11.6.1999, 1♀, leg. P. Kment & M. Horsák, det. VB, 2.4.2004, 1♂, leg. et det. JD; Svatý Kopeček - vineyards 27.6.2001, 1♂, leg. P. Lauterer, det. VB, 14.9.2001–22.10.2001, 1♀, leg. MHL, det. VB; Tabulová 28.6.1965–12.7.1965, 1♀, leg. et det. VBu (BUKVA 1969), 10.7.1997–29.5.1998, 2♂+1♀, leg. VR & P. Antuš, det. VR; VDNM II 18.5.2004, 6♂+5♀, leg. JCH, det. VB; VDNM II - Pisky 30.4.2003–25.5.2004, 12♂+9♀, leg. JCH, det. VB.

7166: Lednice 1.6.1958–4.5., 4♂+5♀, leg. et det. FM (KÚRKA 2001), 25.6.1959, 1♀, leg. et det. E. Žďárková; Lednický park 23.5.2003, 1♀, leg. et det. VB, 23.5.2003, 2♀, leg. et det. JS; Pastvisko 23.5.2003, 2♀, leg. et det. ZM, 23.5.2003, 2♀, leg. et det. ZM.

7168: Mikulčice 29.5.2002, 2♀, leg. et det. JS; Očovské louky 31.5.2002, 1♂+1♀, leg. et det. VB.

7265: Šibeník 2.5.2004, 1♂, leg. JCH, det. VB.

7266: Hlohovecký rybník 23.5.1999, 1♀, leg. et det. LK; Slanisko u Nesytu 22.5.2003, 1♀, leg. E. Svatoňová, det. JS, 22.5.2003, 1♀, leg. et det. PK; Výtopa 10.5.2003, 4♂, leg. JCH, det. VB.

7267: Boří les - pool 24.5.2003, 1♂+1♀, leg. et det. VB, 24.5.2003, 1♂+2♀, leg. et det. ICH; Lanžhot - dead arms 28.5.2002, 1♀, leg. et det. VB.

7268: Stibůrkovská jezera 29.5.2002, 1♀, leg. et det. VB.

7367: Soutok 25.4.2004, 3♀, leg. JCH, det. VB.

Remarks. Common, in wet meadows and swamps and in limestone rock steppes. The possibility that populations from swamps and from steppes represent different species is currently under investigation.

***Heliophanus cupreus* (Walckenaer, 1802) [126]**

7065: Pouzdřanská step 12.6.2004, 1♂, leg. SV, det. VB; Pouzdřanská step-Kolby 5.5.–8.6.?, 6♂+1♀, leg. et det. FM (KÚRKA 2001); Vranovice 15.5.1951, 11♂+4♀, leg. et det. FM (KÚRKA 2001).

7165: Děvín 12.7.1965–9.7.1966, 5♀, leg. et det. VBu (BUKVA 1969), 24.6.1970, 6♀, leg. VBu, det. VB, 8.8.2000, 1♀+7 juv., leg. et det. L. Dobroruka, 23.5.2003, 1♂+1♀, leg. et det. VB, 24.5.2003, 1♂, leg. et det. ZM, 2.8.2003, 1♀, leg. et det. VB; Dunajovické kopce 22.5.2003–28.5.2004, 3♂+1♀, leg. SV, det. VB; Pavlovské vrchy 18.5.1930–5.6.?, 13♂+6♀, leg. et det. FM (KÚRKA 2001), 3.6.1998, 1♀, leg. J. Mourek, det. M. Řezáč; Svatý Kopeček 13.6.1970, 1♂, leg. VBu, det. VB, 11.6.1999–13.5.2000, 8♂+3♀, leg. P. Kment & M. Horsák, det. VB, 21.5.2003, 2♂, leg. et det. VB, 21.5.2003, 1♀, leg. et det. JS, 14.5.2004, 1♀, leg. et det. JS; Svatý Kopeček - vineyards 20.4.2001–22.5.2001, 1♂, leg. MHL, det. VB.

7166: Horní les Y. 1971, 2 ex., leg. JK, det. FM (KŘÍSTEK 1980); Lednický park 3.8.2000, 1♀, leg. et det. L. Dobroruka, 23.5.2003, 1♀, leg. M. Jarab, det. JS; Milovická stráň 27.5.2004, 1♀, leg. JCH, det. VB, 16.6.2004, 1♀, leg. et det. JS; Milovický les 7.6.1994, 1♀, leg. JCH, det. JS, 23.4.2004, 1♂, leg. JCH, det. VB; Pastvisko 24.5.2003, 1♀, leg. et det. VB.

7266: Hlohovecký rybník 23.5.1999, 1♂, leg. et det. LK; Mušlov - sand pit 21.5.2003, 1♂+2♀, leg. et det. PK, 21.5.2003, 1♂, leg. et det. VB; Rendezvous 2.6.2002, 4♂+1♀, leg. et det. PK; Skalky 22.5.2003, 1♀, leg. et det. VB, 15.5.2004, 1♂+1 juv., leg. et det. JS.
7267: Boří les 13.5.2003, 1♂+1♀, leg. JCH, det. VB, 24.5.2003, 1♀, leg. M. Jarab, det. JS, 15.5.2004, 3♂+3♀, leg. JCH, det. VB, 17.5.2004, 7♂+7♀+4 juv., leg. et det. JS; Boří les - sand 24.5.2003, 1♂, leg. et det. VB.

Remarks. Very common, in open dry habitats.

Heliophanus dubius C. L. Koch, 1835 [39]

7267: Boří les 27.5.2003, 1♂, leg. JCH, det. VB.

Remarks. Very rare, one male found on pines in Boří les.

Heliophanus flavipes (Hahn, 1832) [76]

7065: Pouzdřanská step 25.5.2004–12.6.2004, 2♂+9♀, leg. SV, det. VB; Pouzdřanská step-Kolby 3.4.1930–20.6.?, 18♂, leg. et det. FM (KŮRKA 2001).

7165: Děvín 24.6.1970–24.6.1970, 9♂+23♀, leg. VBu, det. VB, 3.8.1995, 3♀, leg. et det. VB, 8.8.2000, 1♀+1 juv., leg. et det. L. Dobroruka, 4.5.2003, 1♂, leg. JCH, det. VB, 23.5.2003, 1♂, leg. et det. VB, 5.5.2004, 1♂, leg. et det. V. Hula; Dunajovické kopce 28.5.2004–7.6.2004, 2♂+6♀, leg. et det. VB; Pavlovské vrchy 20.6.1955, 1♂, leg. et det. FM (KŮRKA 2001), 15.7.1955, 2♀, leg. et det. FM (KŮRKA 2001), 10.6.1956, 2♂+2♀, leg. et det. FM (KŮRKA 2001), 25.5.1958, 3♂, leg. et det. FM (KŮRKA 2001), 24.6.1959, 1♂+1♀, leg. et det. E. Žďárková; Svatý Kopeček 13.6.1970, 4♂+3♀, leg. VBu, det. VB, 11.6.1999, 1♀, leg. P. Kment & M. Horsák, det. VB, 13.5.2000, 3♂+7♀, leg. P. Kment & M. Horsák, det. VB, 23.8.2000, 1♀, leg. P. Lauterer, det. VB, 21.5.2003, 1♀, leg. M. Jarab, det. JS.

7166: Milovická stráň 1.8.2003, 1♀, leg. et det. JD, 16.6.2004, 1♂, leg. et det. JS; Pastvisko 24.5.2003, 1♀, leg. et det. VB.

7266: Skalky 3.8.2003, 1♀, leg. et det. JD, 3.8.2003, 1♀, leg. et det. VB, 15.5.2004, 1♀, leg. et det. JS.

7267: Boří les 24.5.2003, 1♀, leg. M. Jarab, det. JS, 24.5.2003, 1♀, leg. et det. PK; Boří les - sand 24.5.2003, 1♂, leg. et det. VB; Pohansko 25.5.2003, 2♂+2♀, leg. et det. VB.

Remarks. Common, in open habitats.

Heliophanus lineiventris Simon, 1868 [3]

7065: Pouzdřanská step-Kolby Y. 1958, 2♂+3♀, leg. et det. FM (MILLER 1958b), 20.5.1961, 4♀, leg. et det. FM (KŮRKA 2001), 16.6., 1♀, leg. et det. FM (KŮRKA 2001).

Remarks. Very rare, until now found only in Pouzdřanská step-Kolby NNR. These specimens were described as new species *H. pouzdranensis* (MILLER 1958) and synonymized with *H. lineiventris* by WESOŁOWSKA (1986). However, our comparison of *H. lineiventris* (det. D. Logunov) with specimens from Pouzdřany suggests that the synonymization was inadequate and that *H. lineiventris* and *H. pouzdranensis* probably represent two different species. In this study we use the name *H. lineiventris*, which for the time being is the valid name for *H. pouzdranensis*.

***Chalcoscirtus brevicymbialis* Wunderlich, 1980 [9]**

7065: Pouzdřanská step-Kolby 5.5.–10.7.?, 5♂+13♀+5 juv., leg. et det. FM (KÚRKA 2001).
 7165: Děvín 23.5.2003, 1♀, leg. et det. VB; Pavlovské vrchy 18.5.1920, 1♂, leg. et det.? (KÚRKA 2001), Y. 1931, leg. et det. J. Kratochvíl (KRATOCHVÍL 1931), 30.5., 1♀, leg. et det. FM (KÚRKA 2001), 15.6., 1♀, leg. et det. FM (KÚRKA 2001); Svatý Kopeček 21.5.2003, 2♀, leg. et det. VB.

Remarks. Rare, in grass and among stones of steppes.

***Leptorchestes berolinensis* (C. L. Koch, 1846) [8]**

7165: Pavlovské vrchy 30.5.1949, 1♂, leg. et det. FM (KÚRKA 2001).
 7267: Břeclav 5.5., 1♂, leg. et det. FM (KÚRKA 2001); Pohansko 1.5.2003, 1♀, leg. M. Horsák, det. VB, 23.5.2003, 1♂+1♀, leg. et det. VR, 25.5.2003, 2♂+1♀+1 juv., leg. et det. VB.
 7367: Soutok - hrúd Polínka 6.6.2003, 1♂+1♀+1 juv., leg. JCH, det. VB.

Remarks. Rare, but locally abundant, e.g. in Pohansko where this species lives on sunny exposed bark of solitary oaks and on wooden fences.

***Macaroeris nidicolens* (Walckenaer, 1802) [19]**

7165: Dunajovické kopce 7.6.2004, 1♂, leg. et det. VB; Kotel 20.10.2002, 1 juv., leg. et det. VB, 22.12.2003, 4 juv., leg. JCH, det. VB; Pavlovské vrchy 3.6.1998, 1♂, leg. J. Mourek, det. M. Řezáč (ŘEZÁČ 2001); Svatý Kopeček 11.6.1999, 1♂+4 juv., leg. P. Kment & M. Horsák, det. VB, 13.5.2000, 1♂+1♀, leg. P. Kment & M. Horsák, det. VB, 14.5.2004, 2♂, leg. et det. JS.
 7166: Horní les Y. 1971, 3 ex., leg. JK, det. FM (KŘÍSTEK 1980); Křivé jezero 4.11.2003, 2 juv., leg. JCH, det. VB; Lednický park 23.5.2003, 1♀, leg. et det. PK, 23.5.2003, 1♂+1♀, leg. et det. VB, 2.8.2003, 1♀, leg. et det. VB; Milovická stráň 16.6.2004, 1 juv., leg. et det. JS.
 7266: Hlohovecký rybník 19.6.1996, 1♀, leg. T. Grim, det. VB (GRIM 1997).
 7267: Boří les 13.5.2003, 1♂, leg. JCH, det. VB, 24.5.2003, 1 juv., leg. M. Jarab, det. JS, 17.5.2004, 5♂, leg. et det. JS; Boří les - sand 24.5.2003, 1♀, leg. et det. VB; Kančí obora 12.8.1969, 1♀, leg. R. Obrtel, det. FM (MILLER & OBRTEL 1975b, KÚRKA 2001); Pohansko 25.5.2003, 1♀, leg. et det. VB.

Remarks. Quite common, on sunny exposed tree trunks (mainly pine and oak).

***Marpissa canestrinii* Ninni, 1868 [2]**

7166: Pastvisko 30.5.1997, 1♀, leg. et det. MH, 23.5.2003, 2♂+3♀, leg. et det. VR, 24.5.2003, 2♀, leg. et det. VB, 2.8.2003, 3♂+1 juv., leg. et det. VB, 2.8.2003, 2♀, leg. et det. PK, 2.8.2003, 1♂+2♀, leg. et det. JD, 18.10.2003, 1♀, leg. et det. VB.
 7266: Mušlovské rybníky 19.10.2003, 1 juv., leg. SV, det. VB.

Remarks. Rare, in reed-mace pond littorals of Pastvisko and Horní mušlovský rybník ponds. It is possible that this species also occurs in other suitable localities with reed-mace. In CR, *M. canestrinii* has been found only in the Pálava region.

***Marpissa muscosa* (Clerck, 1757) [22]**

7165: Klentnický potok 3.4.2004, 1 ♀, leg. JCH, det. VB, 3.4.2004, 1 ♂, leg. et det. JS, 3.4.2004, 1 ♀, leg. et det. ZM.

7166: Kinberk - pool 4.4.2004, 1 juv., leg. SV, det. VB; Milovický les 3.4.2004, 1 juv., leg. et det. VB.

Remarks. Rare, on tree trunks and under bark.

***Marpissa nivoyi* (Lucas, 1846) [10]**

7065: Pouzdřanská step-Kolby 10.5.1959, 1 ♂+1 ♀+2 juv., leg. et det. FM (KÚRKA 2001).

7165: Dolní Věstonice - Kalendář věků 14.6.2003, 1 ♂, leg. JCH, det. VB; Dunajovické kopce 22.5.2003, 1 ♀, leg. et det. PK, 2.4.2004, 1 ♂, leg. et det. JD, 2.4.2004–28.5.2004, 1 ♀+3 juv., leg. SV, det. VB; Mikulov 30.9.1997, 1 ♂, leg. JCH, det. VR; Svatý Kopeček 13.5.2000, 1 juv., leg. P. Kment & M. Horsák, det. VB.

7166: Kinberk 1.8.2003, 1 ♀, leg. et det. VB, 4.4.2004, 1 ♀, leg. et det. JS, 4.4.2004, 1 ♀, leg. et det. PK, 4.4.2004, 1 ♀, leg. et det. VB; Kinberk - pool 4.4.2004, 1 ♀+2 juv., leg. SV, det. VB; Milovice - trench 13.6.2003, 1 ♀, leg. JCH, det. VB; Milovická stráž 3.4.2004, 1 ♀, leg. et det. JD, 3.4.2004, 1 ♀+2 juv., leg. P. Vaňhara, det. VB.

7267: Boří les 18.10.2003, 1 ♂, leg. et det. JD; Boří les - sand 24.5.2003, 1 juv., leg. et det. VB; Břeclav 19.8.2002, 1 ♀, leg. et det. JD.

Remarks. Quite common, at ground level of steppes. *M. nivoyi* seems to prefer steppes on sandy and loess soils.

***Marpissa pomatia* (Walckenaer, 1802) [6]**

7166: Horní les Y. 1972, 2 ex., leg. JK, det. FM (KRÍSTEK 1980); Pastvíska 30.5.1997, 2 ♂, leg. et det. MH.

7266: Lednické rybníky 13.5.1999–14.11.1999, 1 ex., leg. et det. MH.

Remarks. Rare, on littoral vegetation at pond margins and in floodplain forest.

***Marpissa radiata* (Grube, 1859) [14]**

7165: Dunajovický potok 21.3.2004, 1 ♂, leg. JCH, det. VB, 28.5.2004, 1 ♀, leg. SV, det. VB.

7166: Křivé jezero 1.8.2003, 1 juv., leg. et det. VB, 1.8.2003, 1 ♀, leg. et det. JD; Lednický park 3.8.2000, 1 ♂, leg. et det. L. Dobroruka; Pastvíska 30.5.1997, 1 ♀, leg. et det. MH, 30.5.1997, 1 ♀, leg. et det. VR, 23.5.2003, 6 ♀, leg. M. Jarab, det. JS, 23.5.2003, 3 ♀, leg. et det. VR, 23.5.2003, 4 ♀, leg. et det. JB, 23.5.2003, 8 ♀, leg. et det. ZM, 24.5.2003, 1 ♀, leg. et det. VB, 2.8.2003, 1 ♂+1 juv., leg. et det. VB, 2.8.2003, 1 ♂+1 ♀, leg. et det. JD, 18.10.2003, 1 ♀, leg. et det. VB.

7168: Očovské louky 31.5.2002, 5 ♀, leg. et det. VB, 31.5.2002, 1 ♀, leg. et det. VB.

7266: Hlohovecký rybník 19.6.1996, 1 ♀, leg. T. Grim, det. VB (GRIM 1997); Lednické rybníky 13.5.1999–14.11.1999, 3 ex., leg. et det. MH; Slanisko u Nesytu Y. 1988, 7 ♂, leg. Křen, det. M. Řezáč (ŘEŽÁČ 2001), 22.5.2003, 3 ♀, leg. et det. VB, 22.5.2003, 2 ♀, leg. E. Svatoňová, det. JS.

7267: Lanžhot - dead arms 2.6.2002, 2 ♀, leg. et det. JS, 2.6.2002, 4 ♀, leg. et det. PK.

7268: Stibůrkovská jezera 29.5.2002, 2 ♂+3 ♀, leg. et det. VB, 29.5.2002, 7 ♀, leg. et det. JS.

7367: Soutok 20.8.2003, 1 ♂, leg. JCH, det. VB.

Remarks. Common, in pond littorals and other very wet (flooded) places, e.g. in Křivé jezero. Females attendant on cocoons can be often found in panicles of reeds.

***Myrmarachne formicaria* (De Geer, 1778) [12]**

7165: Dunajovický potok 21.3.2004, 1♂+1 juv., leg. JCH, det. VB, 2.4.2004, 1♀, leg. et det. VB; Kotel 21.8.2002, 1♂, leg. et det. JD, 12.9.2003, 1♂, leg. JCH, det. VB; Svatý Kopeček - vineyards 16.8.2001–14.9.2001, 1♀, leg. MHI, det. VB; VDNM II 20.3.2004, 1♀, leg. JCH, det. VB; VDNM II - Pisky 29.4.2004, 2♂, leg. JCH, det. VB, 25.5.2004, 1♀, leg. JCH, det. VB.
7166: Janohrad 24.5.1998–28.5.1998, 2♀, leg. et det. M. Řezáč (ŘEZÁČ 2001); Křivé jezero 1.6.1993–15.6.1993, 1♂, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995); Lednice 15.8.1957–20.6.1958, 1♂+3 juv., leg. et det. FM (KŮRKA 2001); Pastvisko 30.5.1997, 1♀, leg. et det. VR, 30.5.1997, 1♂, leg. et det. MH, 24.5.2003, 3♀, leg. et det. VB, 2.8.2003, 1♂, leg. et det. VB, 2.8.2003, 2♀, leg. et det. PK.
7168: Očovské louky 31.5.2002, 1♂, leg. et det. VB.
7265: Šibeník 2.5.2004, 2♀, leg. JCH, det. VB.
7266: Lednické rybníky 1.5.1996–1.5.1998, 1 ex., leg. et det. MH; Nesyt 1.6.1978, 1♂+1♀, leg. et det. JB, 18.7.1996, 1♀, leg. R. Lučan, det. VR; Slanisko u Nesytu Y. 1988, 1 juv., leg. Křen, det. M. Řezáč (ŘEZÁČ 2001).

Remarks. Quite common. In the Pálava region, *M. formicaria* is found in two very different habitats: in detritus of swamps and under stones in limestone rock steppes. It cannot be excluded that these populations represent separate species, but we have not been able to define any morphological differences between swamp- and steppe-dwelling individuals.

***Neon rayi* (Simon, 1875) [8]**

7065: Pouzdřanská step-Kolby Y. 1966, leg. et det. FM (MILLER 1966), 25.5., 1♂, leg. et det. FM (KŮRKA 2001).

Remarks. Very rare; collected by F. Miller in Pouzdřanská step-Kolby, not confirmed recently.

***Neon reticulatus* (Blackwall, 1853) [99]**

7166: Horní les Y. 1971, 1 ex., leg. JK, det. FM (KŘÍSTEK 1980); Lednice-Podivín, doubrava 20.5.1958–30.9.1958, 1♂+3♀, leg. et det. FM (MILLER 1959).
7266: Mušlovské rybníky 4.4.2004, 1 juv., leg. et det. VB; Slanisko u Nesytu 17.6.1993–1.7.1993, 3♂, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995).
7267: Boří les - sand 24.5.2003, 1♂, leg. et det. VR.
7367: Ranšpurk 18.6.1998–10.7.1998, 1♂, leg. JCH & HF, det. VB (FOJTOVÁ 2003), 1.4.2004, 1 juv., leg. JCH, det. VB.

Remarks. Rare, in detritus of various, mainly forest habitats.

***Neon valentulus* Falconer, 1912 [19]**

7266: Slanisko u Nesytu 3.6.1993–17.6.1993, 1♂, leg. JCH, det. JS.

Remarks. Very rare, one male collected by pitfall trapping in Slanisko u Nesytu salt marsh.

***Pellenes nigrociliatus* (Simon, 1875) [15]**

7065: Pouzdřanská step-Kolby 25.5., 1♀, leg. et det. FM (KŮRKA 2001).

7165: Děvín 24.6.1970, 1♂, leg. VBU, det. VB, 13.9.1993, 1 juv., leg. JCH, det. JS, 7.5.1996–29.5.1996, 1♂, leg. JCH, det. JS, 23.5.2003, 1♂+2♀, leg. et det. VB; Kotel 20.10.2002, 1 juv., leg. et det. VB; Pavlovské vrchy?, 1♂+1♀, leg. et det. FM (KŮRKA 2001); Svatý Kopeček 20.4.2001–16.8.2001, 4♂+1♀+2 juv., leg. MHL, det. VB, 16.10.2003, 1 juv., leg. et det. VB, 2.4.2004, 1 juv., leg. et det. VB, 2.4.2004, 1 juv., leg. et det. JS.

Remarks. Rare, in steppes. Locally abundant in limestone rock steppes where it can easily be found in snail shells.

***Pellenes tripunctatus* (Walckenaer, 1802) [30]**

7165: Děvín 28.6.1965–27.9.1965, 1♂+2♀+1 juv., leg. et det. VBU (BUKVA 1969), 10.7.1996–16.8.1996, 1 juv., leg. JCH, det. JS, 8.8.2000, 4 juv., leg. et det. L. Dobroruka; Pavlovské vrchy 24.6.1959, 1♀, leg. et det. E. Žďárková; Svatý Kopeček 13.5.2000, 1, leg. P. Kment & M. Horsák, det. VB.

7166: Kinberk 1.8.2003, 1 juv., leg. et det. VB, 4.4.2004, 2 juv., leg. J. Pacherník, det. VB.

Remarks. Rare, in steppes.

***Philaeus chrysops* (Poda, 1761) [29]**

7065: Vranovice 15.5.1951, 1♀, leg. et det. FM (KŮRKA 2001).

7165: Děvín 13.5.1993–16.8.1996, 11♂+2♀+2 juv., leg. JCH, det. JS, 8.8.2000, 2♀+5 juv., leg. et det. L. Dobroruka, 4.5.2003, 1♂, leg. JCH, det. VB, 11.5.2003, 1♂+1♀, leg. JCH, det. VB, 23.5.2003, 1♀, leg. M. Jarab, det. JS, 23.5.2003, 1♂+3 juv., leg. et det. JS, 23.5.2003, 1♂+2♀, leg. et det. VB, 24.5.2003, 2♂, leg. et det. ZM, 9.5.2004, 1♂, leg. JCH, det. VB; Kotel 20.10.2002, 1 juv., leg. et det. VB; Pavlovské vrchy 10.7.1955, 1♂+1♀+2 juv., leg. et det. FM (KŮRKA 2001), 6.6.1958, 1♂+1♀, leg. et det. FM (KŮRKA 2001), 24.6.1959, 1♂+2♀+1 juv., leg. et det. E. Žďárková, 31.5., 5♂+3♀, leg. et det. FM (KŮRKA 2001), 24.5.1999, 1♂, leg. et det. LK; Svatý Kopeček 23.8.1965–27.9.1965, 1 juv., leg. et det. VBU (BUKVA 1969), 13.5.2000, 2♂, leg. P. Kment & M. Horsák, det. VB, 21.5.2003, 1♂+2♀, leg. et det. JS; Tabulová 1.6.1997–10.7.1997, 1♂, leg. VR & P. Antuš, det. VR.

7267: Boří les - pool 24.5.2003, 1♂, leg. et det. ICH.

Remarks. Common among limestone rocks, but absent or only very sporadic in all other habitat types.

***Phlegra fasciata* (Hahn, 1826) [83]**

7065: Pouzdřanská step-Kolby 15.4.1961–15.6.?, 6♂+5♀+5 juv., leg. et det. FM (KŮRKA 2001).

7165: Děvín 14.5.1966–23.7.1966, 2♂+1♀+2 juv., leg. et det. VBU (BUKVA 1969), 24.6.1970, 1♂, leg. VBU, det. VB, 13.5.1993–19.10.1996, 3♂+1 juv., leg. JCH, det. JS, 11.5.2003, 1♀, leg. JCH, det. VB; Pavlovské vrchy 25.6.1929, 1♂, leg. et det. FM (KŮRKA 2001), Y. 1931, leg. et det. J. Kratochvíl (KRATOCHVÍL 1931), 18.5.1970, 1♀, leg. et det. FM (KŮRKA 2001); Svatý Kopeček 14.5.2004–17.5.2004, 1♂, leg. et det. JS; Tabulová 26.7.1965–9.8.1965, 1 juv., leg. et det. VBU (BUKVA 1969).

7166: Milovická stráň 16.6.2004, 1♂, leg. et det. JS; Milovický les 7.6.2003, 1♂, leg. JCH, det. VB.

7266: Skalky 3.8.2003, 1♂, leg. et det. JD; Slanisko u Nesytu 20.5.1993–15.7.1993, 5♂+1♀, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995).

7367: Cahnov 6.6.2003, 1♂, leg. JCH, det. VB.

Remarks. Common, usually on steppes but also in forests and salt marsh.

***Phlegra festiva* (C. L. Koch, 1834) [49]**

7065: Pouzdřanská step-Kolby 5.5.1929, 1♂, leg. K. Starý, det. FM (KÚRKA 2001), Y. 1931, leg.?, det. ? (KRATOCHVÍL 1931), 28.4.1935–5.10.?, 22+4♀+7 juv., leg. et det. FM (KÚRKA 2001).
7165: Děvín 30.4.1966–14.5.1966, 1♂, leg. et det. VBU (BUKVA 1969), 7.5.1996, 1♀+2 juv., leg. JCH, det. JS, 23.5.2003, 2♂+1 juv., leg. E. Svatoňová, det. JS, 2.8.2003, 1♀, leg. et det. VB, 9.5.2004, 1, leg. JCH, det. VB; Pavlovské vrchy 18.5.1930–5.5.?, 2♂+2♀+2 juv., leg. et det. FM (KÚRKA 2001); Svatý Kopeček 20.4.2001–14.9.2001, 18♂+6♀+1 juv., leg. MHL, det. VB, 2.4.2004, 1♂, leg. J. Erhart, det. VB; Svatý Kopeček - vineyards 20.4.2001–22.5.2001, 2♂, leg. MHL, det. VB; Tabulová 21.8.2002, 1♂, leg. et det. JD.
7166: Lednický park 23.5.2003, 1♂, leg. et det. VB.

Remarks. Quite common, usually in grass of forests.

***Phlegra fuscipes* Kulczyński in Chyzer et Kulczyński, 1891 [4]**

7165: Děvín 24.6.1970, 1♂, leg. VBU, det. VB, 9.9.1995–10.7.1996, 6♂+2♀, leg. JCH, det. JS, 23.5.2003, 1♂, leg. M. Jarab, det. JS, 23.5.2003, 1♀, leg. et det. JS, 23.5.2003, 1♀, leg. et det. VB; Pavlovské vrchy 15.6.1955–15.9.?, 9♂+15♀+4 juv., leg. et det. FM (KÚRKA 2001); Svatý Kopeček 16.8.2001–14.9.2001, 1♂, leg. MHL, det. VB, 21.5.2003, 1♂+1♀, leg. et det. JS.
7266: Slanisko u Nesytu 20.5.1993–3.6.1993, 1♂, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995).

Remarks. Rare, in limestone rock steppes. Outside the Pálava region but within CR, *P. fuscipes* has been recorded only in Mohelenská hadcová step NNR (MILLER 1947) and on the steppe near Domašov (KÚRKA 2001).

***Pseudeuophrys erratica* (Walckenaer, 1826) [42]**

7367: Cahnov 5.6.1996, 1♂, leg. et det. VR.

Remarks. Very rare, one male collected by V. Růžicka in Cahnov.

***Pseudeuophrys lanigera* (Simon, 1871) [3]**

7165: Děvín 13.5.1993–7.7.1993, 14♂+14♀+1 juv., leg. JCH, det. JS.

Remarks. Rare, found only on Děvín limestone rock steppe by pitfall trapping in summer 1993. *P. lanigera* occurs in the CR only in houses and it is possible that the accidental occurrence in Děvín represents temporary naturalization of a synanthropic species. This notion is supported by the fact that *P. lanigera* was found only in 1993 and has not been confirmed by subsequent research in this locality.

***Pseudeuophrys obsoleta* (Simon, 1868) [13]**

7165: Děvín 28.6.1965–8.8.1966, 2♂+6♀+3 juv., leg. et det. VBU (BUKVA 1969), 24.6.1970, 1♂+3♀, leg. VBU, det. VB, 13.5.1993–10.7.1996, 2♂+4♀+3 juv., leg. JCH, det. JS, 11.5.2003, 4♂+5♀, leg. JCH, det. VB, 23.5.2003, 1♀, leg. et det. PK, 23.5.2003, 1♂+6♀, leg. et det. VB, 23.5.2003, 2♂+3♀+1 juv., leg. et det. JS, 24.5.2003, 9♀, leg. et det. ZM, 2.8.2003, 1♀, leg. et det. VB, 9.5.2004, 2♂+1♀+1 juv., leg. JCH, det. VB; Děvín-Kotel-Soutěska 5.5.1973, 1♂, leg. et det. VR; Pavlovské vrchy 15.6.1929, 1♂, leg.?, det. FM (KÚRKA

2001), 10.7.1955, 3♂+10♀, leg. et det. FM (KŮRKA 2001), 10.9., 3♀, leg. et det. FM (KŮRKA 2001); Svatý Kopeček 17.5.1965–26.7.1965, 1♂+2♀+1 juv., leg. VBu, det. VB, 13.6.1970, 2+1♀, leg. VBu, det. VB, 13.5.2000, 1♂+2♀, leg. P. Kment & M. Horsák, det. VB, 20.4.2001–14.9.2001, 9♂+4♀, leg. MHI, det. VB, 21.5.2003, 4♂+3♀, leg. et det. VB, 21.5.2003, 1♂, leg. et det. JS, 29.5.2003–28.4.2004, 1♂+2♀+2 juv., leg. JCH, det. VB, 2.4.2004, 1♂, leg. et det. JD; Tabulová 1.6.1997–10.7.1997, 1♂, leg. VR & P. Antuš, det. VR.

Remarks. Common, but restricted only to limestone rock steppes.

Pseudicius encarpatus (Walckenaer, 1802) [17]

7065: Vranovice 15.5.1951, 1♀, leg. et det. FM (KŮRKA 2001).

7165: Dunajovické kopce 22.5.2003, 1♂, leg. et det. VB; Dunajovický potok 2.4.2004, 1♂, leg. et det. VB; VDNM II - Pisky 30.4.2003, 1♂, leg. JCH, det. VB.

7166: Horní les Y. 1971, 1 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 7 ex., leg. JK, det. FM (KŘÍSTEK 1980); Křivé jezero 1.8.2003, 1♀, leg. et det. VB; Lednice 23.8.1936, 1♂, leg. et det. FM (KŮRKA 2001); Lednický park 23.5.2003, 1♂, leg. et det. VB.

7266: Sedlec - Váhovna 17.7.2003, 1♂, leg. JCH, det. VB.

7367: Soutok 2.8.1996, 1♂, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002).

Remarks. Scarce, in sun-exposed tree bark.

Pseudicius epiblemoides Chyzer in Chyzer et Kulczyński, 1891 [1]

7166: Křivé jezero 2.5.2003, 1♀, leg. JCH, det. VB, 4.5.2003, 2♂+4♀+1 juv., leg. JCH, det. VB, 1.8.2003, 1♂, leg. et det. VB, 9.6.2004, 1♂+2 juv., leg. JCH, det. VB; Lednický park 3.8.2000, 2♂, leg. et det. L. Dobroruka (DOBRORUKA 2001), 23.5.2003, 1 juv., leg. et det. VB, 23.5.2003.

7367: Soutok 20.8.2003, 1♂, leg. JCH, det. VB.

Remarks. Rare, found on bark of solitary oaks. *P. epiblemoides* was first recorded from Lednice chateau park in (DOBRORUKA 2001) and has also recently been found in other parts of the territory studied. The known occurrence of *P. epiblemoides* in Central Europe is restricted to the Pálava region (occurrence in Slovakian Somotor has not been confirmed for over 100 years). Apart from the Pálava region *P. epiblemoides* occurs in south-eastern Europe (Romania, Croatia, Macedonia and Greece) and appears to be very rare in all known localities (DOBRORUKA 2001).

Salticus cingulatus (Panzer, 1797) [27]

7165: VDNM II - Pisky 30.4.2003, 1♂, leg. JCH, det. VB, 29.4.2004, 3♂, leg. JCH, det. VB, 25.5.2004, 9♀, leg. JCH, det. VB.

Remarks. Very rare, only on the bark of willows on the island of VDNM II reservoir.

Salticus scenicus (Clerck, 1757) [102]

7065: Pouzdřanská step 25.5.2004, 1♂, leg. SV, det. VB; Pouzdřanská step-Kolby 15.4.1961, 2♂, leg. et det. FM (KŮRKA 2001).

7165: Děvín 24.6.1970, 1♂, leg. VBu, det. VB, 8.8.2000, 2♀, leg. et det. L. Dobroruka, 23.5.2003, 1♂, leg. et

Spiders of the Lower Morava

det. VB; Mikulov 2.2.2004–21.4.2004, 1 juv., leg. JCH, det. VB; Pavlovské vrchy 5.7.1953, 1 ♀, leg. et det. FM (KÚRKA 2001); Soutěska 8.5.2003, 1 ♂, leg. JCH, det. VB; Svatý Kopeček 16.10.2003, 1 juv., leg. et det. VB; VDNM II 18.5.2004, 1 ♂, leg. JCH, det. VB; VDNM II - Pisky 25.5.2004, 1 ♂, leg. JCH, det. VB.
7166: Bulhary 1.6.2003, 2 ♂, leg. JCH, det. VB, 30.3.2004, 1 juv., leg. K. Korberová, det. VB; Kinberk 4.4.2004, 1 juv., leg. et det. VB, 20.3.2004–19.5.2004, 2 ♂+1 juv., leg. JCH, det. VB; Lednice 24.5.1998–28.5.1998, 1 ♀, leg. et det. M. Řezáč.
7168: Moravská Nová Ves - old vineyard 29.5.2002, 1 ♀, leg. et det. JS.
7266: Mušlov - sand pit 21.5.2003, 1 ♂, leg. et det. VB; Mušlovské rybníky 25.4.2003, 1 juv., leg. JCH, det. VB; Výtopa 10.5.2003, 1 ♂, leg. JCH, det. VB.

Remarks. Common, on rocks, stones and on buildings.

Salticus zebraneus (C. L. Koch, 1837) [69]

7165: Děvín 9.7.1966–23.7.1966, 1 ♀, leg. et det. VBu (BUKVA 1969); Dunajovické kopce 9.5.2004, 2 ♂+1 ♀, leg. SV, det. VB, 9.5.2004, 1 ♂, leg. SV, det. VB; Klentnický potok 14.4.2004, 1 ♀, leg. JCH, det. VB; Kotel 22.12.2003, 3 juv., leg. JCH, det. VB.
7166: Horní les Y. 1971, 14 ex., leg. JK, det. FM (KŘÍSTEK 1980), Y. 1972, 4 ex., leg. JK, det. FM (KŘÍSTEK 1980), 2.7.1996–27.7.1997, 8 ♂+8 ♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002); Krivé jezero 2.5.2003–29.5.2003, 7 ♂+1 ♀, leg. JCH, det. VB, 2.6.2003, 1 ♀, leg. JCH, det. VB; Květné jezero 6.5.2003, 4 ♂, leg. JCH, det. VB; Lednice 25.6.1959, 1 ♀, leg. et det. E. Žďárková, 15.6.1972, 1 ♀, leg. et det. FM (KÚRKA 2001), 6.7., 1 ♂+2 ♀, leg. et det. FM (KÚRKA 2001); Lednický park 3.8.2000, 5 juv., leg. et det. L. Dobroruka, 23.5.2003, 1 ♂, leg. et det. VR, 23.5.2003, 5 ♂+2 ♀, leg. et det. VB, 23.5.2003, 1 ♂+1 ♀, leg. et det. ZM; Milovická strán 1.8.2003, 1 ♂, leg. et det. VB; Milovický les 2.5.2003, 1 juv., leg. JCH, det. VB, 14.5.2003, 3 ♂, leg. JCH, det. VB, 3.4.2004, 1 juv., leg. et det. VB.
7167: Podivín 1.5.2003, 2 ♂, leg. JCH, det. VB.
7266: Boří les - oaks 24.5.2003, 1 ♂, leg. et det. VB; Hlohovecký rybník 23.5.1999, 1 ♂, leg. et det. LK; Rendezvous 24.5.2003, 1 ♂, leg. et det. VB, 24.5.2003, 1 ♀, leg. et det. VR; Skalky 8.5.2004, 1 ♂, leg. JCH, det. VB; Slanisko u Nesytu 23.5.2003, 1 ♂, leg. et det. VR; Výtopa 10.5.2003, 4 ♂, leg. JCH, det. VB.
7267: Boří les 13.5.2003, 3 ♂, leg. JCH, det. VB, 24.5.2003, 1 ♂, leg. M. Jarab, det. JS, 15.5.2004, 1 ♂+1 ♀, leg. JCH, det. VB, 17.5.2004, 2 ♂, leg. et det. JS; Boří les - pool 24.5.2003, 1 ♂, leg. M. Jarab, det. JS; Lanžhot 5.6.1996, 1 ♀, leg. et det. VR.
7367: Soutok 4.7.1996–30.6.1997, 4 ♂+5 ♀, leg. JSch, det. LK (KUBCOVÁ & SCHLAGHAMERSKÝ 2002), 25.4.2004, 1 ♂, leg. JCH, det. VB.

Remarks. Very common, on tree trunks.

Sitticus caricis (Westring, 1861) [25]

7165: VDNM II - Pisky 12.6.1981, 1 ♂, leg. H. Hiršová, det. VB (HIRŠOVÁ 1996).

Remarks. Very rare, the only record comes from research into the food of frogs. Only one male has been found, in the stomach of *Rana esculenta* caught in the vicinity of Mušov (currently flooded by VDNM II dam).

Sitticus dzieduszyckii (L. Koch, 1870) [6]

7065: Pouzdřanská step-Kolby 15.6.1967, 1 ♂, leg. et det. FM (KÚRKA 2001), 20.5., 1 ♀, leg. et det. FM (KÚRKA 2001).

Remarks. Very rare. Collected by F. Miller in Pouzdřanská step-Kolby. Not confirmed recently.

***Sitticus floricola* (C. L. Koch, 1837) [57]**

7166: Křivé jezero 8.7.1998–9.8.1998, 1♂, leg. JCH & HF, det. VB, 3.6.2003, 1♀, leg. JCH, det. VB, 5.6.2003, 1♀, leg. JCH, det. VB, 1.8.2003, 2♂, leg. et det. VB, 27.5.2004, 1♀, leg. JCH, det. VB.

Remarks. Rare. *S. floricola* is quite abundant on the vegetation of Křivé jezero flooded meadow; however, it appears to be absent from other seemingly suitable localities.

***Sitticus penicillatus* (Simon, 1875) [12]**

7065: Pouzdřanská step-Kolby 15.4.1961–25.5., 5♂+4♀, leg. et det. FM (KŮRKA 2001).

7165: Děvín 23.5.2003, 1♂, leg. et det. VB; Dunajovické kopce 22.5.2003, 1♂, leg. et det. VB; Pavlovské vrchy 25.5.1958, 2♂+1♀, leg. et det. FM (KŮRKA 2001).

Remarks. Rare, in grass of steppes.

***Sitticus pubescens* (Fabricius, 1775) [76]**

7165: Mikulov 1.6.2003–30.6.2003, 1♂+1♀, leg. JCH, det. VB, 1.9.2003–30.9.2003, 1♂, leg. JCH, det. VB.

7166: Křivé jezero 7.5.2003, 1♂, leg. JCH, det. VB.

Remarks. Rare, in and on buildings in Mikulov and also in Křivé jezero. Unexpectedly, *S. pubescens* was not found in its original habitat – on stones and rocks in rock steppes.

***Sitticus saltator* (O. P.-Cambridge, 1868) [8]**

7165: Dunajovické kopce 22.5.2003, 1♀, leg. et det. VB; Svatý Kopeček 13.5.2000, 1♂, leg. P. Kment & M. Horsák, det. VB.

7166: Kinberk 1.8.2003, 1 juv., leg. et det. VB.

7266: Skalky 30.4.2003, 1♀, leg. et det. VB, 22.5.2003, 2♀, leg. et det. VB, 16.10.2003, 1♀, leg. A. Konečný, det. VB.

Remarks. Rare, at ground level of sandy and loess habitats.

***Synageles hilarulus* (C. L. Koch, 1846) [4]**

7065: Pouzdřanská step-Kolby 6.5.1958–10.7., 5♂+6♀+4 juv., leg. et det. FM (MILLER 1966, KŮRKA 2001).

7165: Dunajovické kopce 28.5.2004, 4♀, leg. SV, det. VB.

Remarks. Very rare, collected by F. Miller in Pouzdřanská step – Kolby. Recently confirmed only by S. Vinkler in Dunajovické kopce grass steppe.

***Synageles venator* (Lucas, 1836) [59]**

7065: Pouzdřanská step-Kolby 15.4.1961, 1♀, leg. et det. FM (KÚRKA 2001).
 7165: Dunajovické kopce 22.5.2003, 3♀, leg. E. Svatoňová, det. JS, 23.5.2003, 1♀, leg. et det. ZM, 28.5.2004, 1♀, leg. SV, det. VB.
 7166: Lednický park 25.5.1983, 1♀, leg. et det. K. Absolon; Pastvisko 24.5.2003, 1♀, leg. et det. VB, 2.8.2003, 1♀, leg. et det. PK.
 7168: Očovské louky 31.5.2002, 2♀, leg. et det. VB, 31.5.2002, 1♀, leg. et det. VB.
 7266: Nesyt 1.6.1978, 1♀, leg. et det. JB.
 7267: Boří les 15.5.2004, 1♀, leg. JCH, det. VB; Lanžhot - dead arms 2.6.2002, 1♀, leg. et det. JS; Pohansko 23.5.2003, 1♂, leg. et det. VR, 25.5.2003, 1♂+1♀, leg. et det. VB.
 7268: Stibůrkovská jezera 29.5.2002, 1♀, leg. et det. JS, 29.5.2002, 2♀, leg. et det. VB.

Remarks. Common, in various open habitats – on steppes, wet meadows etc.

***Talavera aequipes* (O. P.-Cambridge, 1871) [42]**

7065: Pouzdřanská step-Kolby 15.5.–13.7.?, 3♂+2♀+2 juv., leg. et det. FM (KÚRKA 2001).
 7165: Děvín 28.6.1965–9.7.1966, 2♂+2♀+2 juv., leg. et det. VBu (BUKVA 1969); Dunajovické kopce 9.5.2004, 1♂, leg. SV, det. VB; Pavlovské vrchy 25.5.1958, 1♂+2♀, leg. et det. FM (KÚRKA 2001); Svatý Kopeček 13.6.1970, 1♂, leg. VBu, det. VB, 22.5.2001–28.6.2001, 1♂+1♀, leg. MHL, det. VB.
 7266: Slanisko u Nesytu 1.7.1993–15.7.1993, 1♂, leg. JCH, det. JS (MAJKUS & SVATOŇ 1995).

Remarks. Quite common, in grass of steppes.

***Talavera aperta* (Miller, 1971) [9]**

7165: Děvín 20.6.1995, 1♂, leg. JCH, det. JS; Svatý Kopeček - vineyards 20.4.2001–22.5.2001, 1♀, leg. MHL, det. VB, 22.5.2001–28.6.2001, 1♀, leg. MHL, det. VB.
 7266: Hlohovecký rybník 23.5.1999, 1♂, leg. et det. LK.

Remarks. Rare, in various habitats – in oak forest on Děvín, in vineyards surrounding Svatý Kopeček limestone steppe and close to Hlohovecký rybník pond.

***Talavera milleri* (Brignoli, 1983) [2]**

7165: Děvín 24.6.1970, 1♀, leg. VBu, det. VB.

Remarks. Very rare, one female found in recently determined V. Bukva material, the first finding in Moravia.

***Talavera petrensis* (C. L. Koch, 1837) [26]**

7065: Pouzdřanská step-Kolby 10.5., 1♂, leg. et det. FM (KÚRKA 2001).
 7267: Pohansko 23.5.2003, 1♂+1 juv., leg. et det. VR.

Remarks. Very rare, found in Pouzdřanská step-Kolby NNR by F. Miller, recently confirmed in Pálava region by V. Růžička in Pohansko.

Discussion

Novelty

In total 574 species have been collected during the last 50 years in the Pálava region. This figure is based on 10,203 records involving 61,902 specimens. Additional species were reported more than 50 years ago (*Lycosa singoriensis*, *Alopecosa fabrilis*, *Haplodrassus umbratilis*, *Steatoda meridionalis*, *Titanoeca tristis*, *Gnaphosa montana*, *Hylyphantes nigritus*), or were shown to be misidentified (*Alopecosa mariae*, *Dysdera erythrina*) or the records are highly questionable without available voucher material (*Pardosa agricola*, *Pardosa nebulosa*). The occurrence of another species, *Entelecara media*, is highly probable (one female assumed to be *E. media* was found). However with respect to the high variability of females of the genus *Entelecara*, the finding of a male is necessary to officially report *E. media* from the Pálava region and from the Czech Republic. The 12 above-mentioned species we do not consider as belonging to the current arachnofauna of the Pálava region.

During the summarizing study of spiders in Pálava BR (MAJKUS & SVATOŇ 1995), which included all data known to authors up to 1994, 356 spider species were reported from territory that is almost identical to that covered by this study. Since 1994 we have collected 519 species (6,944 records, 35,366 specimens), of which 225 are new for the territory. Fifty-four species were not confirmed during the past 10 years.

Species richness

Such a total number of spider species in a small area is exceptional. The numbers of species found after 1950 in individual grid squares are: grid number 7165 (405 species), 7166 (393), 7266 (311), 7065 (259), 7267 (241), 7367 (169), 7168 (88), 7268 (49), 7265 (20) and 7167 (5). The number of species per one square in grid squares 7165 and 7166 is the highest in the CR, grid square 5949 following (Křivoklátsko PLA with 383 species) and 6863 (Mohelenská hadcová step NNR with 360 species) (based on BUCHAR & RŮŽIČKA 2002).

There are not many areas in the CR in which the arachnofauna is known so completely, which allows us to assume that the known number of species at least approximates to the number of species that actually occur there. The most studied regions are: Šumava NP (35,346 individuals, 305 species, KŮRKA 1997b), Křivoklátsko PLA and surroundings (44,141 individuals, 508 species, 8 grid squares, based on BUCHAR & RŮŽIČKA 2002), Prague and surroundings including Český kras PLA (17,887 individuals, 497 species, 11 grid squares, based on BUCHAR & RŮŽIČKA 2002) and České Středohoří PLA (17,475, 448 species, 12 grid squares, based on BUCHAR & RŮŽIČKA 2002). As expected, the number of species in mountain habitats is lower than in the regions lying within the Czech thermophyticum. However, the number of species in the Pálava region is still remarkably high in comparison with the best-studied areas in Bohemia. We reason that this is due to the combination of an enormous diversity of habitats within this small area and the unique geographical location that allows the penetrations of pannonic animal species.

Unique species

In the present study we report 17 species that were not known from the Czech Republic until the end of 2000 (BUCHAR & RŮŽIČKA 2002). Three of them are species that were found after the publication of the Catalogue of Spiders of the Czech Republic and elsewhere – *Philodromus hystrio* (also found recently in Kokořínsko PLA – for details see BRYJA et al. 2005), synanthropic *Cheiracanthium mildei* (common in houses in the centre of Brno) and synanthropic *Dysdera crocata* (also in Prague). A further four species have been distinguished, described or re-established recently by taxonomic progress in the families Eresidae, Dysderidae and Philodromidae. *Eresus* sp. is currently being diverentiated from *E. cf. cinnaberinus*, *Dysdera cf. lantosquensis* from *D. cf. erythrina*, *Philodromus buchari* was recently described from central Bohemia (KUBCOVÁ 2004) and in the same study good determination characters were defined for another new species, *Philodromus marmoratus*. *P. marmoratus* is together with the following 10 species: *Enoplognatha* sp., *Microctenonyx subitaneus*, *Zygiella thorelli*, *Aculepeira armida*, *Pardosa fulvipes*, *Dictyna vicina*, *Amaurobius erberi*, *Zelotes gracilis*, *Zora armillata* and *Zora parallela* first reported and until now known only from the Pálava region. These species complement the list of another 17 species that occur in the CR only in the Pálava region. Twelve of these species were confirmed recently by our investigations (*Entelecara omissa*, *Metopobatrachus ascitus*, *Pardosa maisa*, *Hahnica picta*, *Drassyllus vinealis*, *Micaria sociabilis*, *Cheiracanthium effossum*, *Tibellus macellus*, *Heriaeus graminicola*, *Tmarus stellio*, *Marpissa canestrinii* and *Pseudicius epiblemoides*), and 5 others species we unfortunately cannot confirm in the Pálava region (nor in CR). These include *Anelosimus aulicus*, *Hylyphantes nigrinus*, *Panamomops latifrons*, *Phrurolithus szilyi* and *Clubiona pseudoneglecta*. In the Czech Republic, the total number of spider species restricted to the Pálava region is 28, according our current state of knowledge. The occurrence of another species, *Argenna patula*, we consider questionable at this stage. The area of our study is further enriched by some very interesting and rare species, which have been found in the Czech Republic in at least on one additional locality. The following species belong in this category: *Uloborus walckenaerius*, *Dysdera hungarica*, *Dipoena nigroreticulata*, *Diplocephalus dentatus*, *Heterotrichoncus pusillus*, *Lepthyphantes nanus*, *Maso gallicus*, *Prinerigone vagans*, *Trichoncoides piscator*, *Cheiracanthium pennyi*, *Philodromus poecilus*, *Talavera milleri* and others.

Important habitat types

The most important spider communities are found in five main habitat types. Due to high species richness and the specificity of each locality, only indicator, stenotypic and usually rare spider species are mentioned in text below. From the arachnological point of view, the most valuable habitats within the Pálava region are:

1) Parks and other habitats with old deciduous trees. Many very rare species live on the trunks of old oaks and in their close vicinity (*Micaria sociabilis*, *Pseudicius epiblemoides*, *Hahnica picta*, *Zygiella thorelli*, *Dipoena nigroreticulata*), in hollows (*Midia midas*) and in their canopy (*Dipoena torva*). Such species structure is unique (it is almost complete in Lednice chateau park) and also involves interspecific relationships

with other invertebrate species (e.g. the ant *Liometopum microcephalum*). The highly specific ways of life of some of the above-mentioned spider species and the necessity for interspecific cooperation render these spiders very sensitive to disturbance of their microhabitats and the loss of old trees would lead to the irreversible loss of these stenotypic species. It is no coincidence that these may be numbered among the rarest and the most underinvestigated spiders in Europe.

2) Salt marshes, pond littorals and reed swamps. Many rare species are bound to specific habitat types in the close vicinity of fishponds¹⁾ and natural water basins, e.g. large reed swamps surrounding individual ponds within Lednické rybníky NNR (most important species: *Entelecara omissa*, *Tetragnatha shoshone*, *Tetragnatha striata*, *Clubiona juvenis*), littorals of water basins with reedmace and sedge, with the most typical example in Pastvisko NNM and in some parts of Lednické rybníky NNR (most important species: *Enoplognatha* sp., *Zora armillata*, *Haplodrassus moderatus*, *Marpissa canestrinni*, *Heriaeus graminicola*) and salt marshes (*Pardosa maisa*). In the CR, a large number of these species are restricted to only the Pálava region.

3) Grass steppes on loess and sandy soils. The protected remnants of original grass steppes on loess (most typically developed in Pouzdřanská step – Kolby NNR, Dunajovické kopce NNM, Skalky and Kinberk) host, as the only localities in the CR, the very rare species *Tibellus macellus*, *Drassyllus vinealis*, *Cheiracanthium effosum* and *Metopobactrus ascitus*, and other rare spiders e.g. *Dipoena prona*, *Euryopis laeta* and *Synageles hilarulus*. Some additional rare species occur in steppes on more sandy soils (part of Skalky, part of Kinberk, Mušlov sandpit, part of Boří les), e.g. *Zelotes gracilis*, *Arctosa perita*, *Xysticus lineatus*, *Micaria guttullata* and on their vegetation (e.g. *Uloborus walckenaerius*).

4) Limestone rock steppes. This is the typical steppe formation of the Pavlovské vrchy hills with the most typical localities within Děvín-Kotel-Soutěska and Tabulová NNRs and in Svatý Kopeček NR. Three spider species occur in the CR only in this habitat – *Aculepeira armida*, *Amaurobius erberi* and *Lepthyphantes nanus*, and some other rare spiders are quite abundant and restricted to this habitat – e.g. *Centromerus capucinus*, *Phlegra fuscipes*, *Philaeus chrysops* or *Pseudeuophrys obsoleta*.

5) Floodplain forests and flooded meadows. These lowland habitats have a specialized arachnofauna adapted to regular spring floods: in forests (e.g. Ranšpurk, Horní les, Kančí obora) typical species are *Porrhomma lativelum*, *Porrhomma montanum*, *Panamomops latifrons* and *Tmarus stellio*; in flooded meadows (e.g. Křivé jezero, Očovské louky) *Diplocephalus dentatus*, *Baryphyma pratense*, *Pelecopsis mengei* and *Maso gallicus*).

¹⁾ **Translators' note.** References to 'fishpond' are an approximate translation of the Czech word *rybník*. For those unfamiliar with Central Europe, a *rybník* is a body of water that is maintained for the stocking and cultivation of fish for sport and the table. It may vary in size from what might be described as a small pool to a very large lake indeed. The majority of these 'fishponds' are regularly (some annually) drained to a very low level in order to facilitate the netting of the stock. Thus, they constitute a unique environment.

Acknowledgements

The authors would like to acknowledge (in alphabetical order): K. Absolon, L. Dobroruka, M. Holec, V. Hula, A. Kůrka, M. Omelková, I. Valíčková and E. Žďárková for providing unpublished data and P. Antuš, J. Bašta, M. Bryjová, H. Fojtová, M. Hluchý, M. Horsák, Z. Kasalová, Z. Kasalová jr., A. Konečný, M. Jarab, E. Svatoňová, P. Kment, P. Lauterer, J. Matuška, J. Pacherník, P. Vaňhara and S. Vinkler for help with the collecting of material. The research was partially supported by the project VaV 620/2/03 of the Agency for Nature Conservation and Landscape Protection of the Czech Republic.

Souhrn

Cílem předkládané práce je shrnout veškeré dostupné informace (publikované údaje, nepublikované údaje z bakalářských, diplomových a dizertačních prací i jiných zdrojů, údaje ze soukromých sbírek, nová data získaná týmem autorů v průběhu let 1994 až 2004) o pavoucích biosférické rezervace Dolní Morava (Česká republika) a některých blíže přilehlých lokalit (Pouzdranská step – Kolby, Dunajovické kopce, Očovské louky). Celkem bylo na studovaném území za posledních 50 let získáno 61 902 kusů pavouků náležících k 574 druhům. Třináct druhů pavouků je v této práci poprvé oficiálně hlášeno z území České republiky - *Dysdera crocata*, *Enoplognatha* sp., *Microctenonyx subitaneus*, *Zygiella thorelli*, *Aculepeira armida*, *Pardosa fulvipes*, *Dictyna vicina*, *Amaurobius erberi*, *Cheiracanthium mildei*, *Zelotes gracilis*, *Philodromus histrio*, *Zora armillata* a *Zora parallela*. Pouze na území biosférické rezervace Dolní Morava a její blízkého okolí je v České republice podle současných informací svým výskytem vázáno 28 pavoucích druhů. Celkový počet zjištěných druhů reprezentuje takřka 70% všech druhů pavouků známých z České republiky a poukazuje na jedinečné druhové bohatství fauny v této oblasti.

References

- BAUM J. 1929: Seznam pavouků Čech a Moravy [List of spiders of Bohemia and Moravia] *Čas. Nár. Muz.* **103**: 76–97 (in Czech).
- BAUM J. 1934: Nově získané zajímavé druhy mé sbírky pavouků. List of rare or interesting spiders found recently in Czechoslovakia. *Čas. Čs. Spol. ent.* **31**: 82–84 (in Czech).
- BÍLEK P. & BÍLKOVÁ V. 1984: Arachnofauna břehů vod Bydžovské tabule. The watersides arachnofauna of the Bydžovská tabule (East Bohemia). *Acta mus. Reginaehradecensis S. A* **18[1983]**: 75–82 (in Czech, English summary).
- BOSMANS R. & VAN KEER J. 1999: The genus *Enoplognatha* Pavesi, 1880 in the Mediterranean region (Araneae: Theridiidae). *Bull. Br. arachnol. Soc.* **11**: 209–241.
- BRYJA V. 1999: Araneida. In OPRAVILOVÁ V., VAŇHARA J. & SUKOP I. (eds), Aquatic invertebrates of the Pálava Biosphere Reserve of UNESCO. *Folia Fac. Sci. Nat. Univ. Masarykianae Brunensis, Biologia* **101**: 107–109.
- BRYJA V. 2002: Pavouci (Araneida) Rokytenských slepenců. Spiders (Araneida) of “Rokytenské slepence” conglomerate rocky valley. *Přírod. Sbor. Západo-morav. Muz. Třebíč* **40**: 19–31 (in Czech, English summary).
- BRYJA V. 2004: Male trimorphism in *Pelecopsis menzei* (Erigoninae, Linyphiidae, Araneae). In SAMU F. & SZINETÁR C. (eds), *European Arachnology 2002*. Plant Protection Institute & Berzsenyi College, Budapest, pp. 73–79.
- BRYJA V., ŘEZÁČ M., KUBCOVÁ L. & KÚRKA A. 2005: Three interesting species of the genus *Philodromus* Walckenaer, 1825 (Araneae: Philodromidae) in the Czech Republic. *Acta Musei Moraviae, Scientiae biologicae* **90**: 185–194.

- BUCHAR J. & RŮŽIČKA V. 2002: Catalogue of spiders of the Czech Republic. Peres Publ., Praha, 351 pp.
- BUCHAR J. & THALER K. 1984: Eine zweite *Diaea* – Art in Mitteleuropa: *Diaea pictilis* (Araneida, Thomisidae). *Věst. čs. Společ. zool.* **48**: 1–8.
- BUCHAR J. & THALER K. 2004: Ein Artproblem bei Wolfspinnen: Zur Differenzierung und vikarianten Verbreitung von *Alopecosa striatipes* (C. L. Koch) und *A. mariaae* (Dahl) (Araneae, Lycosidae). In THALER K. (ed.), *Diversität und Biologie von Webspinnen, Skorpionen und anderen Spinnentieren*. Denisia **12**, pp. 271–280.
- BUCHAR J. 1977: Pavoučí zvířena [Spiders] In ROČEK Z. (ed.), *Příroda Orlických hor a Podorlicka* [Natural conditions of the Orlické Hory Mountains and their adjacent submontane area] SZN, Praha, pp. 443–467 (in Czech).
- BUKVA V. 1969: Pavoučí společenstva stepních stanovišť Pavlovských vrchů [Spider communities of steppe habitats of the Pavlovské Vrchy Mts.] MSc. thesis, Charles University, Praha, 100 pp. (in Czech).
- DENIS J. (1966). Éléments d'une faune arachnologique de Vendée (4e note). *Bull. Soc. scient. Bretagne* **40**: 177–186.
- DOBROUKA L. J. 2001: *Pseudicius epiblemoides* (Araneae: Salticidae) in Central Europe. *Arachnol. Mitt.* **22**: 50–54.
- FOJTOVÁ H. 2003: Dynamika vybraných taxonomických skupin epigeonu lužního lesa jižní Moravy v závislosti na změnách vodního režimu [Dynamics of model taxonomic groups of soil surface fauna in southern Moravian floodplain forest in relation to changes in water regime] PhD thesis, Mendel University of Agriculture and Forestry, Brno, 144 pp. (in Czech, English summary).
- GAJDOŠ P., SVATOŇ J. & SLOBODA K. 1999: *Katalóg pavúkov Slovenska. Catalogue of Slovakian Spiders*. Ústav krajinné ekológie SAV, Bratislava, 339 pp. (I), 315 pp. (II) (in Slovak and English).
- GRIM T. 1997: Vliv mláděte kukačky obecné (*Cuculus canorus*) na potravní chování rákosníka obecného (*Acrocephalus scirpaceus*) [The influence of a nestling of *Cuculus canorus* on the feeding behavior of *Acrocephalus scirpaceus*] MSc thesis, Masaryk University, Brno, 115 pp. (in Czech).
- HIRŠOVÁ H. 1996: Příspěvek k poznání potravy vodních skokanů (*Rana esculenta* komplex – synklepton) v podmínkách aluvia v delším časovém období [The contribution to the knowledge of food structure of water frogs (*Rana esculenta* complex – synklepton) in alluvial conditions during longer time period] MSc thesis, Masaryk University, Brno, 118 pp. (in Czech).
- JÄGER J. 1995: Spinnenaufsammlungen aus Ostösterreich mit vier Erstnachweisen für Österreich. *Arachnol. Mitt.* **9**: 12–25.
- KASAL P. 1981: Faunistic records from Czechoslovakia. Araneida. *Acta Entomol. Bohemoslov.* **78**: 351.
- KNOFLACH B. 1996: Die Arten der *Steatoda phalerata*-Gruppe in Europa (Arachnida: Araneae, Theridiidae). *Mitt. Schweiz. Ent. Ges.* **69**: 377–404.
- KRATOCHVÍL J. 1931: Příspěvek k znalosti západomoravských Salticid a Lycosid. Beitrag zur Kenntnis der westmährischen Salticiden und Lycosiden. *Sborník Klubu přírodovědeckého v Brně* **13**[1930]: 68–73 (in Czech, German summary).
- KRATOCHVÍL J. 1932a: Rod pavouků *Titanoeca* Thor. v Československé republice. Les espèces du genre *Titanoeca* Thor. en Tchécoslovaquie. *Sborník Přírodovědecké společnosti v Mor. Ostravě* **7**: 11–24 (in Czech, French summary).
- KRATOCHVÍL J. 1932b: *Trochosa (Hogna) singoriensis* (Laxm.) na Moravě a její rozšíření ve střední Evropě [*Trochosa (Hogna) singoriensis* (Laxm.) in Moravia and its distribution in Central Europe] *Příroda* **25**: 1–6 (in Czech).
- KRATOCHVÍL J. 1933: Studie o západomoravských Lycosidách [West-Moravian lycosids] *Čas. mor. zem. musea* **28–29** [1931 1932]: 533–545 (in Czech, German summary).
- KRATOCHVÍL J. 1951: Jsme svědky rozšiřování zvířat [Are we witnesses of animals spreading]? *Příroda* **44**: 19–22 (in Czech).
- KŘÍSTEK J. 1980: Struktura a dynamika lesních Arthropod na příkladu ploštíc a pavouků [Structure and dynamics of forest Arthropods exemplified on bugs and spiders] Final report of research project no. VI-2-2/11, Mendel University of Agriculture and Forestry, Brno, 120 pp. (in Czech).
- KŘÍSTEK J. 1985: Structure of insects, spiders and harvestmen of a floodplain forest. In PENKA M., VYSKOT M., KLIMO E. & VAŠÍČEK F. (eds), *Floodplain forest ecosystem*. Academia, Praha, pp. 327–356.
- KUBCOVÁ L. & SCHLAGHAMERSKÝ J. 2002: Zur Spinnenfauna der Stammregion stehenden Totholzes in südmährischen Auenwäldern. *Arachnol. Mitt.* **24**: 35–61.

- KUBCOVÁ L. 2004: A new spider species from the group *Philodromus aureolus* (Araneae, Philodromidae) in Central Europe. *Denisia* **12**: 291–304.
- KŮRKA A. 1994: Přehled druhů pavouků (Araneida) ve sbírce Prof. F. Millera (Zoologické sbírky přírodovědeckého muzea Národního muzea), část I. A survey of spiders (Araneida) in Prof. F. Miller's collection (Department of Zoology, Museum of Natural History National Museum), Part I. *Čas. Nár. Muz., Řada přírodověd.* **163**: 43–54 (in Czech, English summary).
- KŮRKA A. 1996: A survey of spider species (Araneida) in Prof. F. Miller's collection (Department of Zoology, Museum of Natural History, National Museum), Part II. *Čas. Nár. Muz., Řada přírodověd.* **165**: 133–138.
- KŮRKA A. 1997a: A survey of spider species (Araneida) in Prof. F. Miller's collection (Department of Zoology, Museum of Natural History – National Museum), part III: Thomisidae and Philodromidae. *Čas. Nár. Muz., Řada přírodověd.* **166**: 47–54.
- KŮRKA A. 1997b: The spider fauna of Bohemian peatbogs. Check-list of spider species found in the peatbogs of the Šumava Mts. region. *Acta Mus. Nat. Pragae, Ser. B* **53**: 11–35.
- KŮRKA A. 2000: A survey of spider species (Araneae) in Prof. F. Miller's collection (Department of Zoology, Museum of Natural History – National Museum), part V. *Čas. Nár. Muz., Řada přírodověd.* **169**: 35–40.
- KŮRKA A. 2001: A survey of spider species (Araneida) in Prof. F. Miller's collection (Department of Zoology, Museum of Natural History – National Museum), part VI: Salticidae. *Čas. Nár. Muz., Řada přírodověd.* **170**: 81–89.
- KŮRKA A. 2003: A survey of spider species (Araneida) in Prof. F. Miller's collection (Department of Zoology, Museum of Natural History – National Museum), part VII: Theridiidae. *Čas. Nár. Muz., Řada přírodověd.* **172**: 133–140.
- KŮRKA A. 2004: A survey of spider species (Araneida) in Prof. F. Miller's collection (Department of Zoology, Museum of Natural History – National Museum), part VIII: Araneidae. *Čas. Nár. Muz., Řada přírodověd.* **173**: 29–34.
- KŮRKA A. (in press): A survey of spider species (Araneida) in Prof. F. Miller's collection (Department of Zoology, Museum of Natural History – National Museum), part IX: Nesticidae, Tetragnathidae and Dictynidae (part.). *Čas. Nár. Muz., Řada přírodověd.*
- LOEBROKS A. 1983: Revision der Krabbenspinnen–Gattung *Heriades* Simon. *Verh. naturwiss. Ver. Hamburg (NF)* **26**: 85–139.
- LOKSA I. 1969: Araneae I. *Fauna Hungariae* **97**: 1–133.
- MAJKUS Z. & SVATOŇ J. 1995: Araneida. In ROZKOŠNÝ R. & VAŇHARA J. (eds), Terrestrial Invertebrates of the Pálava Biosphere Reserve of UNESCO I. *Folia Fac. Sci. Nat. Univ. Masarykianae Brunensis, Biologia* **92**: 35–50.
- MIKHAILOV K. G. 1997: *Catalogue of the spiders of the territories of the former Soviet Union (Arachnida, Aranei)*. Archives of the Zoological Museum of the Moscow State University **37**. Moscow, 416 pp. (in English and Russian).
- MILASOWSKY N., BUCHAR J. & ZULKA K. P. 1999: Morphological variation in *Pardosa maisa* Hippa & Mannila 1982 (Araneae, Lycosidae). *Senckenbergiana biol.* **79**: 11–18.
- MILLER F. 1939: *Trichoncus Vejdovskýi* n. sp. (Araneae). *Věst. Čsl. zool. společ.* **67[1938–1939]**: 318–321 (in German).
- MILLER F. 1947: Pavoučí zvířena hadcových stepí u Mohelna [Spiders of the serpentine rocky steppes near Mohelno] Archiv Svazu na výzkum a ochranu přírody i krajiny v zemi Moravskoslezské **7**. Svaz na výzkum a ochranu přírody i krajiny v zemi Moravskoslezské, Brno, 128 pp. (in Czech, French summary).
- MILLER F. 1958a: Příspěvek k poznání československých druhů pavouků rodu *Centromerus* Dahl. Beitrag zur Kenntnis der tschechoslowakischen Spinnenarten aus der Gattung *Centromerus* Dahl. *Čas. Čs. Spol. ent.* **55**: 71–91 (in Czech and German).
- MILLER F. 1958b: Tři nové druhy pavouků z moravských stepních oblastí. Drei neue Spinnenarten aus den mährischen Steppengebieten. *Věst. Čsl. zool. společ.* **22**: 148–155 (in German).
- MILLER F. 1959: Einige neue oder unvollkommen bekannte Spinnenarten aus der Familie der Erigoniden. *Sborník entom. odd. Nár. Musea v Praze* **33**: 41–59 (in German).
- MILLER F. 1963: Tschechoslowakische Spinnenarten aus der Gattung *Euryopis* Menge (Araneae, Theridiidae). *Čas. Čs. Spol. ent.* **60**: 341–348.
- MILLER F. 1966: Einige neue oder unvollkommen bekannte Zwergspinnen (Micryphantidae) aus der Tschechoslowakei (Araneidea). *Acta Entomol. Bohemoslov.* **63**: 149–164.

- MILLER F. 1967: Studien über die Kopulationsorgane der Spinnengattung *Zelotes*, *Micaria*, *Robertus* und *Dipoena* nebst Beschreibung einiger neuen oder unvollkommen bekannten Spinnenarten. *Acta Sc. Nat. Brno* **1**(7): 251–298.
- MILLER F. 1971: Řád Pavouci – Araneida [Order Spiders – Araneida] In DANIEL M. & ČERNÝ V. (eds), *Klíč zvířeny ČSSR IV* [Key to the fauna of Czechoslovakia IV] ČSAV, Praha, pp. 51–306 (in Czech).
- MILLER F. & OBRTL R. 1975a: Soil surface spiders (Araneidea) in terrestrial reed swamp in southern Moravia (Czechoslovakia). *Acta Entomol. Bohemoslov.* **72**: 272–285.
- MILLER F. & OBRTL R. 1975b: Soil surface spiders in a lowland forest. *Acta Sc. Nat. Brno* **9**(4): 1–40.
- MILLER F. & WEISS I. 1979: Neue Angaben über die Gattung *Theonina* Simon und *Meioneta* Hull aus Mitteleuropa. *Věst. čs. Společ. zool.* **43**: 30–34.
- MILLER F. & ŽITŇANSKÁ O. 1976: Einige bemerkenswerte Spinnen aus der Slowakei. *Biológia* **31**: 81–89.
- NOSEK A. 1895: Seznam českých a moravských pavouků [A survey of Czech and Moravian spiders] *Věstník Král. České Společnosti Náuk. Třída mathematicko-přírodovědecká* **1895**(3): 1–56 (in Czech).
- PLATEN R., BLICK T., BLISS P., DROGLA R., MALTEN A., MARTENS J., SACHER P. & WUNDERLICH J. 1995: Verzeichnis der Spinnentiere (excl. Acarida) Deutschlands (Arachnida: Araneida, Opilionida, Pseudoscorpionida). *Arachnol. Mitt. Sonderband* **1**: 1–55.
- PLATNICK, N. I. 2004. The world spider catalog, version 5.0. American Museum of Natural History, online at <http://research.amnh.org/entomology/spiders/catalog/index.html>.
- POZZI S. & HÄNGGI A. 1998: Araignées nouvelle ou peu connues de la Suisse (Arachnida: Araneae). *Mitt. schweiz. ent. Ges.* **71**: 33–47.
- PRUNER L. & MÍKA P. 1996: Seznam obcí a jejich částí v České republice s čísly mapových polí pro síťové mapování fauny. List of settlements in the Czech Republic with associated map fields codes for faunistics grid mapping system. *Klapalekiana* **32** (Suppl.): 1–175.
- ŘEZÁČ M. & BRYJA V. 2002: *Dysdera hungarica* Kulczyński, 1897 (Araneae, Dysderidae), a new interesting species for arachnofauna of Czech Republic. *Acta Musei Moraviae, Scientiae biologicae* **87**: 75–81.
- ŘEZÁČ M. & KRÁL J. (in prep.): Karyological study of Central European spiders of the family *Dysderidae*.
- ŘEZÁČ M. & KUBCOVÁ L. 2002: Rozšíření pavouků (Araneae) čeledí Atypidae, Eresidae a Titanocidae v České republice. The distribution of spiders (Araneae) from families Atypidae, Eresidae and Titanocidae in the Czech Republic. *Klapalekiana* **38**: 37–61. (in Czech, English summary).
- ŘEZÁČ M. & PEKÁR S. (in prep.): Revision of Central European species of the genus *Dysdera*.
- ŘEZÁČ M. & JOHANNESSEN J. (in prep.): The revision of the genus *Eresus* in the Central Europe and related aspects of its biology.
- ŘEZÁČ M. 2001: Nové údaje o některých pozoruhodných pavoucích (Araneae) z České republiky. New records of some remarkable spiders (Araneae) from the Czech Republic. *Muzeum a současnost, ser. natur.* **15**: 8–12 (in Czech, English summary).
- RŮŽIČKA V. & HOLEC M. 1998: New records of spiders from pond littorals in the Czech Republic. *Arachnol. Mitt.* **16**: 1–7.
- RŮŽIČKA V. 2000: *Entelecara omissa* (Araneae) na Moravě. *Entelecara omissa* (Araneae) in Moravia. *Sborník Přírodovědného klubu v Uh. Hradišti* **5**: 214–216 (in Czech, English summary).
- ŠILHAVÝ V. 1938: Několik pavouků z čeledi Thomisidae nových pro Moravu. Quelques araignées de la fam. Thomisidae, nouvelles pour la faune de Moravie. *Ent. Listy* **1**: 89–90 (in Czech, French summary).
- VALÍČKOVÁ I. 1998: Fauna pavouků břehových biotopů novomlýnských nádrží. [Arachnofauna of the bank habitats of VDNM II dam] MSc. thesis, Palacký University, Olomouc, 85 pp. (in Czech).
- WESOŁOWSKA W. 1986: A revision of the genus *Heliophanus* C. L. Koch, 1833 (Aranei: Salticidae). *Annls zool. Warsz.* **40**: 1–254.
- WIEHLE H. 1953: Spinnentiere oder Arachnoidea (Araneae) IX: Orthognatha-Cribellatae-Haplogynae-Entelegynae (Pholcidae, Zodariidae, Oxyopidae, Mimetidae, Nesticidae). *Tierwelt Deutschlands* **42**: i–viii, 1–150.