



A SURVEY OF SPIDER SPECIES (ARANEIDA) IN PROF. F. MILLER'S COLLECTION (DEPARTMENT OF ZOOLOGY, MUSEUM OF NATURAL HISTORY - NATIONAL MUSEUM), PART VII: THERIDIIDAE

Antonín Kůrka

Department of Zoology, National Museum, 115 79 Praha 1, Czech Republic

Received November 11, 2002

Accepted January 6, 2003

Abstract. In the present survey (part VII) data on 1665 specimens of Miller's collection are given. The material belongs to 50 species of the family Theridiidae.

■ Araneida, Theridiidae, arachnological collection, Prof. F. Miller, National Museum in Prague, Bohemia, Moravia, Slovakia.

INTRODUCTION

The seventh part of the survey of the Professor František Miller's collection deposited in the National Museum in Prague summarises data on 1665 specimens belonging to 50 spider species of the family *Theridiidae*. Data on 106 species of 13 families (*Atypidae*, *Eresidae*, *Amaurobiidae*, *Titanoecidae*, *Dictynidae*, *Uloboridae*, *Pholcidae*, *Zodariidae*, *Zoridae*, *Anyphaenidae*, *Eusparassidae*, *Dysderidae* and *Gnaphosidae*) have been given in the first part (Kůrka 1994). The second part of Miller's survey (Kůrka 1996) consists of data on 1589 specimens of 51 spider species belonging to the family *Clubionidae*, *Corinnidae* and *Liocranidae* as well as the complement of some species of *Gnaphosidae*. The third part (Kůrka 1997) summarises data on 2082 specimens belonging to 56 species of two families (*Thomisidae* and *Philodromidae*). The data on 3443 specimens belonging to 61 species of the family *Lycosidae* are given in the fourth part, while the fifth part includes data on 2049 specimens pertaining to 38 species of the families *Pisauridae*, *Oxyopidae*, *Zoridae*, *Cybaeidae*, *Agelenidae*, *Hahnidae*, *Mimetidae* and *Mysmenidae*. For the time being the later part of this survey consists the data on 1838 specimens belonging to 58 spider species of the family *Salticidae*. (The arrangement of families according to Platnick 1997 and Buchar et Růžička 2002.)

Explanatory notes: The data are aligned as follows: locality - (number of mapping square in parentheses) - date of collection - number of specimens, m = male, f = female, j = juvenile - (number of registration in parentheses), rev., det. AK = author's revision or determination, Mt = mount, p = pond, pb = peatbog, res. = reserve, ? = unidentified localities, (?) = mapping square unknown. Mountain ranges and districts: Beskydy, Jeseníky, Malá Fatra, Orava, Pavlovské vrchy, Roháče, Vysoké Tatry.

SYSTEMATIC LIST

Family Theridiidae

***Achaeearanea lunata* (CLERCK, 1757) (P6A–758)**

Bohemia: Nový Bydžov (5758) 1f (/1); Sokolnice (6866) 6. 7. 1m 1f 1j (/2).

Moravia: Jeseník (5769) 1m (/3); Lednice (7266) 30. 5. 1m (/4); Mohelno (6863) 1f (/5); Žebětín (6764–6765) 25. 5. 1979 1m (/6), 1f (/7).

Slovakia: Banská Štiavnica (7579) VI 1956 1f (/8); Pata (7772) 25. 7. 2m 1f (/9); Štúrovo (8178–8278) 10. 6. 1956 1m (/10); Tesáre (7474) 11. 5. 1m 1f 2j (/11).

***Achaeearanea ohlerti* (THORELL, 1870) (P6A–758)**

Bohemia: Kvilda (6947) 5. 7. 1960 1m 1f (/12); Mrtvý luh (pb) (7149) 28. 6. 1975 2m 7f 2j (/13).

Slovakia: Štrbské pleso (lake) (6886) 2f 2j (/14).

***Achaeearanea riparia* (BLACKWALL, 1834) (P6A–758)**

Bohemia: Lužná (5848) 1m (/15).

Moravia: Hády (6766) 20. 6. 1961 1m 1f (/16); Mohelno (6863) 1941 1m 1f (/17); Pavlovské vrchy (7165–7166) 15. 7. 1955 1m (/18), 1. 6. 1f (/19), 1m 1f (/20).

***Achaeearanea simulans* (THORELL, 1875) (P6A–758)**

Bohemia: Činěves (5757) 1. 7. 1960 1f (/21); Třeboň (6954) 1m (/22); Lednice (7266) VII 1972 1m 1f (/23), VII–IX 14m 9f (/24).

Slovakia: Rozsutec (Mt) (6880) 1m (/25).

***Achaeearanea tepidariorum* (C.L.KOCH, 1841) (P6A–758)**

Bohemia: Nový Bydžov (5758) 1m (/26).

Moravia: Brno (6765–6865) VII 1958 1m (/27), 5. 10. 1961 1m (/28), 1m 2f (/29).

Slovakia: Bratislava (7868) VIII 1956 1m (/31), 8.–10.11. 1f (/32).

?: Modrá (?) 1m (/30); Bílov. (?) 20. 5. 6m 3f 2j (/33).

***Anelosimus vittatus* (C.L.KOCH, 1836) (P6A–759)**

Bohemia: Třeboň (6954) 1m 2f (/1).

Moravia: Hády (6766) 1938 3m (/2); Lednice (7266) II 1957 1j (/3), V 1972 2m 2f (/4), 18. 5. 1m (/5), 10. 7. 1f (/6), 1m 2f (/7); Pavlovské vrchy (7165–7166) 1m (/8).

***Crustulina guttata* (WIDER, 1834) (P6A–772)**

Bohemia: Borkovice (6753) 1m 1f (/1), 3f (/2); Jindřichův Hradec (6855) 24. 6. 1958 1m 2f 2j (/3); Lužná (5848) VIII 1935 1f (/4), 2m 5f (/5); Mláka (6955) 2m 7f (/6), 1m (/7); Orlík (6450–6451) 28. 7. 3f 1j (/8); Pernek (7249–7250) 30. 7. 1956 1m 1f (/9).

Moravia: Doubravnik (6464) 10. 6. 3f (/10); Mohelno (6863) 1. 6. 1958 1f (/11), 3f (/12);

Ostrovačice (6764) 20. 3. 1972 1f (/13); Rejváz (5769) 10. 7. 1m 3f (/14), 25. 9. 1m (/15); Říčky (6764) 1m 2f (/16); Žarošice (6967) 2f 1j (/17); Žebětín (6764–6765) 10. 10. 1966 1f (/18).

Slovakia: Turie (6878) VIII 1948 1m 2f (/19); Žilina (6778) 2m 7f (/20).

***Dipoena braccata* (C. L. KOCH, 1841) (P6A–761)**

Moravia: Mohelno (6863) 20. 6. 1961 4f (/1), 20. 6. 2f (/2), VIII 1941 3f (/3), 1941 2f (/4).

Slovakia: Banská Štiavnica ((7579) V 1956 1f 1j (/5), VI 1956 2f (/6), V 1957 1m 1f (/7); Lučenec (7683) V 1933 1f (/8); Pata (7772) 10. 7. 1959 1f (/9), 30. 6. 1f (/11).

***Dipoena coracina* (C. L. KOCH, 1837) (P6A–761)**

Moravia: Mohelno (6863) VIII 1941 1m 1j (/11); Říčky (6764) 20. 6. 1948 1m (/12).

Slovakia: Turie (6878) 15. 8. 1970 1f (/14). ? : Strážov (?) 1m (/13).

***Dipoena erythropus* (SIMON, 1881) (P6A–761)**

Bohemia: Měchenice (6052–6152) 1m (/16).

Moravia: Pouzdřany (7065) 20. 6. 1m (/15).

***Dipoena melanogaster* (C. L. KOCH, 1837) (P6A–761)**

Bohemia: Holná (6855) 8. 8. 1934 2m 7f (/17).

Moravia: Ketkovice (6863) 10. 6. 1m (/18); Pouzdřany (7065) 6. 6. 1m (/19).

Slovakia: Banská Štiavnica (7579) VI 1956 2f (/20), 10. 8. 1956 10f (/21); Bzovík ((7680) 20. 5. 1m 1f 2j (/22), Rychnav.Dol. (?) 1f 2j (/23).

?: Vinice (?) 30. 6. 1955 4f (/24).

***Dipoena nigroreticulata* (SIMON, 1879) (P6A–761)**

Moravia: Lednice (7266) 18. 6. 1956 1m (/25).

***Dipoena prona* (MENGE, 1868) (P6A–761)**

Bohemia: Třeboň (6954) 15. 7. 1f (/26).

Moravia: Hády (6766) 10. 6. 1972 1f (/27), 25. 4. 2m (/28), 30. 4. 1m 1f 1j (/29), 2f (/30); Pavlovské vrchy (7165–7166) 1f (/31); Pouzdřany (7065) 3m 1f (/32), 15. 4. 1961 2m (/33), 5. 5. 2m 2f (/34), 25. 5. 1m 3f (/35), 20. 6. 2j (/36).

***Dipoena torva* (THORELL, 1875) (P6A–761)**

Moravia: Žebětín (6764–6765) 21. 7. 1979 1f (/37).

Slovakia: Banská Štiavnica (7579) 29. 5. 1m (/38).

***Enoplognatha latimana* (HIPPA ET OKSALA, 1982) (P6A–762)**

Moravia: Žarošice (6967) 4m det. AK (/1).

***Enoplognatha ovata* (CLERCK, 1757) (P6A–762)**

Bohemia: Hlavenec (5754) 4m 16f 1j (/2); Pernek (7249–7250) 30. 7. 1956 1m 1f (/3).

Moravia: Pavlovské vrchy (7165–7166) 1m 1f (/4); Pouzdřany (7065) 20. 6. 1m (/5).

***Enoplognatha mordax* (THORELL, 1875) (P6A–762)**

Slovakia: Borišov (Mt) (7080) 1m 1f (/6).

***Enoplognatha thoracica* HAHN, 1833 (P6A–762)**

Bohemia: Dráčov (6754) 2f (/7); Lochkov (6052) 6. 6. 2m (/8).

Moravia: Čebínka (6765) 30. 5. 1f (/9), 4. 8. 1f (/10); Doubavník (6564) 10. 6. 5f (/11); Hády (6766) 25. 4. 1m 1f (/12), 30. 4. 1f (/13), 2. 6. 2f (/14), 20. 6. 3f (/15); Klajdovka (6765) 20. 5. 1f (/16); Mohelno (6863) 1931 1f (/17), 1. 6. 1958 1f (/18), 20. 6. 4f (/19); Náměšť nad Oslavou (?) 12. 8. 1962 1f (/20); Pavlovské vrchy (7165–7166) 15. 7. 1955 1f (/21), 30. 5. 2f (/22), 1m 2f (/23), 2f (/24), 20. 5. 1m (/25); Pouzdřany (7065) 15. 4. 1961 1f (/26), 20. 5. 1f (/27), 16. 6. 2m (/28), 4m 3f (/29); Říčky (6764) VI 1941 1f (/30), 3. 5. 1952 1m (/31), 5. 6. 1f (/32); Větrník (reserve) (6867) 5. 5. 1f (/33); Žebětín (6764–6765) 29. 5. 1975 1f (/34), 20. 5. 1973 1f (/35), 20. 5. 1973 1f (/35), 20. 5. 1977 4m 9f 2j (/36), 20. 6. 1f (/37).

Slovakia: Domic (7578) 15. 5. 1m (/38); Silica (7489) 10. 5. 1m (/39); Žilina (6778) 1m (/40).

***Episinus angulatus* (BLACKWALL, 1836) (P6A–763)**

Bohemia: Skřýchov (?) 1f (/1); Jezerní slat (pb) (6947) 1f rev. AK (/7).

Moravia: Lednice (7266) 15. 5. 1j (/2); Olší (6563) 3. 10. 1j (/3); Pavlice (7061) 30. 6. 1f (/4).

Slovakia: Banská Štiavnica (7579) 29. 5. 1f (/5); Čalovo (8172) 10. 5. 1961 3j (/6); Turie (6878) 1f rev. AK (/20).

***Episinus truncatus* LATREILLE, 1809 (P6A–763)**

Moravia: Hády (6766) 12. 6. 1961 2m 3f (/8), 10. 6. 1972 1f 1j (/9); Mohelno (6863) 7m 18f (/10); Pavlovské vrchy (7165–7166) 15. 7. 1955 1f (/11), 6. 6. 2m 2f 2j (/12); Pouzdřany (7065) 5. 6. 1976 1j (/13), 20. 6. 1f (/14) 9. 7. 4f (/15), 10. 6. 2m 3f (/16); Žarošice (6967) 3f (/17).

Slovakia: Devínska Kobyla (Mt) (7867) 10. 6. 1f (/18); Štúrovo (8178–8278) 10. 6. 1956 3m 3f 5j (/19).

***Euryopis episinoides* (WALCKENAER, 1847) (P6A–764)**

Moravia: Mohelno (6863) 1m (/1).

***Euryopsis flavomaculata* (C. L. KOCH, 1836) (P6A–764)**

Bohemia: Dráčov (6754) 1m 3f (/2); Lednice (7266) 1f (/3); Pavlovské vrchy (7165–7166) 20. 7. 1m (/4); Pouzdřany (7065) 8. 5. 2m (/5), 25. 5. 2m (/6), 20. 5. 1m (/7), 13. 6. 1968 1m (/8); Rajhrad (6965) 1m (/9); Rejvíz (5769) 10. 7. 1m 1f (/10), 1f (/11), 3j (/12); Řičky (6764) 1m (/13).

Slovakia: Banská Štiavnica (7579) V 1957 1m (/14); Devínska Kobyla (Mt) (7867) 1. 7. 1m (/25); Vysoké Tatry (?) 1m (/15).

***Euryopsis laeta* (WESTRING, 1861) (P6A–764)**

Moravia: Pavlovské vrchy (7165–7166) 30. 5. 1949 1f (/16); Pouzdřany (7065) 10. 4. 1961 1j (/17), 15. 5. 1m 2f (/18), 6. 6. 1963 1f (/19), 15. 6. 1f (/20).

?: Lazy (?) V 1934 1f (/21).

***Euryopsis quingueguttata* THORELL, 1875 (P6A–764)**

Moravia: Čejč (7078) 5. 4. 1f (/22).

***Euryopsis saukea* LEVI, 1951 (P6A–764)**

Moravia: Pouzdřany (7065) 25. 10. 1j (/23).

Slovakia: Štúrovo (8178–8278) 5. 6. 1949 1m 1g. Gregor (/24).

***Lasaeola tristis* (HAHN, 1833) (P6A–761)**

Moravia: Doubravnik (6564) 10. 6. 1m 2f (/39); Mohelno (6863) 20. 6. 1961 2f (/40), 10. 6. 8f (/41); Rejvíz (5769) 10. 7. 1f (/42).

?: Hradisko (?) 7. 6. 1936 2m 6f 6j (/43).

***Neottiura bimaculata* (LINNÉ, 1767) (P6A–765)**

Bohemia: Jindřichův Hradec (6855–6856) 24. 6. 1958 1m 1f (/1); Pernek (7249–7250) 30. 7. 1931 4f (/2).

Moravia: Beskydy (?) 9.–18. 8. 1952 1f (/3); Čebínka (6765) 30. 5. 1m (/4); Hády (6766) 12. 6. 2m 3f (/5); Horní Domaslavice (6276–6376) 10. 7. 1m 1f (/6); Lednice (7266) 30. 5. 1m (/7); Mohelno (6863) 20. 6. 1961 1m (/8), 1f (/9); Pavlovské vrchy (7165–7166) 15. 6. 1956 1m (/10), 1m (/11); Pouzdřany (7065) 25. 5. 6m 1f (/12); Rejvíz (5769) 10. 7. 1f (/13); Řičky (6764) 5. 6. 2m (/14); Skřitek (6068) 5. 6. 2f (/15); Žarošice (6967) 5f (/16); Žebětín (6764–6765) 28. 5. 1977 2m (/17).

Slovakia: Turie (6878) 20. 7. 1968 1f (/18); Topoľčany (7474–7475) VI 1958 1m (/19).

***Neottiura suaveolens* (SIMON, 1879) (P6A–765)**

Moravia: Brno (6865) 1f (/20); Hády (6766) 10. 6. 1972 6m 1f (/21); Hlína (6864) 10. 6. 1970 2m 1f (/22); Lomnička (6664) 18. 8. 1m (/23); Mohelno (6863) VII 1941 1m 14f (/24), 20. 6. 1m 8f (/25); Moravský Krumlov (6963–6964) 6. 6. 1m (/26); Pavlovské vrchy (7165–7166) 20. 5. 1m (/27); Pouzdřany (7065) 13. 6. 1968 1f (/28), 8. 5. 6m (/29), 10. 6. 1m 1f (/30); Žarošice (6967) 6f (/31).

Slovakia: Štúrovo (8178–8278) 10. 6. 1956 1m 3f (/32).

***Paidiscula pallens* (BLACKWALL, 1834) (P6A – 771)**

Moravia: Lednice (7266) V 1972 1m 4f 5j (/1), 1f (/2), 2m 2f (/3).

Slovakia: Rozsutec (Mt) (6880) 2j (/4).

***Pholcomma gibbum* (WESTRING, 1851) (P6A–766)**

Bohemia: Lužná (5848) 1m (/1).

Moravia: Dolní Čepí (6564) 15. 5. 1f (/2); Doubravnik (6564) 10. 6. 4f (/3); Horní Domaslavice (6276–6376) 7. 6. 6f (/4); Pavlov (7165–7166) 6. 6. 1m 3f (/5).

Slovakia: Devínska Kobyla (Mt) (7867) 20. 4. 1m (/7); Jur (?) VI 1978 2m 2f (/6); Štúrovo (8178–8278) 12. 5. 4m 3f (/8).

***Robertus arundineti* (O. P.–CAMBRIDGE, 1871) (P6A–767)**

Bohemia: Blata (?) 5f (/1), 2m 1f (/2), 2f (/3); Borkovice (6753) 1m (/4); Dráčov (6754) 15m 13f 1j (/5); Holná (pond) (6855) 11m 5f (/6); Lochkov (6052) 16. 6. 32m 3f (/7); Kvilda (6947) 25. 5. 1m (/8); Pernek (7249–7250) 30. 7. 1956 1m 1f (/9); Stožec (7148) 28. 6. 1995 1f (/10).

Moravia: Dambořice (6967) 30. 10. 1m (/11), 3m 1f (/12); Hády (6766) 3. 7. 2m 3f (/13); Lednice (7266) 5. 4. 1958 1f (/14), 2. 5. 3m 2f (/15); Pohořelice (7065) 7. 7. 7m 2f (/16).

Slovakia: Čalovo (8172) 10. 5. 1960 1m (/17); Orava (?) VII 1959 3m 7f 1j (/18); Štúrovo (8178–8278) 10. 6. 1956 1f 2j (/19); Vrútky (6879) 1f (/20).
?: Braniš. (?) 10. 5. 1m 1f (/21); ŽM (?) 25. 4. 1962 5m (/22).

***Robertus lividus* (BLACKWALL, 1836) (P6A–767)**

Bohemia: Dráčov (6754) 4m 3f (/23); Jezerní slať (pb) (6947) 28. 6. 1975 3f (/24); Jindřichův Hradec (6855–6856) 24. 6. 1959 1f 1j (/25); Lužná (5848) 1m 2f (/26), 3m 1f (/27); Mláka (6955) V 1961 1m 1f (/28), 10. 4. 1f (/29), 4f 1j (/30); Obecnice (6249) 2m 2f (/31); Pernek (7249–7250) 30. 7. 1956 1f (/32); Rečkov (5555) 1f (/33).

Moravia: Brno (6765–6865) I 1953 1m (/34); Dambořice (6967) 30. 11. 1m (/35); Doubravník (6564) 16. 6. 1f (/36), 7. 9. 1956 1m 1f (/37); Hádky (?) 5. 6. 8m 6f (/38); Horní Domaslavice (6276–6376) 10. 7. 1951 15f (/39); Jeseník (5769) 9f (/40), 11f 1j (/41), 7f (/42); Ketkovice (6863) 1f (/43); Křtiny (6766) 20. 10. 1956 1f (/44); Kuničky (6566) 1976 1m (/45); Lednice (7266) 3. 5. 1958 2f (/46), 24. 5. 1957 1f (/47), 1m 1f (/48); Letonice (6867) 5. 5. 1f 1j (/49); Mohelno (6863) 1. 6. 1958 1m 2f (/50), 1f (/51); Nové Město na Moravě (6462) 26. 5. 1f (/52), 1f 1j (/53); Olší (6563) 18. 9. 1m 7f 2j (/54), 10. 11. 1m 2f 1j (/55), 2. 10. 1966 1m (/56), 10. 11. 4f (/57); Pavlovské vrchy (7165–7166) 2f (/58); Pohořelice (7065) 25. 5. 1m 1f (/59), 7. 7. 2m (/60) 7. 7. 1m rev. AK (61); Pouzdřany (7065) 10. 5. 1m 1f (/62), 18. 6. 1m (/63), 1. 10. 2f (/64), 10. 10. 2m (/65), 1. 11. 1m (/66), 1m (/67), 1f (/68); Říčky (6764) 24. 3. 1957 1f (/69); Velká Bíteš (6763) 1f (/70).

Slovakia: Devínska Kobyla (Mt) (7867) 21. 6. 1f (/71); Jur (?) VI 1978 2m 4f (/72); Malá Fatra (?) VIII 1948 1f (/73); Malacky (7568) 2. 4. 1973 6m 13f 5j (/74); Plešivec (7488) 7. 5. 1f (/75); Silica (7489) 15. 5. 2m 3f (/86); Štúrovo (8178–8278) 10. 6. 1956 1m (/76); Turie (6878) 4m 7f (/77), 1m (/78), 2m 4f (/79); V. Javorina (?) 20. 9. 2f (/80); Vršatec (?) 10. 8. 1968 2f 1j (/81).

***Robertus scoticus* JACKSON, 1914 (P6A–767)**

Bohemia: Jezerní slať (6947) 28. 6. 1f (/87); Mláka (6955) 8. 7. 2f (/88), 1f (/89), 2f 1m (/90).

Moravia: Jeseník (5769) 2m 17f (/91), 2m 7f (/92); Rejvíz (pb) (5769) 25. 9. 2m 2f (/93).

Slovakia: Roháče (?) 1m 5f (/94); Vysoké Tatry (?) 1f (/95), 1f (/96).

***Robertus truncorum* (L. KOCH, 1872) (P6A–767)**

Moravia: Beskydy (?) 9.–18. 8. 1952 1m 7f 3j (/97); Horní Domaslavice (6276–6376) 10. 7. 3f (/98); Jeseníky (?) VIII 1946 1f (/99); Jeseník (5769) 8. 8. 1m 18f (/100), 10 f (/101).

Slovakia: Kriváň (Mt) (6879) 1f (/13); Malá Fatra (?) VIII 1948 1m 7f (/104); Polana (7385) 21. 9. 2m (/108); Roháče (?) VII 1937 6m 13f (/102); Turčianske Teplice (7179) 5f (/105); Vysoké Tatry (?) 1m 4f 1j (/106), 1f (/107).

***Robertus ungulatus* VOGELSANGER, 1944 (P6A–767)**

Slovakia: Lietava (6878) 15. 5. 1936 1f (/109); Turie (6878) 21. 10. 1936 2f (/110).

?: Kozel (?) 1. 7. 1936 13f 1j (/111).

***Rugathodes bellicosus* (SIMON, 1873) (P6A–762)**

Bohemia: Pernek (7249–7250) 3. 7. 1956 10f 1j (/41).

Moravia: Horní Domaslavice (6276–6376) 10. 7. 1m 3f (/42); Jeseník (5769) 14m 4f 6j (/43), 18m 3f 2j (/44); Lysá hora (Mt) 6479) 10. 8. 1944 12f 1j (/45).

Slovakia: Banská Štiavnica (7579) VI 1956 1f det. AK (/47); Vysoké Tatry (?) VII 1978 1f (/46).

***Steatoda albomaculata* (DEGEER, 1778) (P6A–768)**

Moravia: Mohelno (6863) 1f (/1).

***Steatoda bipunctata* (LINNÉ, 1758) (P6A–768)**

Moravia: Bobrava (valley) (6865) 4. 5. 1m 1f (/2); Brno (6765–6865) VII 1958 1m (/3); Lednice (7266) 4. 11. 1961 1m 1f (/4), 10. 4. 3f (/5); Pouzdřany (7065) 21. 4. 1953 1f (/6); Skřítek (pb) (6068) 1f (/7); Sokolnice (6866) 12. 7. 1975 1f (/8), 1m 1f (/9).

Slovakia: Bratislava (7868) 2f (/10), VIII 1956 1f (/11).

?: Čenkov (?) VIII 1956 1f (/12).

***Steatoda castanea* (CLERCK, 1757) (P6A–769)**

Bohemia: Nový Bydžov (5758) 13. 8. 1972 1f (/1).

Moravia: Beskydy (?) 9.–18. 8. 1952 1j (/2); Jaroměřice (6365) 2f (/5); Modřice (6865) 15. 6. 1956 3f (/3); Osová Bítýška (6663) 5f 3j (/4).

***Steatoda grossa* (C. L. Koch, 1838) (P6A–769)**

Bohemia: Praha–Smíchov (5952) 16. 12. 1963 1m (rev. AK) (/18).

Moravia: Brno (6765–6865) 10. 5. 1957 1f (/6), XI 1952 1m (/7), VII 1972 4f (/8), 17. 11. 1972 4f (/9), IV 1974 2f (/10), 1f (/13), 1m (/14, 16. 8. 1956 1m (/17)); Brno (6865) 20. 9. 1975 1j (/11), IV 1979 1j (/2); Osová Bítýška (6663) I 1953 1f (/15).

Slovakia: Modra (7669) 4. 7. 1956 1f (/16).

***Steatoda phalerata* (PANZER, 1801) (P6A–768)**

Bohemia: Orlík (6450–6451) 28. 7. 1f (/13); Pernek (7249–7250) 30. 7. 1956 1m (/14).

Moravia: Čejč (7067) 25. 4. 1m (/15); Doubravník (6564) 27. 8. 1956 1m (/16), 15. 4. 1f (/17); Hády (6766) 5. 4. 1961 2m (/18); Jevíčko (6366) 1m (/19); Klajdovka (6765) 25. 5. 1m (/20); Lomnička (6664) 1f (/21); Mohelno (6863) 1941 1m 1f (/22); Pouzdřany (7065) 15. 5. 1968 3m 1f (/23), 25. 5. 1f (/24), 13. 6. 1m 1f (/25); Žebětín (6764–6765) 25. 9. 1974 1f (/26), 20. 5. 1977 1m (/27).

Slovakia: (7683) Lučenec (7683) 1. 6. 1949 1m (/28); Žilina (6778) 5m (/29).

?: Biskupice (?) 1m (/30); Čertova skála (rock) (?) 20. 9. 1f (/31).

***Steatoda triangulosa* (WALCKENAER, 1802) (P6A–769)**

Slovakia: Bratislava (7868) 20. 5. 1955 1f 2j (/19), 15. 8. 1956 1f (/20), 10. 2. 4f 1j (/21); Rozsutec (Mt) (6880) 1f (/22); Štúrovo (8178–8278) 1. 9. 1964 1f (/23).

***Theonoe minutissima* (O. P.–Cambridge, 1879) (P6A–770)**

Moravia: Beskydy, Mazák (6476) 9. 8. 1952 1f (/1); Rejvíz (pb) (5769) 10. 7. 4m 28f (/2), 2f (/3).

Slovakia: Turie (6878) 20. 7. 1968 2f (/4), 2m 64 f (/5).

***Simitidion simile* (C.L. KOCH, 1836) (P6A–771)**

Bohemia: Mláka (6955) 1m (/5).

Moravia: Mohelno (6863) 20. 6. 1m (/6), 1941 1m (/7).

Slovakia: Štúrovo (8178–8278) 1m 3f (/8).

***Theridion betteni* WIEHLE, 1960 (P6A–771)**

Moravia: Mohelno (6863) 3f (/9); Pavlovské vrchy (7165–7166) 3f (/10); Pouzdřany (7065) 2f (/11); Sokolnice (6866) 6. 7. 1977 1f (/12).

Slovakia: Turčianske Teplice (7179) 16. 6. 1979 3f (/13).

***Theridion blackwalli* O. P.–CAMBRIDGE, 1871 (P6A–771)**

Slovakia: Štúrovo (8178–8278) 15. 6. 1956 1m (/14).

***Theridion boesenbergi* STRAND, 1904 (P6A–771)**

Moravia: Mohelno (6863) 1941 1m (/15), 1m (/16).

***Theridion impressum* L. KOCH, 1881 (P6A–771)**

Bohemia: Hatín (6855) 15. 8. 1975 1f (/17); Nový Bydžov (5758) 1f (/18).

Moravia: Brno (6765–6865) 17. 6. 1950 1m (/19); Mohelno (6863) 20. 6. 8m 1j (/20), VIII 1941 1m 1j (/21); Pavlovské vrchy (7165–7166) 5f (/22); Vápenná (5768) 1f rev. AK (/104).

Slovakia: Devínska Kobyla (7867) 10. 6. 2m rev. AK (/105).

***Theridion melanurum* HAHN, 1831 (P6A–771)**

Moravia: Mohelno (6863) 1941 1f (/23); Pavlovské vrchy (7165–7166) 15. 6. 1956 1m (/24), 6. 5. 1f (/25).

?: Strážov (?) V 1935 1m (/26).

***Theridion mystaceum* SIMON, 1873 (P6A–771)**

Moravia: Hády (6766) 10. 6. 1f (/27); Lednice (7266) 25. 4. 1961 2m (/28), 27. 4. 1961 3j (/29); Mohelno (6863) 1f (/30); Pavlovské vrchy (7165–7166) 2f (/31), 1f 1j (/32), 3f (/33); Vranovice (7065) 1j (/34).

Slovakia: Banská Štiavnica (7579) 1f (/35).

***Theridion nigrovariegatum* SIMON, 1873 (P6A–771)**

Moravia: Hády (6766) 18. 6. 3m (/36); Moravský Krumlov (6963–6964) 6. 6. 1m (/37); Pavlovské vrchy (7165–7166) 1. 6. 1m (/38); Soběšice (6765) 12. 6. 1938 3m 1j (/39).
Slovakia: Banská Štiavnica (7579) V 1957 1m (/40), 30. 6. 2m (/41), Bratislava (7868) 1f (/42); Devínska Kobyla (7867) 10. 6. 1m 1f (/43); Štúrovo (8178–8278) 10. 6. 1956 9m 3f 5j (/44).

***Theridion pictum* (WALCKENAER, 1802) (P6A–771)**

Bohemia: Nový Bydžov (5758) 1f (/106); Třeboň (6954) 1f (/45).
Moravia: Lednice (7266) VII 1971 1f (/46), 10. 5. 2f (/47); Mušov (7065) 10. 6. 1966 1m (/48), 29. 4. 1m 2j (/49).
Slovakia: Rozsutec (6880) 1m 1f (/50); Šamorín (7969) 30. 5. 1933 1f (/51).

***Theridion pinastri* L. KOCH, 1872 (P6A–771)**

Bohemia: Praha (?) 1f (/52).
Moravia: Brno (6765–6865) 1. 6. 1m (/53); Jeseník (5769) 1f (/54); Lednice (7266) 30. 5. 1f (/55), 1f (/56); Mohelno (6863) 20. 6. 1961 3f (/57); Pouzdřany (7065) 6. 6. 1m (/58); Velká Bíteš (6763) 1f (/59).
Slovakia: Banská Štiavnica (7579) 30. 9. 3f (/60); Beluja (7780–7880) VII 1957 6f 3j (/61); Pata (7772) 10. 7. 1959 1m 1f 2j (/63); Poniky (7281) 19. 6. 1f (/64); Štúrovo (8178–8278) 10. 6. 1966 1m (/107).
?: Čenkov (?) VIII 1956 1m 3f (/62).

***Theridion sisyphium* (CLERCK, 1757) (P6A–771)**

Moravia: Brno (6765–6865) 20. 6. 1948 1m (/65); Horní Domaslavice (6276–6376) 10. 7. 2m 1j (/66); Jeseník (5769) 1m (/67); Rejvív (5769) 10. 7. 2m (/68).
Slovakia: Košice (7293–7393) II–III 1957 2m (/69); Teplá (7579) 21. 4. 1959 1m (/70).
?: Bílý potok (brook) (?) 2f (/71).

***Theridion tinctum* (WALCKENAER, 1802) (P6A–771)**

Bohemia: Jindřichův Hradec, Radouňka (6855–6856) 11. 1. 1961 1j (/72).
Moravia: Lednice (7266) VI 1972 1f (/73); Mohelno (6863) 20. 6. 1961 4f (/74), 10. 6. 1f (/75); Sokolnice (6866) 6. 7. 1977 1f (/76); Vranovice (7065) V 1957 1m (/77).
Slovakia: Banská Štiavnica (7579) 30. 6. 2f 1j (/78); Beluja (7780–7880) VII 1957 3m 4f 2j (/79); Kalvária (7579) 1m (/81); Pata (7772) 10. 7. 1959 1f (/80).
?: Tesák, Křístek (?) 8. 7. 1970 1f (/82).

***Theridion varians* HAHN, 1833 (P6A–771)**

Bohemia: Hlavenec (5754) 1m (/97).
Moravia: Beskydy (?) 9.–18. 8. 1952 1j (/83); ; Brno (6865) 30. 11. 1m (/85) 3f (/86); Brno (6765–6865) 1. 6. 1m (/84); Horní Domaslavice (6276–6376) 10. 7. 2f (/87); Kunštát (6465) 1f (/88); Lednice (7266) 1f (/89), 1. 6. 1m (/90); Mohelno (6863) 20. 6. 1m (/91); Rejvív (5769) 10. 7. 1f (/92); Žarošice (6967) 30. 6. 1955 2m 1f (/93).
Slovakia: Banská Štiavnica (7579) VI 1956 1m 3f (/94), 1m 7j (/95); Beluja (7780–7880) VII 1957 1f rev. AK (/96); Kalvária (?) 24. 7. 1f (/103), Kalvária, Pata (?) 7f (/98); Sitno (7579) VI 1957 8m 14f 4j (/99); Štúrovo (8178–8278) 10. 6. 1966 1m (/100), 19. 5. 1m 2j (/101); Vinica (7870) 30. 6. 1955 2m 2f (/102).

ACKNOWLEDGEMENTS

I wish to thank Prof. Jan Buchar, DrSc. for the precision of some geographic data and the correction of the manuscript. The work was supported by the Research Project no. RK 01P03OMG005.

REFERENCES

- Buchar, J., Růžička, V. (2002): Catalogue of spiders of the Czech Republic. Peres Publishers, Praha: 349 pp.
Kůrka, A. (1994): Přehled druhů pavouků (Araneida) ve sbírce Prof. F. Millera (zoologické sbírky Přírodovědeckého muzea–Národního muzea), část I. [A survey of spiders (Araneida) in Prof. F. Miller's collection (Department of Zoology, Museum of Natural History–National Museum), part I.] – Čas. Nár. Muz., Řada přírodověd., 163: 43–54.
Kůrka, A. (1996): A survey of spider species (Araneida) in Prof. F. Miller's collection (Department of Zoology

- gy, Museum of Natural History, National Museum), part II. – Čas. Nár. Muz., Řada přírodověd., 165 (1–4): 133–138.
- Kůrka, A. (1997): A survey of spider species (Araneida) in Prof. F. Miller's collection (Department of Zoology, Museum of Natural History– National Museum), part III: Thomisidae and Philodromidae.– Čas. Nár. Muz., Řada přírodověd., 166 (1–4): 47–54.
- Kůrka, A. (1997): A survey of spider species (Araneida) in Prof. F. Miller's collection (Department of Zoology, Museum of Natural History– National Museum), part IV.: Lycosidae. – Čas. Nár. Muz., Řada přírodověd., 167(1– 4): 35– 42.
- Kůrka, A. (2000): A survey of spider species (Araneida) in Prof. F. Miller's collection (Department of Zoology, Museum of Natural History – National Museum), part V. – Čas. Nár. Muz., Řada přírodověd., 169: 35–40.
- Kůrka, A. (2001): A survey of spider species (Araneida) in Prof. F. Miller's collection (Department of Zoology, Museum of Natural History – National Museum), part VI: Salticidae. – Čas. Nár. Muz., Řada přírodověd., 170 (1–4): 81–89.
- Platnick, N.I. (1997): Advances in spider taxonomy 1992–1995. With redescrptions 1940–1980. – New York Entomol. Soc., New York, 976 pp.